

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

- 1) NAME OF THE ORGANIZATION / DEPTT. SINDH BANK LIMITED/ADMINISTRATION
- 2) PROVINCIAL / LOCAL GOVT./ OTHER SCHEDULED BANK
- 3) TITLE OF CONTRACT Renovation of Sujawal Branch
- 4) TENDER NUMBER SNDB/COK/ADMIN/TD/1221/2021
- 5) BRIEF DESCRIPTION OF CONTRACT Same as above
- 6) FORUM THAT APPROVED THE SCHEME Competent Authority
- 7) TENDER ESTIMATED VALUE Rs.3,745,750/-
- 8) ENGINEER'S ESTIMATE
(For civil works only) _____
- 9) ESTIMATED COMPLETION PERIOD (AS PER CONTRACT) 1 Year
- 10) TENDER OPENED ON (DATE & TIME) 12/11/2021 at 1100 Hrs
- 11) NUMBER OF TENDER DOCUMENTS SOLD 02
(Attach list of buyers)
- 12) NUMBER OF BIDS RECEIVED _____
- 13) NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS _____
- 14) BID EVALUATION REPORT 10/11/2021
(Enclose a copy)
- 15) NAME AND ADDRESS OF THE SUCCESSFUL BIDDER M/s. G.A Woods. Plot #A/461. Sector 31/D. P&T
- 16) CONTRACT AWARD PRICE Rs.4,216,450/-
- 17) RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT
(i.e. 1st, 2nd, 3rd EVALUATION BID).
1. M/s. G.A Woods
2. M/s. Shahjee Brothers & Co

18) METHOD OF PROCUREMENT USED : - (Tick one)

- a) SINGLE STAGE – ONE ENVELOPE PROCEDURE Domestic/ Local
- b) SINGLE STAGE – TWO ENVELOPE PROCEDURE
- c) TWO STAGE BIDDING PROCEDURE
- d) TWO STAGE – TWO ENVELOPE BIDDING PROCEDURE

PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e. EMERGENCY, DIRECT CONTRACTING ETC. WITH BRIEF REASONS:

Competent Authority

19) APPROVING AUTHORITY FOR AWARD OF CONTRACT _____

20) WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL PROCUREMENT PLAN?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

21) ADVERTISEMENT :

i) SPPRA Website
(If yes, give date and SPPRA Identification No.)

Yes	SPPRA NIT ID:T00531-20-0045
No	

ii) News Papers
(If yes, give names of newspapers and dates)

Yes	Express Tribune, Daily Express & Sindhi Express (26/10/2021)
No	

22) NATURE OF CONTRACT

Domestic/ Local	<input checked="" type="checkbox"/>	Int.	<input type="checkbox"/>
--------------------	-------------------------------------	------	--------------------------

23) WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMENTS?
(If yes, enclose a copy)

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

24) WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMENTS?
(If yes, enclose a copy)

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

25) WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED FOR USING A METHOD OTHER THAN OPEN COMPETITIVE BIDDING?

Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
-----	--------------------------	----	-------------------------------------

26) WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

27) WHETHER THE SUCCESSFUL BID WAS LOWEST EVALUATED BID / BEST EVALUATED BID (in case of Consultancies)

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

28) WHETHER THE SUCCESSFUL BIDDER WAS TECHNICALLY COMPLIANT?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

29) WHETHER NAMES OF THE BIDDERS AND THEIR QUOTED PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

30) WHETHER EVALUATION REPORT GIVEN TO BIDDERS BEFORE THE AWARD OF CONTRACT?
(Attach copy of the bid evaluation report)

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

31) ANY COMPLAINTS RECEIVED
(If yes, result thereof)

Yes	
No	No

32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN THE TENDER NOTICE / DOCUMENTS
(If yes, give details)

Yes	
No	No

33) WAS THE EXTENSION MADE IN RESPONSE TIME?
(If yes, give reasons)

Yes	
No	No

34) DEVIATION FROM QUALIFICATION CRITERIA
(If yes, give details and reasons.)

Yes	
No	No

35) WAS IT ASSURED BY THE PROCURING AGENCY THAT THE SELECTED FIRM IS NOT BLACK LISTED?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF THE PROCURING AGENCY TO THE SUPPLIER'S PREMISES IN CONNECTION WITH THE PROCUREMENT? IF SO, DETAILS TO BE ASCERTAINED REGARDING FINANCING OF VISIT, IF ABROAD:
(If yes, enclose a copy)

Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
-----	--------------------------	----	-------------------------------------


37) WERE PROPER SAFEGUARDS PROVIDED ON MOBILIZATION ADVANCE PAYMENT IN THE CONTRACT (BANK GUARANTEE ETC.)?

Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
-----	--------------------------	----	-------------------------------------

38) SPECIAL CONDITIONS, IF ANY
(If yes, give Brief Description)

Yes	
No	no

Signature & Official Stamp of
Authorized Officer


28/12/2021
ARSHAD ABBAS SOOMRO
SVP/Head of Administration
Administration Division
Sindh Bank Limited
Head Office Karachi

FOR OFFICE USE ONLY

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi
Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print

Save

Reset

Buyer Record

S.No	Company Name	AMOUNT DEPOSITED
1	GA Woods	300
2	Shahjee	300
Total		600

Bid Evaluation Report		
Evaluation Report – Renovation of Sujawal branch		
1	Name of Procuring Agency	Sindh Bank Ltd.
2	Tender Reference No.	SNDB/COK/ADMIN/TD/1221/2021
3	Tender Description	Renovation of Sujawal Branch
4	Method of Procurement	Single Stage One Envelope Bidding Procedure
5	Tender Published / SPPRA S.No	T00591-20-0045. Express Tribune, Daily Express, Sindh Express (26/10/2021).
6	Total Bid Documents Sold	02
7	Total Bids Received	02
8	Technical/Financial Bid Opening Date & Time	12/11/2021 at 1100 Hrs
9	No. Of Bid qualified	02
10	Bid(s) Rejected	00

Detail on the above is as follows:-

S No	Name of Firm or Bidder	Qualified / Disqualified in Technical / Eligibility Inspection	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Engineering Estimated cost (Rs.3,745,750/-)	Reasons for acceptance/ rejection	Remarks
0	1	2	3	4	5	6	7
1	M/s. G.A Woods	Qualified	Rs.4,216,450/-	1 st Lowest	Rs.470,700/- Above the estimated cost	Accepted Qualified Evaluated Bid well within 15% limit	Accepted for Contract Award
2	M/s. Shahjee Brothers & Co.	Qualified	Rs.4,246,926/-	2 nd Lowest	Rs.501,176/- Above the estimated cost	2 nd Lowest	

Accordingly, going by the Technical/Financial Evaluation criteria laid down in the tender document, M/s. G.A Woods is the qualified evaluated bidder and their bid i.e. Rs.4,216,450/-, hence recommended for Renovation of Sujawal Branch.

Members Signature- Procurement Committee

Arshad Abbas Soomro
Head of Administration




Dilshad Huusain Khan
Chief Financial Officer

Syed Muhammad Aqeel
Chief Manager, IDBI Karachi

SUMMARY OF EVALUATION FOR RENOVIATION OF SUJAWAL BRANCH

S.No	Contractors	Status of Firm		Points Obtained	Years in Business(Only Dealing in Financial Institution)			Points Obtained	Branches up till now Constructed/renovated for the banks/financial institutions in last 5 years		Points Obtained	Average Turn Over in last three years		Points Obtained	Number of Banks/DFI currently on active Cliental List			Points Obtained	Grand Total	Qualified (70%) marks / Diequalified
		Private Limited/ Partnership	Sole Proprietorship		Total Points				Total Points			Total Points			Total Points					
		10	7		10 years & above	8 Years & above	6 Years & above		25 Branches & Above	15 Branches & Above		4 million & Above	2 million & Above		3 Above	2	1			
		20	15		10	40	30		20	10		10	7		5					
1	G A Woods		7	7	20			20		30	30	20		20	10	7	5	10	87	Qualified
2	Shahjee Brothers & Co		7	7	20			20	40		40	20		20		7		7	94	Qualified

Members Signatory- Evaluation Team




 Arshad Abbas Soomro Faisal Shafiq Faisal Shafiq
 Head of Administration Operations Director Finance Director

Members Signatory- Procurement Committee




Arshad Abbas Soomro
 Head of Administration
 Faisal Shafiq
 Chief Financial Officer
 Syed Muhammad Aqueel
 Chief Manager, IDBI Karachi

MANDATORY / DISQUALIFICATION CONDITIONS

RENOVATION OF SUJAWAL BRANCH


S.No	Contractors	PEC Registration (Yes/No)	Black Listing Affidavit (Yes/No)	FBR Registration/ Provincial Revenue Collecting Authority (Yes/No)	Alternate Bid Offered (Yes/No)	Tender Fee Submitted (Yes/No)	2 X Warning Letters Issued by S&DG (Yes/No)	Blacklisted on SPPRA/State Bank Ltd (Yes/No)	Qualified / Disqualified
1	G A Woods	Yes	Yes	Yes	No	Yes	No	No	Qualified
2	Shahjee Brothers & Co	Yes	Yes	Yes	No	Yes	No	No	Qualified

Members Signature- Evaluation Team

 M. Athar Iqbal Admin Division	 Fouzia Siamim Operation Division	 Taimoor Ghousi Finance Division
---	--	---

Members Signature- Procurement Committee

1. Arshad Abbas Soomro
HEAD OF ADMINISTRATION
2. Dilshad Hussain
CFO
3. Syed Muhammad Aqeel
Chief Manager, IDBL



~~CONFIDENTIAL~~

MINUTES OF THE OPENING OF THE TENDER (TECHNICAL / FINANCIAL PHASE)

TYPE OF PROCUREMENT: ADMIN / IT / CONSULTANT / MEDIA
TENDER NAME: Renovation of Suijan-1 Boud
TYPE OF TENDER: _____
OPENING DATE: 12/11/21
OPENING TIME: 11:00 AM

ATTENDANCE (MEMBER PC)

ATTENDANCE (REPS. OF BIDDER S)	NAME	FIRM
_____	_____	1) <u>G.A. Woods</u>
_____	_____	2) <u>Shahjeet Brothers & Co</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
TOTAL BIDS ACCEPTED FOR EVALUATION	<u>#102</u>	_____
TOTAL BIDS REJECTED	_____	_____
REMARKS	_____	_____

SIGNATURE MEMBERS PC-ADMIN
Head - Fin Div. _____
Head - Admin Div. _____
Member-IDGL _____
Date: _____



ATTENDANCE SHEET
BID OPENING -

FOR SELECTION OF Renovation of Signal Branch

Date: 12/10/21

S.No	Company Name	Name of Company Representative	Contact No.	Company Address	Signature
1	Crawford,	J			
7	Shahzad Brothers & Co		By Drop Paper		

Signature - Procurement Committee Members

Head of Administration

Chief Financial Officer

Chief Manager (IDBL)

[Handwritten Signature]
12/10/2021

[Handwritten Signature]

S #	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
A	CIVIL WORKS				
1	Dismantling / Removal Works.				
	Dismantling / Removal of existing Block/Brick masonry, ceiling, R.C.C slab, projection, sub floor cutting, chipping of plaster where required, Doors & windows with frame in any shape, Iron grills, mosaic skirting, Dado & all sanitary fixtures, water & drainage line, entire electrical wirings, disposed off useless materials/debries outside the municipal limits and stack useable materials as decided by bank's engineer, complete in all respect.(Contractor must visit the site prior to quote the rate).Salvage material to be returned to landlord or Bank as the case may be.	Job	1	50,000	50,000
2	Termite Proofing				
	Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sq. ft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will be provided by the contractor at no extra cost to the Client (horizontal & Vertical).	SFT	1800	15	27,000
3	Plain cement Concrete (Cement as per Market rate)				
	Providing, laying, average 4" thick Flooring (1:3:6) at wash room, kitchen raised floor of 1250 psi compressive strength under any type of flooring using best Quality OPC/Sulphate Resistant cement and local approved quality sand and crushed stone, form work and its removal, with necessary arrangements where required excluding base of tiles complete in all respects as per approval of bank's engineer. Cement: Falcon, Lucky Pakland, D.G Khan Sand: Hyderabad Bolari /Majir River/Hub Crush: Hub 3/4" and Kot Banglo for Interior Sindh	CFT	100	300	30,000
4	REINFORCED CEMENT CONCRETE (Vault Room as per Layout Plan).				

Supplied
G. I. WOODS


Handwritten signature and date: 29/11/2021

4	1	Providing and laying, compacting finishing & curing etc. straight or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement or equivalent. 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, including mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement; also includes cost of form work and its removal. Complete in all respects, 9" thick walls, and column or as per direction of Engineer	CFT	300	70	21,000
5		Block / Brick Masonry works.				
		Providing & laying Block / Brick masonry walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0" ft height for anchoring of masonry with the sides and Two 3/8 " dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer.				
4	1	4" thick Block Masonry internal walls (First class Machine made Blocks)	SFT	1150	120	138,000
4	1	6" thick Block Masonry external walls (First class Machine made Blocks)	SFT	1000	150	150,000
3		Plaster Works.				
		Providing & laying 3/4" thick cement sand plaster (Internal / External) with 1:4 cement sand mortar on walls, columns, beams, using best quality O.P.C. including 6" inches wide mesh at joints of structure with block masonry and over conduiting smooth trowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the existing walls) as per satisfaction of Architect / bank's engineer.	SFT	4800	60	288,000
7		Flooring, Elevation & Special Finishes.				

Suppl. R. 1 770000.3

30/1/2011
 Suppl. R. 1 770000.3
 [Signature]

a	Providing and laying glazed full body Porcelain tiles 24" X 24" at floor, of approved design, colour and pattern, china bone colour or Master or equivalent full body porcelain, setting in Stile dry bond (with cement), with matching color imported Grout. Complete in all respect, including curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, and 4 inches wide skirting at walls of the same tiles as above mentioned, with 1:2:4 PCC 50 mm thick. etc. as per specifications and/or as directed by the Architect / Engineer (at any elevation)	SFT	1350	350	472,500
b	Providing & Fixing of Bank approved Ajrak tiles on elevation Complete in all respect, including curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary with 1:4 CC plaster 25 mm thick. etc. as per specifications and/or as directed by the Architect / Engineer (at any elevation)	SFT	300	300	90,000
9 FALSE CELING					
Gypsum Board (24" X24")					
	Providing & laying 8 mm thick gypsum board False Ceiling, 24" x 24" Elephant Brand or approved equivalent in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated, with groove, aluminum, "T" & "L" section with ceiling suspension system having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Bank's Engineer.	SFT	1350	600	102,000
9 Ceramic Tiles					
a	Toilet: Providing / Laying wash room tiles (HMD45-117 9"x17" SB for floor & walls upto 7 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.	SFT	340	280	95,200




 20/11/2018
 20/11/2018
 20/11/2018

b	<p>Kitchen/Pantry: Providing / Laying Pantry tiles (HMD38-50SF 9" x 17" SB for floor & walls upto 5 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.</p>	SFT	60	300	18,000
1	Marble				
	<p>Providing & fixing pre polished 3/4" thick Marble Top quality with approved size and shade over 2" thick pre cast RCC slab including 1/2" thick gola, grouting and jointing including cost of cutting of marble for basin and sink bowl including filling with silicone around joint of marble complete in all respect as per satisfaction by the engineer.</p>				
	Pantry Counter Top (Boticina)	SFT	20	500	10,000
1	MDF Low Height Partition 3' high Between Tables. (If required)				
	<p>Provide and install 2" x 2" partial wood Solignum treated frame for wooden partitions spaced no more than 16" in centre vertically and 24" in centre in the horizontal dimension fixed in plumb and level. With water based matt finish paint. Complete in all respect with good work man ship and as per details mentioned in drawing.</p>	SFT	64	600	38,400
1	WOODEN CABINETS				
2	Kitchen Cabinets				
a	<p>Lower Unit: Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick laminated board (Furniture color) of SONEX, Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coat of spirit polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the bank's Engineer. all kind of best quality hardware's, spring hinges, SS handles, locks etc. Complete in all respects.</p>	SFT	16	900	14,400


[Handwritten signatures and notes]

b	<p>Upper Unit: Providing, fabricating and fixing in position pantry cabinets 12" deep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent on front shutter and drawers. Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in all respects as per drawings and as directed by the bank's Engineer.</p>	SFT	20	300	12000
c	<p>Full Height Cabinets (for Record Room) / Store</p>				
	<p>Providing, fabricating and fixing Two full height 7'X3' wide in position filing cabinets consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent box (back, side and shelves), shutter and drawers, with Dark gray moulding 1/2"x3/4" including nails, screws, bolts, hinges, catchers, imported steel glides, locks, handles, 03-coat of sprit polish of matching shade on lipping and wood preservative treatment and all other accessories complete in all respects as per drawings and as directed by the bank's Engineer</p>	SFT	42	450	18900
	<p>WINDOW BLINDS</p>				
	<p>Providing and installation of imported VERTICAL Blinds, in imported synthetic fabric (5" wide) with suspension mechanism, approved shade & colour (Light grey). Complete in all respect at all outside glasses only</p>	SFT	130	200	26000
1					
3	<p>Paint at Walls</p>				
	<p>Providing and applying, 3 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by applying ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer.</p>	SFT	3200	25	144000
1	<p>WOODEN DOOR / FRAME /</p>				
4	<p>CHOWKAT / Beading</p>				




 20/11/2017
 Suptt
 P. S. ...

a	DOOR FRAME: Providing and fixing of required width, 16 SWG, GI door frames for Toilets, kitchen, stores & cash counter with polishing, including Lintels, hold fasts, where ever required, complete in all respect including painting / polish with proper beach / diyar wood beading.	NO	5	7000	35000
b	SKIN DOORS, 1-1/2 inches thick (for Toilets, Kitchen, stores & cash counter) Provide and install doors consisting of best quality Malaysian skin, pressed over best quality treated partial wood framing, with approved quality of door locks, handle, tower bolt, hold fast, stopper, hardware and paint /polish, complete in all respect.	SFT	105	400	42000
1	5 Wooden Hanging Beams.				
	Providing & fixing in position wooden Beams for support to fix glass and glass door consisting of 1 1/2 x3" @ 2'-0" c/c partial wood framing and 1/2" MDF Lasani board (Malaysia) on both sides including nails, bolts, glue wastage, wood preservative, treatment & 3 coats of paint complete in all respect as per drawings and as directed by Bank's Engineers.	RFT	30	500	15000
1	INSTALLATION OF VAULT ROOM DOOR				
6	Lifting & Fixing charges of Bank's supplied Vault / Locker Doors, welding of door frame with RCC MS bars, and to facilitate the Vendors. Complete in all respects.	NO	1	5000	5000
1	GLASS DOOR (AM/BM Cabin, ATM front)				
	Providing, fabrication & fixing 12 mm thick glass door with top & bottom locking system, 4" Aluminum D-48 by Lucky or equivalent section, with 12mm thick Middle East / Saudi Arabia or equivalent clear glass with frost film and Bank's monogram, Approved Ajrak film, with gasket size and shape as shown on drawing, including bolts, D lock, nuts, screws aluminum channel, handle, floor machine (New Star or equivalent), locks etc. Complete in all respects as directed by Engineer.	SFT	42	1000	50400
1	GLASS PARTITION				
8					




 20/11/2021



 21/11/2021

	Providing and installation 12mm thick glass KSA/UAE or equivalent polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon from Dow corning or other approved by the Engineer. Complete in all respects. (in Manager room, if required)	SFT	70	700	49,000
19	Frosted Film as per Ajrak Pattern on existing Glasses				
	Providing and installation of bank's approved design frosted Film (Ajrak Pattern) on Glasse partitions/doors	SFT	200	150	30,000
20	Wrought Iron Grills for external windows, AC outers (If necessary)				
	Approved design grills for all external windows & Ac Outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI.NIPPON.BERGER or equivalent) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design. attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units.	SFT	200	500	100,000
21	SECURITY ROLLING SHUTTER				
	Providing and fixing 12" inch high vision panel of 1/4" MS bars having height of 12" at 5ft to 6ft from ground level. Upper & lower portion of shutter made of Galvanized 24 SWG roll formed sheet. Shutter box either concealed in false ceiling or make a removable box cover. Complete job with 15 inch springs, bearing pully, side channels & plats, locking arrangement with handle. Shutter will be painted with 3 coats of approved color and quality. As per drawings and as directed by the Consultant/ Bank's Engineer.	SFT	0	0	0
22	M.S DOOR on Emergency exit, ATM internal & Guard Post				





 The image shows several handwritten signatures and stamps. One prominent signature is in the center, with a date stamp '22/11/2016' and a circular stamp containing the text 'Sujawal Branch'. There are other smaller signatures and marks around it.

	Fabricating, providing and fixing MS door with 16 S.W.G M.S 3/4" square pipe, 16 SWG MS sheet pressed over this frame including metal door frame, at both sides, sheet frame painted with approved enamel color including 2" x 5" eye level opening with proper MS shutter of 16 swg sheet to look outside, including best quality hinges, locks, handles, hold fasts and other necessary hardware etc. size as per site. Complete in all respects as per drawing attached herewith, specifications and as directed by the Bank.	SFT	57	1000	57,000
2 3	MARBLE AT ENTRANCE STEPS				
	Providing and laying 20mm thick Marble of approved quality and size on any type of flooring straight or curved, as per drawings, laid with cement slurry over cement sand mortar (1:4), including filling of joint with grouting material, rubbing, rounding and final chemical polish etc, complete in all respects.	SFT	150	500	75,000
2 4	P.C.C chequered Tiles with 3" th P.C.C				
	Providing & fixing 12"X12" P.C.C chequered Tiles over 3" thick (average) base concrete 1:5 CM Cost includes P.C.C, levelling complete in all respect as per satisfaction of bank's engineer.	SFT	150	150	22,500
2 5	ATM ACCESS RAMP FOR DISABLED PERSON				
	A three feet wide CC ramp, at 30 degree, will be provided for disabled person. The ramp tiles will be grooved tiles and, SS railing will be provided Cost includes all said material, complete in all respect.	JOB	1	40,000	40,000
TOTAL CIVIL WORKS.....					2,544,050 2,544,050

[Handwritten signatures and notes]
 Suppl
 D. 1 12 2011

[Handwritten signature]
 Suppl
 D. 1 12 2011

S.No.	DESCRIPTION	UNIT	QTY	Engineer Estimate	
				RATE	AMOUNT
1(a)	Providing and fixing European type ceramics ware coupled water closet. (PORTA) or equivalent, white / light colour, including 3 gallons cistern, P/S trap, C.P tee stop cock with wall cups, connection pipes. "SONEX", "MASTER (Royal)", hinged double bacolite seat and cover of best quality, all joints to services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings.	Nos	1	19,000	19,000
(b)	Providing and fitting Glazed earthen ware water closet, squatter type (Orisa pattern), combined with foot rest, Best Quality including Plastic made Flushing tank, SONEX tee stop cock for cistern water inlet and C.P connector with nuts and fitting, approved other ancillary material complete in all respect.	Nos	1	15,000	15,000
2	Providing and fixing Wash hand Basin Vanity type, PORTA or equivalent white colour "SONEX"/ "MASTER" waste coupling, plug with C.P brass chain, 1.5" dia. P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, waste pipe waste coupling, plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as directed by the Engineer.	Nos.	2	15,000	30,000
3	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or W1 brackets 150mm (6") built in wall, 40mm (1 1/2") rubber plug & chrome plated brass chain, 40mm (1 1/2") C.P brass waste, pillar tap 2 way deluxe, 40 mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material. (with SONEX fittings).	Nos.	1	6,000	6,000

 29