

SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

- 1) NAME OF THE ORGANIZATION / DEPTT. Sindh Bank Ltd/Administration
- 2) PROVINCIAL / LOCAL GOVT./ OTHER Scheduled Bank
- 3) TITLE OF CONTRACT Renovation of Kh-e-Sehar DHA Phase 7 Branch
- 4) TENDER NUMBER SNDB/COK/ADMIN/TD/1228/2022
- 5) BRIEF DESCRIPTION OF CONTRACT Renovation of Kh-e-Sehar DHA Phase 7 Branch
- 6) FORUM THAT APPROVED THE SCHEME Competent Authority
- 7) TENDER ESTIMATED VALUE Rs.3,494,850/-
- 8) ENGINEER'S ESTIMATE
(For civil works only) _____
- 9) ESTIMATED COMPLETION PERIOD (AS PER CONTRACT) 1 Year
- 10) TENDER OPENED ON (DATE & TIME) Tech & Fin(25/01/2022 at 1100 Hrs)
- 11) NUMBER OF TENDER DOCUMENTS SOLD 2
(Attach list of buyers)
- 12) NUMBER OF BIDS RECEIVED _____
- 13) NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS 2
- 14) BID EVALUATION REPORT
(Enclose a copy) 28/01/2022
- 15) NAME AND ADDRESS OF THE SUCCESSFUL BIDDER M/s. G.A Woods Plot No A/461, Sect-2#
- 16) CONTRACT AWARD PRICE Rs.3,405,800/-
31/0
- 17) RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT
(i.e. 1st, 2nd, 3rd EVALUATION BID).
1. M/s. G.A Woods
2. M/s. Shahjee Brothers Co

18) METHOD OF PROCUREMENT USED : - (Tick one)

- a) SINGLE STAGE – ONE ENVELOPE PROCEDURE Domestic/ Local
- b) SINGLE STAGE – TWO ENVELOPE PROCEDURE
- c) TWO STAGE BIDDING PROCEDURE
- d) TWO STAGE – TWO ENVELOPE BIDDING PROCEDURE

PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e. EMERGENCY, DIRECT CONTRACTING ETC. WITH BRIEF REASONS:

Competent Authority

19) APPROVING AUTHORITY FOR AWARD OF CONTRACT _____

20) WHETHER THE PROCUREMENT WAS INCLUDED IN ANNUAL PROCUREMENT PLAN?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

21) ADVERTISEMENT :

i) SPPRA Website
(If yes, give date and SPPRA Identification No.)

Yes	T00531-21-002 05.01.2022
No	

ii) News Papers
(If yes, give names of newspapers and dates)

Yes	Express Tribune, Daily Express & Sindh Express 05.01.2022
No	

22) NATURE OF CONTRACT

Domestic/ Local	<input checked="" type="checkbox"/>	Int.	<input type="checkbox"/>
--------------------	-------------------------------------	------	--------------------------

23) WHETHER QUALIFICATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMENTS?
(If yes, enclose a copy)

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

24) WHETHER BID EVALUATION CRITERIA WAS INCLUDED IN BIDDING / TENDER DOCUMENTS?
(If yes, enclose a copy)

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

25) WHETHER APPROVAL OF COMPETENT AUTHORITY WAS OBTAINED FOR USING A METHOD OTHER THAN OPEN COMPETITIVE BIDDING?

Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
-----	--------------------------	----	-------------------------------------

26) WAS BID SECURITY OBTAINED FROM ALL THE BIDDERS?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

27) WHETHER THE SUCCESSFUL BID WAS LOWEST EVALUATED BID / BEST EVALUATED BID (in case of Consultancies)

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

28) WHETHER THE SUCCESSFUL BIDDER WAS TECHNICALLY COMPLIANT?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

29) WHETHER NAMES OF THE BIDDERS AND THEIR QUOTED PRICES WERE READ OUT AT THE TIME OF OPENING OF BIDS?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

30) WHETHER EVALUATION REPORT GIVEN TO BIDDERS BEFORE THE AWARD OF CONTRACT?
(Attach copy of the bid evaluation report)

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

31) ANY COMPLAINTS RECEIVED
(If yes, result thereof)

Yes	
No	No

32) ANY DEVIATION FROM SPECIFICATIONS GIVEN IN THE TENDER NOTICE / DOCUMENTS
(If yes, give details)

Yes	
No	No

33) WAS THE EXTENSION MADE IN RESPONSE TIME?
(If yes, give reasons)

Yes	
No	No

34) DEVIATION FROM QUALIFICATION CRITERIA
(If yes, give details and reasons.)

Yes	
No	No

35) WAS IT ASSURED BY THE PROCURING AGENCY THAT THE SELECTED FIRM IS NOT BLACK LISTED?

Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
-----	-------------------------------------	----	--------------------------

36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL OF THE PROCURING AGENCY TO THE SUPPLIER'S PREMISES IN CONNECTION WITH THE PROCUREMENT? IF SO, DETAILS TO BE ASCERTAINED REGARDING FINANCING COMMITMENT, IF ABROAD:
(If yes, enclose a copy)

Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
-----	--------------------------	----	-------------------------------------

37) WERE PROPER SAFEGUARDS PROVIDED ON MOBILIZATION ADVANCE PAYMENT IN THE CONTRACT (BANK GUARANTEE ETC.)?

Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
-----	--------------------------	----	-------------------------------------


38) SPECIAL CONDITIONS, IF ANY
(If yes, give Brief Description)

Yes	
No	No

39) Date of Award of Contract:

14/4/2022

Signature & Official Stamp of
Authorized Officer



FOR OFFICE USE ONLY

SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi

Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print

Save

Reset

Buyer List

S.No	Company Name	AMOUNT DEPOSITED
1	GA woods	300
2	Shahjee	300
Total		600

Bid Evaluation Report		
Evaluation Report – Renovation of Khayaban-e-Sehar DHA Phase VII Branch Karachi		
1	Name of Procuring Agency	Sindh Bank Ltd.
2	Tender Reference No.	SNDB/COK/ADMIN/TO/1228/2022
3	Tender Description	Renovation of Khayaban-c-Sehar DHA Phase VII Branch Karachi
4	Method of Procurement	Single Stage One Envelope Bidding Procedure
5	Tender Published / SPPRA S.No	T00531-21-0002. Express Tribune, Daily Express, Sindh Express (05/01/2022)
6	Total Bid Documents Sold	02
7	Total Bids Received	02
8	Technical/Financial Bid Opening Date & Time	25/01/2022 at 1100 Hrs
9	No. Of Bid qualified	02
10	Bid(s) Rejected	00

Detail on the above is as follows:-

S No	Name of Firm or Bidder	Qualified / Disqualified in Technical / Eligibility Inspection	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Engineering Estimated cost (Rs.3,494,850-)	Reasons for acceptance/ rejection	Remarks
0	1	2	3	4	5	6	7
1.	M/s. G.A Woods	Qualified	Rs.3,405,830/-	1 st Lowest	Rs.89,020/- Below the estimated cost	Accepted Qualified Evaluated Bid	Accepted for Contract Award
2.	M/s. Shahjee Brothers & Co	Qualified	Rs.3,997,360/-	2 nd Lowest	Rs.502,510/- Above the estimated cost	2 nd Lowest	-


Accordingly, going by the Technical/Financial Evaluation criteria laid down in the tender document, M/s. G.A Woods is the qualified evaluated bidder and their bid i.e. Rs.3,405,830/-, hence recommended for Renovation of Khayaban-e-Sehar DHA Phase VII Branch Karachi.

Members Signature- Procurement Committee

Arshad Abbas Soomro
Head of Administration

Dilshad Hussain Khan
Chief Financial Officer

Syed Muhammad Aqeel
Chief Manager, IDBL Karachi





ATTENDANCE SHEET
 BID OPENING -

FOR SELECTION OF Renovation of Kh-e-Soleh Br. Phase VII. R/I/I

Date: 25/1/21

S.No	Company Name	Name of Company Representative	Contact No.	Company Address	Signature
1	G.A Woods				
2	Shahjoo Brothers & Co	—	By Muz Bora	—	

Signature —Procurement Committee Members

Head of Administration

Chief Financial Officer

Chief Manager (IDBL)

[Handwritten signatures for Head of Administration, Chief Financial Officer, and Chief Manager (IDBL)]

MINUTES OF THE OPENING OF THE TENDER (TECHNICAL /FINANCIAL PHASE)

TYPE OF PROCUREMENT ADMIN / IT / CONSULTANT / MEDIA
 TENDER NAME Renovation of K.L. - Sakar Bt. Phase III K.O.I
 TYPE OF TENDER SINGLE STAGE-ONE ENVELOPE / SINGLE STAGE-TWO ENVELOPE / TWO STAGE / TWO STAGE-TWO ENVELOPE
 OPENING DATE 25/1/22
 OPENING TIME 1100 hrs
 ATTENDANCE (MEMBER PC)

	NAME	FIRM	BID OFFERED
ATTENDANCE (REPS. OF BIDDERS)	<u>1 - G. A woods</u>	/	<u>3,405,830/-</u>
	<u>2 - Shajee Brothers & co</u>		<u>3,997,360/-</u>
	<u>/</u>		<u>/</u>
	<u>/</u>		<u>/</u>
	<u>/</u>		<u>/</u>
	<u>/</u>		<u>/</u>
TOTAL BIDS ACCEPTED FOR EVALUATION	<u>#02</u>		
TOTAL BIDS REJECTED			
REMARKS	<u></u>		


SIGNATURE MEMBERS PC

Head - PC [Signature]

Head - PC [Signature]

Member PC [Signature]

Date: [Signature]



G.A WOODS

bringing you to innovation

Construction.Civil.Interior
Electrical.Plumbing
HVAC.Furniture

NTN-1474022-2
SNTN-S1474022-2
STRN-3277876155799

To,
Mr. Faraz Ahmed,
Sindh Bank Ltd.
Karachi.

TENDER FOR RENOVATION WORKS AT KHAYBAN E SEHER BRANCH DHA
PHASE VII KARACHI SINDH BANK LTD.

We are hereby submitting our offer in full compliance with the terms and conditions of the above said project. We confirm that we have the capability to execute this project within scheduled period.

I hope we build a stronger relationship in the future.

SINCERELY,


G.A WOODS

G.A WOODS

Manager



S #	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
A	CIVIL WORKS				
1	Dismantling / Removal Works.				
	Dismantling / Removal of existing Block/Brick masonry, ceiling, R.C.C slab, projection, sub floor cutting, chipping of plaster where required, Doors & windows with frame in any shape, Iron grills, mosaic skirting, Dado & all sanitary fixtures, water & drainage line, entire electrical wirings, disposed off useless materials/debris outside the municipal limits and stack useable materials as decided by bank's engineer. complete in all respect. (Contractor must visit the site prior to quote the rate). Salvage material to be returned to landlord or Bank as the case may be.	Job	1	60000	60000
	Termite Proofing				
	Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSANE with a solution of 1 gallon of chemical to 50 gallons of water, spraying this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will be provided by the contractor at no extra cost to the Client (horizontal & Vertical).	SFT	1450	15	21,750
3	Plain cement Concrete (Cement as per Market rate)				
	Providing, laying, average 4" thick Flooring (1:3:6) at wash room, kitchen raised floor of 1250 psi compressive strength under any type of flooring using best Quality OPC/Sulphate Resistant cement and local approved quality sand and crushed stone, form work and its removal, with necessary arrangements where required excluding base of tiles complete in all respects as per approval of bank's engineer. Cement: Falcon, Lucky Pakland, D.G Khan Sand: Hyderabad Bolari /Malir River/Hub Crush: Hub 3/4" and Kot Banglo for Interior Sindh	CFT	100	300	30,000
4	REINFORCED CEMENT CONCRETE (Vault Room as per Layout Plan).				

G.A WOODS

	Providing and laying, compacting finishing & curing etc. straight or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement or equivalent, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, including mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement; also includes cost of form work and its removal. Complete in all respects, 9" thick walls, and column or as per direction of Engineer	CFT	300	750	225,000
5	Block / Brick Masonry works.				
	Providing & laying Block / Brick masonry walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0" ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer.				
5 1	4-1/2" thick Brick Masonry internal walls (First class Machine made Blocks)	SFT	850	130	110,500
6	Plaster Works.				
	Providing & laying 3/4" thick cement sand plaster (Internal / External) with 1:4 cement sand mortar on walls, columns, beams, using best quality O.P.C, including 6" inches wide mesh at joints of structure with block masonry and over conduiting ,smooth trowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the existing walls) as per satisfaction of Architect / bank's engineer.	SFT	2500	60	150,000
7	Flooring, Elevation & Special Finishes.				
a	Providing and laying glazed full body Porcelain tiles 24" X 24" at floor, of approved design, colour and pattern, china bone colour or Master or equivalent full body porcelain , setting in Stile dry bond (with cement), with matching color imported Grout. Complete in all respect, including curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, and 4 inches wide skirting at walls of the same tiles as above mentioned, with 1:2:4 PCC 50 mm thick, etc. as per specifications and/or as directed by the	SFT	750	350	262,500

G.A WOODS

	Architect / Engineer (at any elevation)				
8	FALSE CELING				
	Gypsum Board (24"X24")				
	Providing & laying 8 mm thick gypsum board False Ceiling, 24" x 24" Elephant Brand or approved equivalent in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated , with groove, aluminum, " T" & "L" section with ceiling suspension system having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Bank's Engineer.	SFT	1450	125	181,250
9	Ceramic Tiles				
a	Toilet: Providing / Laying wash room tiles (HMD45-117 9"x17" SB for floor & walls upto 7 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.	SFT	300	290	87,000
b	Kitchen/Pantry: Providing / Laying Pantry tiles (HMD38-50SF 9" x 17" SB for floor & walls upto 5 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.	SFT	80	300	24,000
10	Marble				

G.A WOODS

	Providing & fixing pre polished 3/4" thick Marble Top quality with approved size and shade over 2" thick pre cast RCC slab including 1/2" thick gola, grouting and jointing including cost of cutting of marble for basin and sink bowl including filling with silicone around joint of marble complete in all respect as per satisfaction by the engineer.				
	Pantry Counter Top (Boticina)	SFT	20	500	10,000
1 1	MDF Low Height Partition 3' high Between Tables. (If required)				
	Provide and install 2" x 2" partial wood Solignum treated frame for wooden partitions spaced no more than 16" on centre vertically and 24" on centre in the horizontal dimension fixed in plumb and level. With water based matt finish paint. Complete in all respect with good work man ship and as per details mentioned in drawing.	SFT	64	650	41,600
1 2	WOODEN CABINETS				
	Kitchen Cabinets				
a	Lower Unit: Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick laminated board (Furniture color) of SONEX, Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the bank's Engineer. all kind of best quality hardware's, spring hinges, SS handles, locks etc. Complete in all respects.	SFT	20	900	18,000
b	Upper Unit: Providing, fabricating and fixing in position pantry cabinets 12" deep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in all respects as per drawings and as directed by the bank's Engineer.	SFT	18	900	16,200
c	Full Height Cabinets (for Record Room) / Store				

	Providing, fabricating and fixing Two full height 7'X3' wide in position filing cabinets consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent box (back, side and shelves), shutter and drawers, with Dark gray moulding 1/2"x3/4" including nails, screws, bolts, hinges, catchers, imported steel glides, locks, handles, 03-coat of sprit polish of matching shade on lipping and wood preservative treatment and all other accessories complete in all respects as per drawings and as directed by the bank's Engineer.	SFT	42	850	35,700
	WINDOW BLINDS				
	Providing and installation of imported VERTICAL Blinds, in imported synthetic fabric (5" wide) with suspension mechanism, approved shade & colour (Light grey). Complete in all respect at all outside glasses only	SFT	120	250	30,000
1 3	Paint at Walls				
	Providing and applying, 3 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by applying ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer.	SFT	3000	45	135,000
1 4	WOODEN DOOR / FRAME / CHOWKAT / Beading				
a	DOOR FRAME: Providing and fixing of required width, 16 SWG, GI door frames for Toilets, kitchen, stores & cash counter with polishing, including Lintels, hold fasts, where ever required, complete in all respect including painting / polish with proper beach / diyar wood beading.	NO	4	7000	28,000
b	SKIN DOORS, 1-1/2 inches thick (for Toilets, Kitchen, stores & cash counter) Provide and install doors consisting of best quality Malaysian skin, pressed over best quality treated partial wood framing, with approved quality of door locks, handle, tower bolt, hold fast, stopper, hardware and paint / polish, complete in all respect.	SFT	84	470	39,480
1 5	Wooden Hanging Beams.				


G.A WOODS

25

	Providing & fixing in position wooden Beams for support to fix glass and glass door consisting of 1 1/2 x3" @ 2'-0" c/c partial wood framing and 1/2" MDF Lasani board (Malaysia) on both sides including nails, bolts, glue wastage, wood preservative, treatment & 3 coats of paint complete in all respect as per drawings and as directed by Bank's Engineers.	RFT	25	550	13,750
1 6	INSTALLATION OF VAULT/Locker ROOM DOOR				
	Lifting & Fixing charges of Bank's supplied Vault / Locker Doors, welding of door frame with RCC MS bars, and to facilitate the Vendors. Complete in all respects.	NO	2	5000	10000
1 7	GLASS DOOR (Main Entrance only)				
	Providing, fabrication & fixing 12 mm thick glass door with top & bottom locking system, 4" Aluminum D-48 by Lucky or equivalent section, with 12mm thick Middle East / Saudi Arabia or equivalent clear glass with frost film and Bank's monogram, Approved Ajrak film, with gasket size and shape as shown on drawing, including bolts, D lock, nuts, screws aluminum channel, handle, floor machine (New Star or equivalent), locks etc. Complete in all respects as directed by Engineer.	SFT	42	1250	52,500
1 8	GLASS PARTITION				
	Providing and installation 12mm thick glass KSA/UAE or equivalent polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon from Dow corning or other approved by the Engineer. Complete in all respects.	SFT	200	720	144,000
1 9	Frosted Film as per Ajrak Pattern on existing Glasses				
	Providing and installation of bank's approved design frosted Film (Ajrak Pattern) on Glass partitions/doors	SFT	200	200	40,000
2 0	Wrought Iron Grills for external windows, AC outers (If necessary)				

C.A WOODS

	Approved design grills for all external windows & Ac Outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI,NIPPON,BERGER or equivalent) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units.	SFT	300	500	150,000
2 1	M.S DOOR on Emergency exit, ATM internal & Guard Post				
	Fabricating, providing and fixing MS door with 16 S.W.G M.S 3/4" square pipe, 16 SWG MS sheet pressed over this frame including metal door frame, at both sides, sheet frame painted with approved enamel color including 2" x 5" eye level opening with proper MS shutter of 16 swg sheet to look outside , including best quality hinges, locks, handles, hold fasts and other necessary hardware etc. size as per site. Complete in all respects as per drawing attached herewith, specifications and as directed by the Bank.	SFT	63	1000	63,000
2 2	ATM ACCESS RAMP FOR DISABLED PERSON Metal	No	1	40,000	400,00
TOTAL CIVIL WORKS.....					
				2,019,230/-	



 ALLIERS PC-A

G.A WOODS

Plumbing Works

S.No.	DESCRIPTION	UNIT	QTY	Engineer Estimate	
				RATE	AMOUNT
1(a)	Providing and fixing European type ceramics ware coupled water closet, (PORTA) or equivalent, white / light colour, including 3 gallons cistern, P/S trap, C.P tee stop cock with wall cups, connection pipes, "SONEX", "MASTER (Royal)", hinged double bacolite seat and cover of best quality, all joints to services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings.	Nos	1	20,000	20,000
(b)	Providing and fitting Glazed earthen ware water closet, squatter type (Orisa pattern), combined with foot rest, Best Quality including Plastic made Flushing tank, SONEX tee stop cock for cistern water inlet and C.P connector with nuts and fitting, approved other ancillary material complete in all respect.	Nos	1	15,000	15,000
2	Providing and fixing Wash hand Basin Vanity type, PORTA or equivalent white colour "SONEX"/ "MASTER" waste coupling, plug with C.P brass chain, 1.5" dia. P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, waste pipe waste coupling, plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as directed by the Engineer.	Nos.	2	16,000	32,000
3	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubber plug & chrome plated brass chain, 40mm (1 1/2") C.P brass waste, pillar tap 2 way deluxe, 40 mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material. (with SONEX fittings).	Nos.	1	6,000	6,000

C.A WOODS