

Bid Evaluation Report		
Renovation of Wah Cantt Branch, Rawalpindi		
1	Name of Procuring Agency	Sindh Bank Ltd.
2	Tender Reference No.	SNDB/COK/ADMIN/TD/1321/2023
3	Tender Description	Renovation of Wah Cantt Branch, Rawalpindi
4	Method of Procurement	Single Stage One Envelope Bidding Procedure
5	Tender Published & SPPRA S.No.	T00531-22-0041. Express Tribune (English) , Daily Express (Urdu), Sobh (Sindhi) (28/04/2023)
6	Total Bid Documents Sold	05
7	Total Bids Received	05
8	Technical / Financial Bid Opening Date & Time	17/05/2023 at 1130 Hrs.
9	No. of bids qualified	04
10	Bid(s) Rejected / Disqualified	01

Details on the above as given below:

S No	Name of Firm or Bidder	Qualified / Disqualified in Technical / Eligibility Inspection/ Mandatory	Cost offered by the Bidder	Ranking In terms of cost	Comparison with Estimated cost (Rs.3,397,450/-)	Reasons for acceptance/ rejection	Remarks
1	2	3	4	5	6	7	8
1.	M/s. Digi Com Technologies (Pvt.) Ltd.	Qualified	Rs.3,095,850/- (Area 1500 sq.ft x Rate per sq.ft Rs. 2,063.9)	1 st Lowest Bidder	Rs. 301,600/- below the estimated cost	1 st Lowest As Most Advantageous Bid	Accepted-Award of Contract
2.	M/s. Ashi Enterprises	Disqualified	Rs.3,596,083/- (Area 1500 sq.ft x Rate per sq.ft Rs. 2,397.38)	2 nd Lowest Bidder	Rs. 198,633/- Above the estimated cost	Disqualified due to non-fulfillment of eligibility criteria	---
3.	M/s. Latifi Enterprises	Qualified	Rs.3,686,214/- (Area 1500 sq.ft x Rate per sq.ft Rs. 2,457.47)	3 rd Lowest Bidder	Rs. 288,764/- Above the estimated cost	3 rd Lowest Evaluated Qualified Bidder	---
4.	M/s. Arcika Traders & Contractor	Qualified	Rs.3,697,500/- (Area 1500 sq.ft x Rate per sq.ft Rs. 2,465)	4 th Lowest Bidder	Rs. 300,050/- Above the estimated cost	4 th Lowest Evaluated Qualified Bidder	---
5.	M/s. Z.A Construction	Qualified	Rs.3,893,100/- (Area 1500 sq.ft x Rate per sq.ft Rs. 2,595.4)	5 th Lowest Bidder	Rs. 495,650/- Above the estimated cost	5 th Lowest Evaluated Qualified Bidder	---


Accordingly, going by the Technical/Financial Evaluation criteria laid down in the tender document, M/s. Digi Com Technologies (Pvt.) Ltd. is the most advantageous bid and their bid is also below the estimated cost, hence recommended for award of contract to Renovation of Wah Cantt Branch, Rawalpindi to Sindh Bank Limited.

Members Signature- Procurement Committee

Arshad Abbas Soomro
Head of Administration

Dilshad Hussain Khan
Chief Financial Officer

Syed Muhammad Aqeel
Chief Manager, IDBL Karachi



MINUTES OF THE OPENING OF THE TENDER (TECHNICAL /FINANCIAL PHASE)

TYPE OF PROCUREMENT ADMIN / IT / CONSULTANT / MEDIA
 TENDER NAME Renovation of Mahant Bhatt RWP
 TYPE OF TENDER SINGLE STAGE-ONE ENVELOPE / SINGLE STAGE-TWO ENVELOPE / TWO STAGE / TWO STAGE-TWO ENVELOPE
 OPENING DATE 17-5-23
 OPENING TIME 1130 hrs.

ATTENDANCE (MEMBER PC)

✓
 ✓
 ✓
 ✓

ATTENDANCE (REPS. OF BIDDERS)	NAME	FIRM	BID OFFERED
1-	<u>Digi Com Technologies</u>	/	<u>K. 3,095,850/-</u>
2-	<u>Latiti Enterprises</u>		<u>K. 3,686,214/-</u>
3-	<u>2A Construction</u>		<u>K. 3,893,100/-</u>
4-	<u>Aski Enterprises</u>		<u>K. 3,576,083/2</u>
5-	<u>Arcika Tractor & Contractors</u>		<u>K. 3,697,500/-</u>

TOTAL BIDS ACCEPTED FOR EVALUATION ~~#05~~
 TOTAL BIDS REJECTED _____

REMARKS _____

SIGNATURE MEMBERS PC-ADMIN
 Head - Fin Div. _____
 Head - Admin Div. _____
 Member-IDBL _____
 Date: _____



ATTENDANCE SHEET
BID OPENING -

FOR SELECTION OF Renovation of Waf Carth Brest Rawalpindi

Date: 17-05-2023

S.No	Company Name	Name of Company Representative	Contact No.	Company Address	Signature
1-	Digi Com Technologies (Pvt) Ltd	Asma	0312 194822	302, Anwar class. c km.	
2-	Latiti Enterprises	Arbab Ali Kalwar	0301 2430726	E707 Billys Tower	
3-	2A construction] By Amir Raza			
4-	Ashi Enterprises				
5-	Ariska Tenders & Contractors.	Asad Iqbal	0300927786	Res. Na 34. Hubib chm	

Signature - Procurement Committee Members

Head of Administration

Chief Financial Officer

Chief Manager (IDBL)

COMPARISON OF COST OF RENOVATION OF WAH CANT BRANCH RAWALPINDI

Area 1500 sft

S#	DESCRIPTION	AMOUNT	AMOUNT	AMOUNT	AMOUNT	AMOUNT	AMOUNT
		Digi Com Technologies (Pvt.) Ltd.	Ashi Enterprises	Latiff Enterprise	Amilka Traders & Contractor	Z.A. Construction	
A	Civil Works	1,941,950	1,856,600	2,022,528	1,694,300	2,226,720	
B	Plumbing Works	155,050	417,850	199,350	316,300	234,780	
C	Electrical Works	437,500	653,500	725,013	768,400	640,700	
D	HVAC	239,350	368,900	301,250	438,500	266,400	
E	Shifting & Installation of Items from Existing Br to New premises	322,000	488,500	436,723	480,000	524,500	
	Less: Discount 5%		189,267				
	TOTAL RENOVATION COST	3,095,850	5,156,063				

SIGNATURE: _____
MAN

Head - Admin Div. _____

Member-IOBL. _____


Date: _____

[Handwritten signature and initials]



**BILL OF QUANTITY
Renovation Works- Wah Cant Branch Rawalpindi**

#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT
A	CIVIL WORKS												
1	Termite Proofing Providing and carrying out termite proofing using FIPROKILU BIFLEX / DURSABANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sq. ft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will be provided by the contractor at no extra cost to the Client (horizontal & Vertical).	SFT	1500	30	45,000	35	52,500	21	31,500	60	90,000	20	30,000
2	REINFORCED CEMENT CONCRETE (Vault Room & Locker Rooms per Layout Plan). Providing and laying, compacting finishing & curing etc. straight or curved cast in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement or equivalent, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone, mixed in a manner to achieve a cube strength of 3000 psi in 28 days, including mixing, transporting, hoisting, lifting & placing at any height/ depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia steel bars @ 60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of form work and its removal. Complete in all respects, 6" thick walls, and column or as per direction of Engineer.	CFT	330	1150	379,500	1100	363,000	1654	545,820	690	227,700	2500	825,000
3	Block / Brick Masonry works. Providing & laying Block / Brick masonry walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0" ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer.	SFT	520	170	88,400	290	150,800	205	106,600	135	70,200	190	98,800
4	Plaster Works. Providing & laying 3/4" thick cement sand plaster (Internal / External) with 1:4 cement sand mortar on walls, columns, beams, using best quality O.P.C., including 6" inches wide mesh at joints of structure with block masonry and over conducting smooth trowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the existing walls) as per satisfaction of Architect / bank's engineer.	SFT	2150	55	118,250	65	139,750	80	172,000	88	189,200	72	154,800

S#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT
5	FALSE CEILING Gypsum Board (24"x24") Only ALGE												
	Providing & laying, 8 mm thick gypsum board False Ceiling, 24" x 24" Elephant Brand or approved equivalent in straight, curved, or multiple profiles, as shown on drawing section, fixed with imported powder coated, with groove, aluminum, "T" & "L" section with ceiling suspension system having provisions for light and A.C grill. Complete in all respect as per drawing and instruction of Bank's Engineer.	SFT	1450	135	195,750	170	246,500	149	216,050	140	203,000	150	217,500
6	Ceramic Tiles Toilet: Providing / Laying wash room tiles (HMD45-117 9"x17" SB for floor & walls upto 7 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer. Kitchen/Pantry: Providing / Laying Pantry tiles (HMD38-50SF 9" x 17" SB for floor & walls upto 5 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.	SFT	150	610	91,500	400	60,000	438	65,700	480	72,000	360	54,000
7	Marble Providing & fixing pre polished 3/4" thick Marble Top quality with approved size and shade over 2" thick pre cast RCC slab including 1/2" thick gola, grouting and jointing including cost of cutting of marble for basin and sink bowl including filling with silicone around joint of marble complete in all respect as per satisfaction by the engineer. Pantry Counter Top (Botolina)	Sft	60	450	27,000	450	27,000	438	26,280	480	28,800	360	21,600
			12	1050	12,600	1900	22,800	882	10,584	1250	15,000	810	9,720
8	WOODEN CABINETS Kitchen Cabinets Lower Unit: Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick laminated board (Furniture color) of SONEX, Noor or equivalent on front shutter and drawers. Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coat of aprit polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the bank's Engineer all kind of best quality hardware's, spring hinges, SS handles, locks etc. Complete in all respects.	Sft	15	1600	24,000	1500	22,500	1379	20,685	1860	27,900	1255	8,825



S#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT
	Upper Unit: Providing, fabricating and fixing in position pantry cabinets 12" deep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent on front shutter and drawers. Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catches, locks, handles. 03 coat of spirit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in all respects as per drawings and as directed by the bank's Engineer.	sqft	15	1500	22,500	1300	19,500	1379	20,685	1860	27,900	1255	18,825
9	MDF Low Height Partition BM Seating Provide and install 2" x 2" partial wood Solignum treated frame for wooden partitions spaced no more than 16" on centre vertically and 24" on centre in the horizontal dimension fixed in plumb and level. With water based matt finish paint. Complete in all respect with good work man ship and as per details mentioned in drawing.	Sft	32	1100	35,200	700	22,400	938	30,016	950	30,400	850	27,200
10	Wooden Hanging Beams. Providing & fixing in position wooden Beams for support to fix glass and glass door consisting of 1 1/2 x3" @ 2'-0" c/c partial wood framing and 1/2" MDF Lasani board (Malaysia) on both sides including nails, bolts, glue wastage, wood preservative, treatment & 3 coats of paint complete in all respect as per drawings and as directed by Bank's Engineers.	RFT	35	1150	40,250	650	22,750	1268	44,380	1120	39,200	1150	40,250
11	Paint at Walls Providing and applying, 2 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by applying ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer.	SFT	3200	50	160,000	75	240,000	65	208,000	70	224,000	63	201,600
12	MS Grill at main entrance & Acs outer	SFT	150	850	127,500	1000	150,000	805	120,750	1100	165,000	720	108,000
13	MS door for ATM & Guard post	sqft	42	1800	75,600	1300	54,600	1350	56,700	1250	52,500	1250	52,500
14	Cutting of mezzanine floor R.C.C slab to make way for Stair 4'x6', job includes cutting, finishing of slab edges, removal of debris away	Job	1	70000	70,000	12000	12,000	49613	49,613	40000	40,000	51000	51,000
15	Installation of MS straight stair from GF to MF with support on MS girder/J.	Job	1	350000	350,000	125000	125,000	165375	165,375	60000	60,000	165000	165,000
16	Providing & installation of 3/4" th marble steps polished complete in all respect	Sft	110	390	42,900	800	88,000	717	78,870	950	104,500	710	78,100
17	Providing & SS railing at stair 2" pipe & support	Rft	15	2400	36,000	2500	37,500	3528	52,920	1800	27,000	3600	54,000
	TOTAL CIVIL WORKS.....				1,941,950		1,856,800		2,022,528		1,694,300		2,228,720

Renovation Works- Wah Cant Branch Rawalpindi

S.No.	DESCRIPTION	UNIT	QTY	Digi Com Technologies (Pvt) Ltd.		Aash Enterprises		Aash Enterprises		Aash Enterprises		Aash Enterprises	
				RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT
1(a)	Providing and fixing European type ceramics ware coupled water closet, (PORTA) or equivalent, white / light colour, including 3 gallons cistern, F/S trap, C.P tee stop cock with wall cups, connection pipes, "SONEX", "MASTER (Royal)", hunged, double bacolite seat and cover of best quality, all joints to services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings.	Nos	1	25,000	25,000	65,000	65,000	23,500	23,500	46,300	46,300	35,000	35,000
2	Providing and fixing Wash hand Basin Vanity type, PORTA or equivalent white colour "SONEX" / "MASTER" waste coupling, plug with C.P brass chain, 1.5" dia. P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, waste pipe waste coupling, plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as directed by the Engineer.	Nos	1	18,000	18,000	50,000	50,000	14,000	14,000	26,500	26,500	20,000	20,000
3	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubber plug & chrome plated brass chain, 40mm (1 1/2") C.P brass waste, pillar tap 2 way deluxe, 40 mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material. (with SONJEX fittings).	Nos	1	5,000	5,000	30,000	30,000	8,500	8,500	18,500	18,500	10,500	10,500

SONJEX MEMBER ENG CO-ADMIN

S.No.	DESCRIPTION	UNIT	QTY	Rate	Amount	Rate	Amount	Rate	Amount	Rate	Amount
4	Provide & fix uPVC floor drains of 4" dia of make Nikkassi or approved equivalent, having minimum guaranteed 2" water seal with screw down C.P cover, peripheral drains with or without a vent arm. Make requisite holes in walls, floor for pipe connections & make good with approved material, including SS drain / grating with side perforation.	Nos.	2	6,500	13,000	3,000	6,000	1,900	3,800	12,000	24,000
5	Provide & fix approved quality chromium plated towel rails 750mm x 20mm (30"x3/4") with brackets and C.P screws. (Taiwan make)	Nos.	1	2500	2,500	3,000	1,900	1,900	6,500	2,000	2,000
6	Provide and fix approved quality C.P toilet paper holders and coat hook. (Taiwan make)	Nos.	1	1800	1,800	4,100	1,900	1,900	2,000	2,000	2,000
7	Provide & fix p soap dish of approved quality with C.P screws. (Master / Sonex)(White color)	Nos.	1	1450	1,450	2,500	1,900	1,900	2,000	2,000	2,000
8 (a)	Provide and fix Muslim Showers manufactured by Master/Sonex or equivalent, complete with stop cock and controlled spray head.(White color)	Nos.	1	3500	3,500	5,500	5,750	5,750	4,600	5,500	5,500
(b)	Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or approved equal complete including pipe connections, all fittings, testing etc.(White color)										
i)	For Wash basin	Nos.	1	8500	8,500	18000	5800	5,800	10500	10,500	4,000
ii)	Kitchen Sink Mixer	Nos.	1	5500	5,500	15,000	5800	5,800	12500	12,500	6,000



SIGNATURE _____
 Head - Fin Div. _____
 Head - _____
 Member - _____

MEMBERS PC-ADMIN


S.No.	DESCRIPTION	UNIT	QTY	Qty. Consumed (m³)	Estimated Quantity	Estimated Price	Actual Price	Remarks
9	Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent pressure pipe for cold/hot water as per DIN 8077-8078, PN-20 for pipes and DIN 16962, PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. Job also includes making Water Connection to existing Water supply system.	rft						
i	Dia 1-1/2"	rft						
ii	Dia 1-1/4"	rft	130	375	29,900	41,600	263	
iii	Dia 1"	rft	130	350	24,700	28,800	263	
iv	Dia 3/4"	rft						
11	Provide and fix cast UPVC pipes(AGM/dadex /vcbro turkey Brand) including fittings such as tees, elbows, sockets, wye, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugsm hangers, beds, Tees, Yees. Include for making requisite number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete. Job also includes making Sewer Connection to existing Sewerage disposal system.	rft						
i	Dia 2"	rft	30	400	12,600	19,500	430	
ii	Dia 3"	rft	50	450	24,500	39,000	510	
iii	Dia 4"	rft						
14	Providing, installing & testing of Over Head Fiber Glass Water Tank make Dura or approved equivalent, with 300 Gallons storage capacity, including electric pump, motor and all necessary fittings etc. Complete in all respects as per instruction of Architect.	No	1	90,000	34,800	42,000	35,000	
	TOTAL			155,050	199,350	316,300	234,780	

Electrical Works- Wah Cant Branch Rawalpindi

S.No.	DESCRIPTION	UNIT	QTY	Rate	Amount	Rate	Amount	Rate	Amount	Rate	Amount	Rate	Amount
A. INTERNAL WIRING													
1	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be	Nos.	5	5200	26,000	8500	42,500	5844	29,220	8400	42,000	5600	28,000
2	Providing, Installation, testing and commissioning of wiring of Three light points controlled by one switch and wired with 3x1.5 mm sq. PVC	Nos.	22	1400	30,800	3500	77,000	5292	116,424	6500	143,000	4600	101,200
3	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4mm ² +1x2.5mm ² CU/PVC	Nos.	3	5900	17,700	7000	21,000	8490	25,470	12900	38,700	7500	22,500
4	Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm ² 1 core CU/PVC insulated cable	Nos.	4	5500	22,000	7000	28,000	7497	29,988	8500	34,000	6600	26,400
5	Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.	Nos.	4	5100	20,400	2500	10,000	6064	24,256	4200	16,800	5100	20,400
6	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm ² 1 core CU/PVC insulated cable	Nos.	4	5800	23,200	8500	34,000	7497	29,988	8500	34,000	6500	26,000
7	Confirming to same specification as mentioned above in item A-09, but outlet to outlet wiring. Complete in all respect.	Nos.	4	6100	24,400	4000	16,000	6064	24,256	4200	16,800	5000	20,000


WORKING ORDER NO. 2020-21
 DATE: 15/11/2020
 BY: 
 FOR: 
 SUPERVISOR
 PROJECT OFFICE
 RAJAPUR
 DISTRICT HEADQUARTERS
 RAWALPINDI

S.No.	DESCRIPTION	UNIT	QTY	Rate	Amount	Rate	Amount	Rate	Amount	Rate	Amount
8	Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16 Amps switch socket, wired with 2x6mm ² + 1x4mm ² 1 core CU/PVC cable	Nos.	5	4000	20,000	14000	70,000	12128	60,640	14400	72,000
9	Sign Board Wiring as same as above	Nos.	1	6000	6,000	16000	16,000	12128	12,128	15000	15,000
10	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent 6" dia	Nos.	50	1400	70,000	1550	77,500	2014	102,050	2200	110,000
11	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories,										
(i)	Bracket fan wall	Nos.	1	8500	8,500	14000	14,000	6615	6,615	9500	9,500
(ii)	Exhaust Fan 12" dia	Nos.	2	6500	13,000	7500	15,000	6064	12,128	7500	15,000
12. TELEPHONE SYSTEM											
Providing & wiring of each Telephone socket outlet in preinstalled outlet boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT USA in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as per site conditions, complete with all conduit & wiring accessories including RJ-45 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall.											
		Nos.	8	4500	36,000	5000	40,000	9150	73,200	4500	36,000
13. COMPUTER NETWORKING SYSTEM											
Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M / PANDUIT USA in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per drawing and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement)											
		Nos.	9	5500	49,500	7500	67,500	9150	82,350	5400	48,600
14	Earthing Work	Job	1	45000	45,000	85000	85,000	66150	66,150	92000	92,000
15	Providing & installation of Patch Panel 3M 24 ports (If required)	Nos.	1	25000	25,000	40000	40,000	31500	31,500	45000	45,000
Total - Electrical works					437,500		653,500		726,363		768,400


 Date: _____
 By: _____

E. UTILIZATION OF EXISTING ITEMS (Removal & installation of items)

S#	Items	Unit	QTY	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT	RATE	AMOUNT
1	Glass Doors (Main Entrance 02, ATM Cabin 01, BM 01 Cash Counter 01) job includes new floor machines & glass partition	No	5	12000	60,000	25000	125,000	19845	99,225	14400	72,000	30000	150000		
2	Removal of glass & installation of BM cabin & front	Sft	150	210	31,500	450	67,500	497	74,550	340	51,000	650	97500		
3	All wooden Furniture (Chairs Cleaning+tables+02 Cash Counters, wooden cabinets)	Job	1	45000	45,000	100000	100,000	33075	33,075	85000	85,000	45000	45000		
4	All Steel Items (Vault/Locker Room Doors 02, Safe+SS Card Trolley+Fire Almrh+02 locker cabinets 02, metal trunks 02)	Job	1	155000	155,000	120000	120,000	165375	165,375	165000	165,000	125000	125000		
5	Main DB	Job	1	7000	7,000	16000	16,000	8269	8,269	35000	35,000	20000	20000		
6	UPS DB	Job	1	5500	5,500	12000	12,000	16538	16,538	15000	15,000	25000	25000		
7	IT Rack & Patch Panel(with 9 new IOS 3M)	Job	1	5000	5,000	25000	25,000	16538	16,538	32000	32,000	25000	25000		
8	Main Cable 25mm2	Job	1	8000	8,000	15000	15,000	19845	19,845	16000	16,000	25000	25000		
9	Telephone main cable	Job	1	5000	5,000	8000	8,000	3308	3,308	9000	9,000	12000	12000		
TOTAL					322,000		488,500		436,723		480,000		524,500		




 SPC-ADMIN

RENOVATION OF WAH CANTT BRANCH
Evaluation Performa

Serial No: 01

Bidder Name: Digi Com Technologies
(Pvt) Ltd.

S. No.	Requisite	Total Points	Points Obtained	Point Criteria	Contractor Action (Documents to be enclosed)
1	Status of Firm	20	20	Private Limited Partner Ship	Certificate of incorporation/ Partnership deed/NTN
		15		Sole proprietorship	
2	Experience in Similar nature of work during the last five years	40	40	One Similar nature of work having minimum cost 80% of the estimated cost	Award letters to be attached duly issued from each financial institution's Admin Department that the contractor has satisfactorily constructed the required number of branches for them. Complete Renovation work order will only be considered issued in last 5 years
		30		Two Similar nature of work having minimum cost 50% of the estimated cost	
3	Average yearly turnover in last Five years	40	40	3.4 Million and above	Audited Financial Statements Report or Tax Return of last Five years
		25		1 Million and above	
TOTAL POINTS		100	100	<i>Qualified/Disqualified</i>	


 Athar Iqbal
 Administration Division





 Fouzia Shamim
 Operations Division


 Hasan Raza
 Finance Division

Members Procurement Committee

- 1 HEAD OF ADMINISTRATION
- 2 CHIEF FINANCIAL OFFICER
- 3 CHIEF MANAGER, IDBL

Signature







RENOVATION OF WAH CANTT BRANCH
Evaluation Performa


Serial No: 02

Bidder Name: Asli Enterprises

S. No.	Requisite	Total Points	Points Obtained	Point Criteria	Contractor Action (Documents to be enclosed)
1	Status of Firm	20		Private Limited/ Partner Ship	Certificate of incorporation/ Partnership deed/NTN
		15	15	Sole proprietorship	
2	Experience in Similar nature of work during the last five years	40	0	One Similar nature of work having minimum cost 80% of the estimated cost	Award letters to be attached duly issued from each financial institution's Admin Department that the contractor has satisfactorily constructed the required number of branches for them. Complete Renovation work order will only be considered issued in last 5 years
		30		Two Similar nature of work having minimum cost 50% of the estimated cost	
3	Average yearly turnover in last Five years	40	40	3.4 Million and above	Audited Financial Statements Report or Tax Return of last Five years
		25		1 Million and above	
TOTAL POINTS		100	55	Qualified/Disqualified	


 Athar Iqbal
 Administration Division





 Fouzia Shamim
 Operations Division


 Hasan Raza
 Finance Division

Members Procurement Committee

- 1 HEAD OF ADMINISTRATION
- 2 CHIEF FINANCIAL OFFICER
- 3 CHIEF MANAGER, IDBL

Signature

RENOVATION OF WAH CANTT BRANCH
Evaluation Performa

Serial No: 03

Bidder Name: Latiti Enterprises

S. No.	Requisite	Total Points	Points Obtained	Point Criteria	Contractor Action (Documents to be enclosed)
1	Status of Firm	20		Private Limited/ Partner Ship	Certificate of incorporation/ Partnership deed/NTN
		15	15	Sole proprietorship	
2	Experience in Similar nature of work during the last five years	40	40	One Similar nature of work having minimum cost 80% of the estimated cost	Award letters to be attached duly issued from each financial institution's Admin Department that the contractor has satisfactorily constructed the required number of branches for them. Complete Renovation work order will only be considered issued in last 5 years
		30		Two Similar nature of work having minimum cost 50% of the estimated cost	
3	Average yearly turnover in last Five years	40		3.4 Million and above	Audited Financial Statements Report or Tax Return of last Five years
		25	25	1 Million and above	
TOTAL POINTS		100	80	Qualified/Disqualified	



Athar Iqbal
Administration Division



Fouzia Shaqim
Operations Division




Hasan Raza
Finance Division

Members Procurement Committee

- 1 HEAD OF ADMINISTRATION
- 2 CHIEF FINANCIAL OFFICER
- 3 CHIEF MANAGER, IDBL

Signature



RENOVATION OF WAH CANTT BRANCH
Evaluation Performa


Serial No: 04

Bidder Name: Arcita Traders & Contractor

S. No.	Requisite	Total Points	Points Obtained	Point Criteria	Contractor Action (Documents to be enclosed)
1	Status of Firm	20		Private Limited/ Partner Ship	Certificate of incorporation/ Partnership deed/NTN
		15	15	Sole proprietorship	
2	Experience in Similar nature of work during the last five years	40	40	One Similar nature of work having minimum cost 80% of the estimated cost	Award letters to be attached duly issued from each financial institution's Admin Department that the contractor has satisfactorily constructed the required number of branches for them. Complete Renovation work order will only be considered issued in last 5 years
		30		Two Similar nature of work having minimum cost 50% of the estimated cost	
3	Average yearly turnover in last Five years	40	40	3.4 Million and above	Audited Financial Statements Report or Tax Return of last Five years
		25		1 Million and above	
TOTAL POINTS		100	95	Qualified/Disqualified	



Athar Iqbal
Administration Division



Fouzia Shaimin
Operations Division



Hasan Raza
Finance Division

Members Procurement Committee

- 1 HEAD OF ADMINISTRATION
- 2 CHIEF FINANCIAL OFFICER
- 3 CHIEF MANAGER, IDBL

Signature




RENOVATION OF WAH CANTT BRANCH
Evaluation Performa

Serial No: 05

Bidder Name: Z.A Construction

S. No.	Requisite	Total Points	Points Obtained	Point Criteria	Contractor Action (Documents to be enclosed)
1	Status of Firm	20	20	Private Limited/ Partner Ship	Certificate of incorporation/ Partnership deed/NTN
		15		Sole proprietorship	
2	Experience in Similar nature of work during the last five years	40	40	One Similar nature of work having minimum cost 80% of the estimated cost	Award letters to be attached duly issued from each financial institution's Admin Department that the contractor has satisfactorily constructed the required number of branches for them. Complete Renovation work order will only be considered issued in last 5 years
		30		Two Similar nature of work having minimum cost 50% of the estimated cost	
3	Average yearly turnover in last Five years	40	40	3.4 Million and above	Audited Financial Statements Report or Tax Return of last Five years
		25		1 Million and above	
TOTAL POINTS		100	100	Qualified/Disqualified	


 Athar Iqbal
 Administration Division





 Fouzia Shaimim
 Operations Division


 Hasan Raza
 Finance Division

Members Procurement Committee

- 1 HEAD OF ADMINISTRATION
- 2 CHIEF FINANCIAL OFFICER
- 3 CHIEF MANAGER, IDBL

Signature

4 FINANCIAL PROPOSAL

PRICE SCHEDULE

(Applicable for the year 2023-24)

Name of Bidder Ashi Enterprises

RENOVATION WORKS- Wah Cant Branch Rawalpindi

Area 1500 sft

S#	DESCRIPTION	AMOUNT
A	CIVIL WORKS	1856600
B	Plumbing Works	417850
C	ELECTRICAL WORKS	653500
D	HVAC	368900
E	Shifting & Installation of Items from Existing Br to New premises	488500
	TOTAL RENOVATION COST.....	3785350
	Disount 5%	189267.5
	Total Cost	3596083

*This amount will be considered as only the "Bid Offered". Whereas be apprised that the successful bidder will be the one whose "Evaluated Bid" is the lowest. (For further clarification refer Note 9. below)

Note

1. The branch has to be handed over in 45 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
2. The cost must include all applicable taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges.
3. No advance payment will be made; bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager & Project Manager.
4. **Calculation of bid security** 2% of the *Total Amount will be submitted with the tender document as bid security.
5. In case it is reviled at any stage after the completion of work that the asked specification of the tender have not been met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary by the procurement committee.
6. In case of any observation arising in respect of quality of the item, the company will be liable to address it at his own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.
7. All terms and condition of Agreement (Annexure "G") are part of Tender Document.
8. In case financial bids are the same, the successful bidder will be the one who has acquired more marks in the technical evaluation.
9. Lowest evaluated bid is going to be the criteria for award of contract rather than considering the lowest offered bid, encompassing the lowest whole sum cost which the procuring agency has to pay for the services/items duration the contract period. SPPRA Rule 49 may please be referred. The successful bidder will be the one whose total sum of cost is the lowest. As it is package tender, so no partial lowest cost will be considered for award of any work.
10. Payment will be made as per the scheduled attached as Annexure "K".
11. The successful bidder has to deposit 2% retention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money/performance security will be released after 3 months of completion of tender assigned job and after due receipt of letter of satisfaction from concerned Branch Manager (performa attached as Annexure "H").
12. During final inspection, a performa (specimen attached as Annexure "H") will be filled by the representative of engineering department where he will award marks going by the quality of job executed in different categories. Any contractor awarded marks below 70 marks will be issued with warning letter and will not be eligible to take part in any future tender.
13. Deviation from specs of Design Book will also be taken as penalty, where the contractor will be asked to provide the material or supplies as per the Book Specification. If the same is not followed within given time, the amount equivalent to the cost of the job will be deducted from the final payment of the contractor and the job will be performed by Bank's own resources, here contractor will also be liable of penalty of 5 marks in marking performa for each deviation committed.

Signature & Stamp of Bidder _____

ASHI ENTERPRISE

Proprietor

BILL OF QUANTITY

Renoavtion Works- Wah Cant Branch Rawalpindi

S#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
A	CIVIL WORKS				
1	Termite Proofing				
	Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will be provided by the contractor at no extra cost to the Client (horizontal & Vertical).	SFT	1500	35	52500
	REINFORCED CEMENT CONCRETE (Vault Room & Locker Rooms per Layout Plan).				
	Providing and laying, compacting finishing & curing etc. straight or curved cast- in place designed mix 1:2:4 Reinforced Cement Concrete using 1 Part of Ordinary Portland Cement or equivalent, 2 Parts of silt free local sand and 4 Parts of 3/4" thick downgraded crushed stone; mixed in a manner to achieve a cube strength of 3000 psi in 28 days, including mixing, transporting, hoisting, lifting & placing at any height / depth, vibrating and curing etc. Complete in all respect including cost of Steel Reinforcement (3/8" dia steel bars G-60 @ 6" C/C both ways, staggered double jaal in a manner that the alternate spacing b/w bars should not increase 3" C/C) & form work for Cement Concrete including cutting, bending, laying in position, making joint and fastening, removal of rust from bars, cost of binding wire and labor charges for binding of steel reinforcement: also includes cost of form work and its removal. Complete in all respects, 6" thick walls, and column or as per direction of Engineer	CFT	330	1100	363000
3	Block / Brick Masonry works.				
	Providing & laying Block / Brick masonry walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer.				

ASHI ENTERPRISES

Proprietor

	4" thick Block Masonary internal walls (First class Machine made Blocks)	SFT	520	290	150800
4	Plaster Works.				
	Providing & laying 3/4" thick cement sand plaster (Internal / External) with 1:4 cement sand mortar on walls, columns, beams, using best quality D.P.C, including 6" inches wide mesh at joints of structure with block masonry and over conducting ,smooth trowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the exisiting walls) as per satisfaction of	SFT	2150	65	139750
5	FALSE CELING				
	Gypsum Board (24"X24") Only at GF				
	Providing & laying 8 mm thick gypsum board False Ceiling, 24" x 24" Elephant Brand or approved equivalent in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated , with groove, aluminum, " T" & "L" section with ceiling suspension system having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Bank's Engineer.	SFT	1450	170	246500
6	Ceramic Tiles				
	Toilet: Providing / Laying wash room tiles (HMD45-117 9"x17" SB for floor & walls upto 7 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.	Sft	150	400	60000
	Kitchen/Pantry: Providing / Laying Pantry tiles (HMD38- 50SF 9" x 17" SB for floor & walls upto 5 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.	Sft	60	450	27000
7	Marble				
	Providing & fixing pre polished 3/4" thick Marble Top quality with approved size and shade over 2" thick pre cast RCC slab including 1/2" thick gola, grouting and jointing including cost of cutting of marble for basin and sink bowl including filling with silicone around joint of marble complete in all respect as per satisfaction by the engineer	sft	12	1900	22800

ASHI ENTERPRISES

Proprietor

	Pantry Counter Top (Boticina)				
8	WOODEN CABINETS				
	Kitchen Cabinets				
	Lower Unit: Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick laminated board (Furniture color) of SONEX, Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the bank's Engineer. all kind of best quality hardware's, spring hinges, SS	Sft	15	1500	22500
	Upper Unit: Providing, fabricating and fixing in position pantry cabinets 12" deep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in all respects as per drawings and as directed by the bank's Engineer.	sft	15	1300	19500
9	MDF Low Height Partition BM Seating				
	Provide and install 2" x 2" partial wood Solignum treated frame for wooden partitions spaced no more than 16" on centre vertically and 24" on centre in the horizontal dimension fixed in plumb and level. With water based matt finish paint. Complete in all respect with good work man ship	Sft	32	700	22400
10	Wooden Hanging Beams.				
	Providing & fixing in postion wooden Beams for support to fix glass and glass door consitsting of 1 1/2 x3" @ 2'-0" c/c partial wood framing and 1/2" MDF Lasani board (Malaysia) on both sides including nails, bolts, glue wastage, wood preservative, treatment & 3 coats of paint complete in all respect as per drawings and as directed by Bank's Engineers.	RFT	35	650	22750
11	Paint at Walls				
	Providing and applying, 2 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by applying ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer	SFT	3200	75	240000
12	MS Grill at main entrance & Acs outer	SFT	150	1000	150000

ASHI ENTERPRISES

Proprietor

13	MS door for ATM & Guard post	sft	42	1300	54600
14	Cutting of mezzaning floor R.C.C slab to make way for Stair 4'x6', job includes cutting, finishing of slab edges. remval of debris away	Job	1	12000	12000
15	Installation of MS straight stair from GF to MF with support on MS girder/U,	Job	1	125000	125000
16	Providing & installation of 3/4" th marble steps polished complete in all respect	Sft	110	800	88000
17	Providing & SS railing at stair 2" pipe & support	Rft	15	2500	37500
				TOTAL CIVIL WORKS.....	1856600

BILL OF QUANTITY

Renoavtion Works- Wah Cant Branch Rawalpindi

Plumbing Works

S.No.	DESCRIPTION	UNIT	QTY	Engineer	
				RATE	AMOUNT
1(a)	Providing and fixing European type ceramics ware coupled water closet, (PORTA) or equivalent, white / light colour, including 3 gallons cistern, P/S trap, C.P tee stop cock with wall cups, connection pipes, "SONEX", "MASTER (Royal)", hinged double bacolite seat and cover of best quality, all joints to services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings	Nos	1	65000	65000
2	Providing and fixing Wash hand Basin Vanity type, PORTA or equivalent white colour "SONEX"/ "MASTER" waste coupling, plug with C.P brass chain, 1.5" dia. P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, waste pipe waste coupling, plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as directed by the Engineer.	Nos.	1	50000	50000

ASHI ENTERPRISES

Proprietor

3	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubber plug & chrome plated brass chain, 40mm (1 1/2") C.P brass waste, pillar tap 2 way deluxe, 40 mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material (with SONEY	Nos.	1	30000	30000
4	Provide & fix uPVC floor drains of 4" dia of make Nikkassi or approved equivalent, having minimum guaranteed 2" water seal with screw down C.P cover, peripheral drains with or without a vent arm. Make requisite holes in walls, floor for pipe connections & make good with approved material, including SS drain / grating with side perforation	Nos.	2	3000	6000
5	Provide & fix approved quality chromium plated towel rails 750mm x 20mm (30"x3/4") with brackets and C.P screws. (Taiwan make)	Nos.	1	3000	3000
6	Provide and fix approved quality C.P toilet paper holders and coat hook. (Taiwan make)	Nos.	1	4100	4100
7	Provide & fix p soap dish of approved quality with C.P screws. (Master /Sonex)(White color)	Nos.	1	2500	2500
8 (a)	Provide and fix Muslim Showers manufactured by Master/Sonex or equivalent, complete with stop cock and controlled spray head.(White color)	Nos.	1	5500	5500
(b)	Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or approved equal complete including pipe connections, all fittings, testing etc.(White color)				
	For Wash basin	Nos.	1	18000	18000
ii)	Kitchen Sink Mixer	Nos.	1	15000	15000

ASH ENTERPRISES

Proprietor

9	Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent pressure pipe for cold/hot water as per DIN 8077-8078,PN-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. Job also includes making				
i	Dia 1-1/2"	rft	-		
	Dia 1-1/4"	rft	-		
iii	Dia 1"	rft	130	375	48750
iv	Dia 3/4"	rft	130	350	45500
11	Provide and fix cast UPVC pipes(AGM/dadex /vebro turkey Brand) including fittings such as tees, elbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugsm hangars, beds, Tees, Yees. Include for making requisite number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete. Job also includes making Sewer Connection to existing Sewerage disposal system.				
i	Dia 2"	rft	-		
ii	Dia 3"	rft	30	400	12000
iii	Dia 4"	rft	50	450	22500
					0
14	Providing, installing & testing of Over Head Fiber Glass Water Tank make Dura or approved equivalent, with 300 Gallons storage capacity, including electric pump, motor and all necessary fittings etc. Complete in all respects as per instruction of Architect.	No	1	90000	90000
Total Renovation work					417850
Electrical Works- Wah Cant Branch Rawalpindi					

ASHI ENTERPRISES

Proprietor

S.No.	DESCRIPTION	UNIT	QTY	Rate	Amount
A. INTERNAL WIRING					
1	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be	Nos.	5	8500	42500
2	Providing, Installation, testing and commissioning of wiring of Three light points controlled by one switch and wired with 3x1.5 mm sq. PVC	Nos.	22	3500	77000
3	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4 mm 2+1x	Nos.	3	7000	21000
4	Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm ² 1 core CU/PVC insulated cable	Nos.	4	7000	28000
5	Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.	Nos.	4	2500	10000
6	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm ² 1 core CU/PVC insulated cable	Nos.	4	8500	34000
7	Confirming to same specification as mentioned above in item A-09, but outlet to outlet wiring. Complete in all respect.	Nos.	4	4000	16000
8	Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16 Amps switch socket, wired with 2x6mm ² + 1x4mm ² 1 core CU/PVC cable	Nos.	5	14000	70000
9	Sign Board Wiring as same as above	Nos.	1	16000	16000
10	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent	Nos.	50	1550	77500
11	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories.				0
	Bracket fan wall	Nos.	1	14000	14000
	Exhaust Fan 12" dia	Nos.	2	7500	15000
12. TELEPHONE SYSTEM					
	Providing & wiring of each Telephone socket outlet in preinstalled outlet boxes, wired with 4 Pair Cat-6 (UTP) Cable, make 3M / PANDUIT USA in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as per site conditions,, complete with all conduit & wiring accessories including RJ-45 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall	Nos.	8	5000	40000
13. COMPUTER NET WORKING SYSTEM					

ASHI ENTERPRISES

Proprietor