

		Bid Evaluation Report	
	Renovation o	f Main Boulevard DHA Branch Lahore	
1	Name of Procuring Agency	Sindh Bank Ltd.	
2	Tender Reference No.	SNDB/COK/ADMIN/TD/1337/2023	
3	Tender Description	Renovation of Main Boulevard DHA Branch Lahore	
4	Method of Procurement Single Stage One Envelope Bidding Procedure		
5	Tender Published & SPPRA S. No.	S. No: T00531-22-0049 Notification (13/07/2023)	
6	Total Bid Documents Sold	01	
7	Total Bids Received	01	
8	Technical / Financial Bid Opening Date & Time	01/08/2023 at 1100 Hrs.	
9	No. of bids qualified	01	
10	Bid(s) Rejected / Disqualified	0	

Details on the above as given below:

S. No	Name of Firm or Bidder	Qualified / Disqualified in Technical / Eligibility Inspection/ Mandatory	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost (Rs.1,560,876/-)	Reasons for acceptance/rejection	Remarks	
	1	2	3	4	5	6	7 -	
1.	M/s. Latifi Enterprises	Qualified	Rs. 1,737,165/- (Area 1800 sq.ft x Rate per sq.ft Rs. 965.09)	Only Bidder	Rs. 176,289/- Above the estimated cost	Accepted	Rule 48 has been Complied With	

Accordingly, going by the Technical/Financial Evaluation criteria laid down in the tender document, M/s. Latifi Enterprises is the most advantageous bid i.e. 1,737,165/-, hence recommended for award of contract for Renovation of Main Boulevard DHA Branch Lahore of Sindh Bank Limited.

Members Signature- Procurement Committee

Arshad Abbas Soomro Head of Administration

Dilshad Hussain Khan Chief Financial Officer

Syed Muhammad Aqeel Chief Manager, IDBL Karachi



TENDER No: SNDB/ADMIN/TD/1337/2023

Dated: 26-09-2023

Renovation Works – Main DHA Boulevard Branch Lahore Certificate in Compliance of Rule 48 of SPPRA

This is to certify that as only one bid was received against the tender, so Rule 48 has been complied with detail as follows:

S.No		Current tender Price
01	Rs.1,737,165/-	Rs.1,560,876/-

Member Procurement Committee

Head of Admin Division

Head of Finance Division

Member of IDBL

COMPARISON OF COST FOR RENOVATION WORKS- MAIN BOULEVARD DHA BRANCH LAHORE

Area 1800 sft

S#	DESCRIPTION	AMOUNT	AMOUNT		
		Engineer Estimate	Latifi Enterprises		
Α	CIVIL WORKS	490,466	570,825		
В	Plumbing Works	156,350	71,540		
С	ELECTRICAL WORKS	448,400	554,600		
D	HVAC	217,660	192,700		
E	Shifting & Installation of Items from Existing Br to New premises	248,000	347,500		
	TOTAL RENOVATION COST	1,560,876	1,737,165		


Member-IDBL Date:

BERS PC-ADMIN

BILL OF QUANTITY

Comparison of Cost of Renovation Works- DHA Main Boulevard Lahore

S#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT	RATE	AMOUNT
Α	CIVIL WORKS						
1	Termite Proofing			Engine	er Estimate	Latifi	Enterprises
	Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client (horizontal & Vertical).	SFT	0	20	-	0	-
2	Block / Brick Masonary works.				-		-
	Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer. 4" thick Block Masonary internal walls (First class Machine made	SFT	150	185	27.750	180	27,000
	Blocks)	311	150	100	21,100	100	
3	Plaster Works.						-
	Providing & laying ³ / ₄ " thick cement sand plaster (Internal / External) with 1:4 cement sand mortar on walls, columns, beams, using best quality O.P.C, including 6" inches wide mesh at joints of structure with block masonary and over conduiting ,smooth trowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the exisiting walls) as per satisfaction of Architect / bank's engineer.	SFT	300	152	45,600	175	52,500
4	FALSE CELING				-		
	Gypsum Board (24"X24") Only at GF				-		100
	Providing & laying 8 mm thick gypsum board False Ceiling, 24" x 24" Elephant Brand or approved equivalent in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated, with groove, aluminum, "T" & "L" section with ceiling suspension system having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Bank's Engineer.		400	150	60,000	135	54,000



S#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT	RATE	AMOUNT
5	Ceramic Tiles						-
	Toilet: Providing / Laying wash room tiles (HMD45-117 9"x17" SB for floor & walls upto 7 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.	SFt	150	511	76,650	480	72,000
	Kitchen/Pantry: Providing / Laying Pantry tiles (HMD38-50SF 9" x 17" SB for floor & walls upto 5 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.	Sft	60	511	30,660	750	45,000
6	Marble				-		
	Providing & fixing pre polished 3/4" thick Marble Top quality with approved size and shade over 2" thick pre cast RCC slab including 1/2" thick gola, grouting and jointing including cost of cutting of marble for basin and sink bowl including filling with silicone around joint of marble complete in all respect as per satisfication by the engineer.	RCC slab ng cost of sft 14 1300 18,	18,200	1050	14,700		
	Pantry Counter Top (Boticina)						

SIGNATURE MEMBERS PC-ADMIN
Head - Fin Div.
Head - Admin Div.
Member-IDBL.

Date:-

	WOODEN CABINETS Kitchen Cabinets Lower Unit: Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick laminated board (Furniture color) of SONEX, Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the bank's Engineer.	Sft	18	1400	25,200	4500	
	Lower Unit: Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick laminated board (Furniture color) of SONEX, Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coat of sprit polish of matching shade of furniture color on wood lipping and with polish of matching shade of furniture undity ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the bank's Engineer.	Sft	18	1400	25,200	4500	
	Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick laminated board (Furniture color) of SONEX, Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the bank's Engineer.	Sft	18	1400	25,200	4500	
	all kind of best quality hardware's, spring hinges, SS handles, locks etc. Complete in all respects.					1500	27,000
	Upper Unit: Providing, fabricating and fixing in position pantry cabinets 12" deep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in	sit	0	1250	-	1500	-
	MDF Low Height Partition BM Seating				-		-
	Provide and install 2" x 2" partal wood Solignum treated frame for wooden partitions spaced no more than 16" on centre vertically and 24" on centre in the horizontal dimension fixed in plumb and level. With water based matt finish paint. Complete in all respect with good work man ship and as per details mentioned in drawing.	Sft	0	800		1500	-
9	Paint at Walls				-		-
	Providing and applying, 2 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by appling ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer.	SFT	3000	40	120,000	60	180,000
	MS Grill at main entrance & Acs outer	SFT	0	750	-		-
	MS door for ATM & Guard post	sft	21	1500	31,500	1225	25,725
12	Removal of old floor tiles & installation of new tiles 24"x24"	sft	120	166	19,920	380	45,600
13	Supply & installation of wooden ply doors with frames kitchen/store	sft	42	833	34,986	650	27,300
	TOTAL CIVIL WOR	(8			490,466		570,825



Date

Plumbing Works

S.No.	DESCRIPTION	UNIT	QTY	Engine	er Estimate	Latifi E	Enterprises
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				RATE	AMOUNT	RATE	AMOUNT
1(a)	Providing and fixing European type ceramics ware coupled water closet, (ICL IFO) or equivalent, white / light colour, including 3 gallons cistern, P/S trap, C.P tee stop cock with wall cups, connection pipes, "SONEX", "MASTER (Royal)", hinged double bacolite seat and cover of best quality, all joints to services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings.		1	23,000	23,000	6,800	6,800
					-		-
					*		-
2	Providing and fixing Wash hand Basin Vanity type, ICL IFO or equivalent white colour "SONEX"/ "MASTER" waste coupling, plug with C.P brass chain, 1.5" dia. P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, waste pipe waste coupling plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as directed by the Engineer.	Nos.	1	21,500	21,500	5,000	5,000
					-		-
3	Provide & fix best quality Stainless Steel imported Kitchen Sink Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubber plug & chrome plated brass chain, 40mm (1 1/2") C.F. brass waste, pillar tap 2 way deluxe, 40 mm (1 1/2") dia malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material. (with SONEX fittings).	l Nos.	1	20,750	20,750	5,000	5,000

Head - Fin Div. WARERS FC-ADMIN
Head - Admin Div. WARERS FC-ADMIN

S.No.	DESCRIPTION	UNIT	QTY	Engineer E	stimate	Latifi Ente	rprises
4	Provide & fix uPVC floor drains of 4" dia of make Nikkassi or approved equivalent, having minimum guaranteed 2" water seal with screw down C.P cover, peripheral drains with or without a vent arm. Make requisite holes in walls, floor for pipe connections & make good with approved material, including SS drain / grating with side perforation.		2	2,000	4,000	1,500	3,000
5	Provide & fix approved quality chromium plated towel rails 750mm x 20mm (30"x3/4") with brackets and C.P screws. (Taiwan make)		1	2500	2,500	1500	1,500
6	Provide and fix approved quality C.P toilet paper holders and coat hook. (Taiwan make)	Nos.	1	2500	2,500	1000	1,000
7	Provide & fix p soap dish of approved quality with C.P screws. (Master /Sonex)(White color)	Nos.	1	2500	2,500	1000	1,000
					-		-
8 (a)	Provide and fix Muslim Showers manufactured by Master/Sonex or equivalent, complete with stop cock and controlled spray head.(White color)		1	7500	7,500	3500	3,500
					-		-
(b)	Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or approved equal complete including pipe connections, all fittings, testing etc.(White color)		1	7000	7,000		-
i)	For Wash basin	Nos.	1	7000	7,000	3500	3,500
ii)	Kitchen Sink Mixer	Nos.	1	8000	8,000	3500	3,500
-					-		-

Head - Admin Div. Member-IDBL.

Date:

S.No.	DESCRIPTION	UNIT	QTY	Engineer	Estimate	Latifi Ente	erprises
9	Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent pressure pipe for cold/hot water as per DIN 8077-8078,PN-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. Job also includes making Water Connection to existing Water supply system.						
i	Dia 1-1/2"	rft	-		-		-
ii	Dia 1-1/4"	rft	-		-		2
iii	Dia 1"	rft	78	250	19,500	180	14,040
iv	Dia 3/4"	rft	78	200	15,600	150	11,700
11	Provide and fix cast UPVC pipes (AGM/dadex /vebro turkey Brand) including fittings such as tees, elbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugsm hangars, beds, Tees, Yees. Include for making requisite number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete. Job also includes making Sewer Connection to existing Sewerage disposal system.						
i	Dia 2"	rft	-		-		-
ii	Dia 3"	rft	-		-		-
iii	Dia 4"	rft	30	500	15,000	400	12,000
	Total				156,350		71,540

SIGNATURE MEMBERS PC-ADMIN
Head - Admin Div.
Member-IDBL.

Date:

Lieci	rical Works- DHA Main Boulevard Branch Lahore			T2 .	Parlament	I E E	
					Estimate		nterprises
S.No.	DESCRIPTION	UNIT	QTY	Rate	Amount	Rate	Amount
A. I	NTERNAL WIRING						
1	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be	Nos.	5	5500	27,500	5300	26,500
					-		-
2	Providing, Installation, testing and commissioning of wiring of Three light points controlled by one switch and wired with 3x1.5 mm sq. PVC		22	2200	48,400	4800	105,600
3	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4mm2+1x2.5mm ² CU/PVC	Nos.	3	6500	19,500	7700	23,100
					-		-
4	Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable		4	5500	22,000	6800	27,200
5	Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.	Nos.	4	4000	16,000	5500	22,000
					-		-
6	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	4	5500	22,000	6800	27,200
7	Confirming to same specification as mentioned above in item A-09, but outlet to outlet wiring. Complete in all respect.	t Nos.	4	5000	20,000	5500	22,000
					-		-
8	Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16 Amps switch socket, wired with 2x6mm² + 1x4mm² 1 core CU/PVC cable	- 1	5	10500	52,500	11000	55,000
9	Sign Board Wiring as same as above	Nos.	1	11500	11,500	11000	11,000
10	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent 6" dia	Nos.	50	1200	60,000	1850	92,500

SIGNATURE MEMBERS PC-ADMIN
Head - Admin Div.
Member-IDBL.

Date:

S.No.	DESCRIPTION	UNIT	QTY	Rate	Amount	Rate	Amount
11	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories,				-		-
i)	Bracket fan wall	Nos.	1	7500	7,500	4500	4,500
(ii)	Exhaust Fan 12" dia	Nos.	3	6000	18,000	4500	13,500
					-		-
12. T	ELEPHONE SYSTEM				-		-
	Providing & wiring of each Telephone socket outlet in preinstalled outlet boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT USA in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as per site conditions,, complete with all conduit & wiring accessories including RJ-45 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall.		7	5500	38,500	8300	58,100
		-			-		-
13. CO	OMPUTER NET WORKING SYSTEM				-		-
	Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M / PANDUIT USA in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per darwing. and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement)	t c	8	10625	85,000	8300	66,400
14	Earthing Work	Iob	0	50000	-	45000	-
14	Total - Electrical works	100			448,400		554,600

Head - Fin Div. D. Head - Admin Div. Member-IDBL. Date:

Renovation Works- Main Boulevard DHA Branch Lahore AIRCONDITIONING / HVAC WORKS : DHA Main Boulevard Lahore

				Enginee	r Estimate	Latifi E	interprises
S#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT	RATE	AMOUNT
1	Removal of Acs from old premises & installation of same at new premises (with service & Gas balancing)						
	a) 1.0 Ton SAC	Nos	1	11,000	11,000	10,500	10,500
	b) 1.5 Ton SAC	Nos	4	11,000	44,000	10,500	42,000
	c) 2.0 Ton SAC	Nos			-		-
2	Estimate additional copper piping with insulation for split units make(Muller) (charged as per final measurement on site). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex insulators with gray tape.		120	918	110,160	660	79,200
					-		
3	Provide & fix UPVC, 1-1/4" dia and 1" dia pipe, Beta or popular, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with PVC fittings such as tees, elbows, unions, reducers, sockets, Teflon tape for jointing, hangers, supports, sleeves, including testing and commissioning and insulation with Aero flex insulation.	rft	200	200	40,000	230	46,000
					-		-
4	Providing and installing M.S angle iron brackets, treated with rust	Set	5	2,500	12,500	3,000	15,000
	TOTAL HVAC WOR	KS			217,660		192,700

Head - Admin Div. STONATURE MEMBERS PC-ADMIN

E. UTILIZATION OF EXISTING ITEMS(Removal & installation of items)

				Engineer	Estimate	te Latifi Enterprises	
S#	Items	Unit	QTY.	Rate	Amout	Rate	Amout
1	Removal of Glass Doors (Main Entrance 02, ATM Cabin 01, BM 01 Cash Counter 01), glass partition & placement these items at new premises	Sft	150	200	30,000	250	37,500
2	Providing & Installation of floor machines under glass doors	No	4	15000	60,000	18000	72,000
3	All wooden Furniture (Chairs Cleaning+tables+02 Cash Counters, wooden cabinets)	Job	1	20000	20,000	35000	35,000
4	All Steel Items (Vault Room Door 01, Safe+SS Card Trolley+Fire Almrah2)		1	80000	80,000	160000	160,000
5	Main DB	Job	0	20000	-		-
6	UPS DB	Job	1	20000	20,000	5000	5,000
7	IT Rack & Patch Panel(with 9 new IOS 3M)	Job	1	15000	15,000	25000	25,000
8	Main Cable 25mm2	Job	1	18000	18,000	10000	10,000
9	Telephone main cable	Job	1	5000	5,000	3000	3,000
	Total				248,000		347,500

LATIFI ENTERPRISES

CIVIL, INTERIOR, ELECTRICAL

FINANCIAL PROPOSAL

PRICE SCHEDULE

(Applicable for the year 2023-24)

Name of Bidder latifi Enterprises

SIGNATURE MAMBERS PC-ADMIN

Head - Fin Div. -

Head - Admin Div .-

Member-IDBL.

Date:

RENOVATION WORKS- Main Boulevard DHA Branch Lahore

Area 1800 sft

-		Alea 1000 Sit				
S#	DESCRIPTION	AMOUNT				
	24/y (5 1) 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	A State British				
A	CIVIL WORKS	. 570,825				
В	Plumbing Works	. 71,540				
C	ELECTRICAL WORKS	. 554,600				
D	HVAC	. 192700				
E	Shifting & Installation of Items from Existing Br to New premises	347,500				
Pr.	*TOTAL RENOVATION COST	(1737168)				

*This amount will be considered as only the "Bid Offered" Whereas be apprised that he invessful bidder will be the one whose "Evaluated Bid" is the lowest. (For further clarification refer Note 9, below)

KARACHI

Tender Document - RENOVATION OF MAIN BOULEWARD DHA BRANCH, ENFORE

Head - Fin Div.

Head - Admin Div .-

Member-IDBL.

BILL OF QUANTITY

Date:

Renoavtion Works- DHA Main Boulevard Lahore

S #	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
Α	CIVIL WORKS				I CONTROL III
1	Termite Proofing				
	Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client (horizontal & Vertical).	SFT	0		-
2	Block / Brick Masonary works.				
	Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer.				
	4" thick Block Masonary internal walls (First class Machine made Blocks)	SFT	150	180	27,000
3	Plaster Works.			10-	- /
	Providing & laying 3/4" thick cement sand plaster (Internal / External) with 1:4 cement sand mortar on walls, columns, beams, using best quality O.P.C, including 6" inches wide mesh at joints of structure with block masonary and over conduiting ,smooth trowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the exisiting walls) as per satisfaction of Architect / bank's engineer.	SFT	300	175	52500
4	FALSE CELING				
	Gypsum Board (24"X24") Only at GF			\wedge	

Tender Document - RENOVATION OF MAIN BOULEVARD DHA BRANCH LAHORE

		THE COL	1 . //	ERS PC-1
	Head	- Fin Div	1. And	
		- Admin		Sw
Providing & laying 8 mm thick gypsum board		er-IDBL		1
False Ceiling, 24" x 24" Elephant Brand or	17CIII)			
approved equivalent in straight, curved, tiles or		Date:_	No. of Concession, Name of Street, or other Designation of Concession, Name of Street, or other Designation of Concession, Name of Street, Original Property and Concession, Original Property and Concession, Name of Street, Original Property and Concession, Name of Street, Original Property and Concession, Original Prop	-
multiple profiles, as shown on drawing section, fixed with imported powder coated, with groove,	SFT	400	135	(7)
aluminum, "T" & "L" section with ceiling	011	400	100	34,000
suspension system having provisions for light and				
AC grill. Complete in all respect as per drawing				
and instruction of Bank's Engineer. 5 Ceramic Tiles		-		
Toilet:				
Providing / Laying wash room tiles (HMD45-117				
9"x17" SB for floor & walls upto 7 feet height				
(Master brand) or equivalent as per approved shade & layout pattern with 2" thick base	054	450	10	
concrete including grouting of joint with matching	SFt	150	480	72,000
grout material of Stile, complete in all respect as				
per satisfaction of Architect / bank engineer.				
Kitchen/Pantry:Providing / Laying Pantry tiles				
(HMD38-50SF 9" x 17" SB for floor & walls upto				
5 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick				
base concrete including grouting of joint with	Sft	60	750	45,000
matching grout material of Stile, complete in all				, 0,000
respect as per satisfaction of Architect / bank engineer.				
Marble				
Providing & fixing pre polished 3/4" thick Marble				
Top quality with approved size and shade over				
2" thick pre cast RCC slab including 1/2" thick gola, grouting and jointing including cost of				
cutting of marble for basin and sink bowl	sft	14	1050	14700
including filling with silicone around joint of			1	
marble complete in all respect as per satisfication by the engineer.				
Pantry Counter Top (Boticina)				
WOODEN CABINETS				
Kitchen Cabinets		- (111	
	W.	TRAN	W	
	(3)	XX	1	
	KAI	EXTENSE	Y	
	1	1/3	7	

bank's Engineer. all kind of best quality hardware's, spring hinges, SS handles, locks etc. Complete in all respects. Upper Unit: Providing, fabricating and fixing in position parity cabinets 12" deep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in all respects as per drawings and as directed by the bank's Engineer. MDF Low Height Partition BM Seating Provide and matall 2" x 2" partal wood Solignum treated frame for wooden partitions spaced no more than 16" on centre vertically and 24" on centre in the horizontal dimension fixed in plumb and level. With water based matt finish paint. Complete in all respect with good work man ship and as per details mentioned in drawing. Paint at Walls Providing and applying, 2 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by appling ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer. MS Grill at main entrance & Acs outer MS Grill at main entrance & installation of new tiles 24"x24" Sft 21 /225 25725 Removal of old floor tiles & installation of new tiles sit 42 650 273.00	Lower Unit: Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick laminated board (Furniture color) of SONEX, Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the	Head Head	ATURI Fin Div Admin er-IDBL Date:	gul	ERSPC-ADM
position pantry cabinets 12" deep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in all respects as per drawings and as directed by the bank's Engineer. MDF Low Height Partition BM Seating Provide and install 2" x 2" partal wood Solignum treated frame for wooden partitions spaced no more than 16" on centre vertically and 24" on centre in the horizontal dimension fixed in plumb and level. With water based matt finish paint. Complete in all respect with good work man ship and as per details mentioned in drawing. Paint at Walls Providing and applying, 2 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by appling ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer. MS Grill at main entrance & Acs outer MS door for ATM & Guard post Removal of old floor tiles & installation of new tiles 24"x24" Signally & Installation of wooden by doors with forces Signally & Installation of wooden by doors with forces Signally & Installation of wooden by doors with forces	all kind of best quality hardware's, spring hinges, SS				
Provide and install 2" x 2" partal wood Solignum treated frame for wooden partitions spaced no more than 16" on centre vertically and 24" on centre in the horizontal dimension fixed in plumb and level. With water based matt finish paint. Complete in all respect with good work man ship and as per details mentioned in drawing. Paint at Walls Providing and applying, 2 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by appling ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer. MS Grill at main entrance & Acs outer MS door for ATM & Guard post Removal of old floor tiles & installation of new tiles 24"x24" Supply & installation of wooden ply doors with frames.	position pantry cabinets 12" deep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in all respects as per drawings	sft	0	1500	. 7
Provide and install 2" x 2" partal wood Solignum treated frame for wooden partitions spaced no more than 16" on centre vertically and 24" on centre in the horizontal dimension fixed in plumb and level. With water based matt finish paint. Complete in all respect with good work man ship and as per details mentioned in drawing. Providing and applying, 2 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by appling ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer. MS Grill at main entrance & Acs outer MS door for ATM & Guard post Removal of old floor tiles & installation of new tiles 24"x24" Supply & installation of wooden ply doors with forces.	MDF Low Height Partition BM Seating				
Providing and applying, 2 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by appling ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer. MS Grill at main entrance & Acs outer MS door for ATM & Guard post Removal of old floor tiles & installation of new tiles 24"x24" Supply & installation of wooden ply doors with formers	Provide and install 2" x 2" partal wood Solignum treated frame for wooden partitions spaced no more than 16" on centre vertically and 24" on centre in the horizontal dimension fixed in plumb and level. With water based matt finish paint. Complete in all respect with good	Sft	0	1500	
Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by appling ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer. MS Grill at main entrance & Acs outer MS door for ATM & Guard post Removal of old floor tiles & installation of new tiles 24"x24" Supply & installation of wooden ply doors with fremen	Paint at Walls				
MS door for ATM & Guard post Removal of old floor tiles & installation of new tiles 24"x24" Supply & installation of wooden ply doors with fremes	Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by appling ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the	SFT	3000	60	180,000
Supply & installation of wooden ply doors with frames	MS Grill at main entrance & Acs outer	SFT	0		
24"x24" sft 120 380 45,600	MS door for ATM & Guard post	sft	21	1225	25725
Supply a Installation of wooden bly doors with frames	Removal of old floor tiles & installation of new tiles	sft	120	320	4001
	Supply & installation of wooden ply doors with frames				27300

Tender Document - RENOVATION OF MAIN BOULEVARD DHA BRANCH LAHORE
SIGNATURE MEMBERS PC-ADMIN

Head - Fin Div.

Head - Admin Div.

KARAC

Member-IDBL.

Plumbing	Works
----------	-------

-	Plumbing Works	-	-	Date:	A
S.No.	DESCRIPTION	UNIT	QTY	Engineer Estimat	e
				RATE	AMOUNT
I(a)	Providing and fixing European type ceramics ware coupled water closet, (ICL IFO) or equivalent, white / light colour, including 3 gallons cistern, P/S trap, C.P tee stop cock with wall cups, connection pipes, "SONEX", "MASTER (Royal)", hinged double bacolite seat and cover of best quality, all joints to services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings.	Nos	1	6800	6800
2	Providing and fixing Wash hand Basin Vanity type, ICL IFO or equivalent white colour "SONEX"/ "MASTER" waste coupling, plug with C.P brass chain, 1.5" dia. P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, waste pipe waste coupling, plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as directed by the Engineer.	Nos.	1	5000	5000

3	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubber plug & chrome plated brass chain, 40mm (1 1/2") C.P brass waste, pillar tap 2 way deluxe, 40 mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material. (with SONEX fittings).		H	ead - Fin Div.	•
4	Provide & fix uPVC floor drains of 4" dia of make Nikkassi or approved equivalent, having minimum guaranteed 2" water seal with screw down C.P cover, peripheral drains with or without a vent arm. Make requisite holes in walls, floor for pipe connections & make good with approved material, including SS drain / grating with side perforation.	Nos.	2	1500	3000
5	Provide & fix approved quality chromium plated towel rails 750mm x 20mm (30"x3/4") with brackets and C.P screws. (Taiwan make)	Nos.	1	1500	1500
6	Provide and fix approved quality C.P toilet paper holders and coat hook. (Taiwan make)	Nos.	1	1000	1000
7	Provide & fix p soap dish of approved quality with C.P screws. (Master /Sonex)(White color)	Nos.	1	1000	1000
8 (a)	Provide and fix Muslim Showers manufactured by Master/Sonex or equivalent, complete with stop cock and controlled spray head.(White color)	Nos.	1	3500	3500

Tender Document - RENOVATION OF MAIN BOULEVARD DHA BRANCH, LAHORE SIGNATURE MEMBERS PZ-ADMIN

		Head	- Fin Div	dill	
(b)	Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or approved equal complete including pipe connections, all fittings, testing etc. (White color)		- Admin D er-IDBL. Date:	iv.	7?
i)	For Wash basin	Nos.	1	3500	3500
ii)	Kitchen Sink Mixer	Nos.	1	3500	3500
				5300	0000
9	Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent pressure pipe for cold/hot water as per DIN 8077-8078,PN-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. Job also includes making Water Connection to existing Water supply system				
i	Dia 1-1/2"	rft			
ii	Dia 1-1/4"	rfi			
ii	Dia 1"	rfi	78	180	14040

rft	-			
	20	/.	12	
g Sewerage disposal system.	g Sewerage disposal system. rft rft	rft -	g Sewerage disposal system. rft rft -	g Sewerage disposal system.

-	-	_			
S.No.	DESCRIPTION	UNIT	QTY	Rate	Amount
A. IN	NTERNAL WIRING				Timount
1	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be	Nos.	5	5300	26500
2	Providing, Installation, testing and commissioning of wiring of Three light points controlled by one switch and wired with 3x1.5 mm sq. PVC	Nos.	22	4800	105600
3	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4mm2+1x2.5mm ² CU/PVC	Nos.	3	7700	23100
4	Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	4	6800	27200

SIGNATURE MEMBERS PC-ADMIN
Tender Document RENOMEDIA OF TANOBIA DIVINE PRANCH LAHORE
Head - Admin Divine Renomedia of the Control of the Cont

Member-IDBL.

5	Confirming to some species in the second species of the second spe	NI. A.		4	
.,	Confirming to same specification as mentioned above in item A-08,3 but outlet to outlet wiring. Complete in all respect.	Nos.	4	5.500	22000
6	Providing & wiring of 2-3 pin 13 Amps power switch socket				
	outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated				
	cable	Nos.	4	6000	27200
7	Confirming to same specification as mentioned above in item A-09, but outlet to outlet wiring. Complete in all respect.	Nos.	4	5300	27200
8	Providing installing & wising for Selic A /GI				
0.	Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16 Amps switch socket, wired with 2x6mm ² + 1x4mm ² 1 core CU/PVC cable	Nos.	5	11000	55000
9	Sign Board Wiring as same as above	Nos.	1	11000	11000
	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent 6"	1,05.	1	11000	
10	dia	Nos.	50	1850	92500
11	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories,			1000	
i)	Bracket fan wall	Nos.	1	4500	1.0
(11)	Exhaust Fan 12" dia	Nos.	3	4300	4500
		, , , ,		7 500	13300
<u>12. T</u>	ELEPHONE SYSTEM				
	Providing & wiring of each Telephone socket outlet in preinstalled outlet boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT USA in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as per site conditions,, complete with all conduit & wiring accessories including RJ-45 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall.				
		Nos.	7	8300	58100
13. CC	MPUTER NET WORKING SYSTEM				
*****	Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M / PANDUIT USA in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per darwing, and providing of Fluke Test Report & 200 M.				
	3M's 20 Years Certificate (Complete as per Client's requirement)			0.1	
14	Earthing Work	Nos.	8	8300	554600
1.4	Total - Electrical works	Job	0	45000	4500
	. Jacobs and the state of the s		MTE	AII	554,600

Head - Fin Div.

Head - Admin Div.

Member-IDBL

AIRCONDITIONING / HVAC WORKS : DHA Main Boulevard Lahore

S#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
1	Removal of Acs from old premises & installation of same at new premises (with service & Gas balancing)				
	a) 1.0 Ton SAC	Nos	1	10500	10500
	b) 1.5 Ton SAC	Nos	4	10500	10500
	c) 2.0 Ton SAC	Nos		70000	7 = 7000
2	Estimate additional copper piping with insulation for split units make(Muller) (charged as per final measurement on site). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex insulators with gray tape.	rft	120	660	79200
3	Provide & fix UPVC, 1-1/4" dia and 1" dia pipe, Beta or popular, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with PVC fittings such as tees, elbows, unions, reducers, sockets, Teflon tape for jointing, hangers, supports, sleeves, including testing and commissioning and insulation with Aero flex insulation.	rft	200	230	46000
4	Providing and installing M.S angle iron brackets, treated with rust proof paint and enamel coating for external A/C's units fixed to the wall slab with Hilti bolts.	Set	5	3000	15000
	TOTAL HVAC WORKS	S			192,700

Tender Document - RENOVATION DE MAIN BOULEMARD D

Head - Admin Div

UTILIZATION OF EXISTING ITEMS(Removal & installation of items)

S#	Items				
1	Removal of Glass Doors (Main Entrance 02, ATM Cabin 01, BM 01 Cash Counter 01), glass partition & placement these items at new premises	Sft	150	250	37500
2	Providing & Installation of floor machines under glass doors	No	4	18000	72000
	· · · · · · · · · · · · · · · · · · ·				
3	All wooden Furniture (Chairs Cleaning+tables+02 Cash Counters, wooden cabinets)	Job	1	35000	35000
4	All Steel Items (Vault Room Door 01, Safe+SS Card Trolley+Fire Almrah2)	job	1	160000	160,000
5	Main DB	Job	0		9000
6	UPS DB	Job	1	5000	5000
7	IT Rack & Patch Panel(with 9 new IOS 3M)	Job	1	25000	25,000
8	Main Cable 25mm2	Job	1		15,000
9	Telephone main cable	Job	1	3000	3000
					347,500

The branch has to be handed over in 45 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.

The cost must include all applicable taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges.

No advance payment will be made; bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager &

Calculation of bid security 2% of the *Total Amount will be submitted with the tender document as bid security.

In case it is reviled at any stage after the completion of work that the asked specification of the tender have not been met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary by the procurement committee

In case of any observation arising in respect of quality of the item, the company will be liable to address it at his own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.

All terms and condition of Agreement (Annexure "G") are part of Tender Document

In case financial bids are the same, the successful bidder will be the one who has acquired more marks in the technical evaluation

Lowest evaluated bid is going to be the criteria for award of contract rather than considering the lowest offered bid, encompassing the lowest whole sum cost which the procuring agency has to pay for the services/items duration the contract period. SPPRA Rule 49 may please be referred. The successful bidder will be the one whose total sum of cost is the lowest. As it is package tender, so no partial lowest cost will be considered for award of any work.

10 Payment will be made as per the scheduled attached as Annexure "K"

The successful bidder has to deposit 2% retention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money/performance security will be released after 3 months of completion of tender assigned job and after due receipt of letter of satisfaction from concerned Branch Manager (performa attached as Annexure "H")

12 During final inspection, a performa (specimen attached as Annexure "H") will be filled by the representative of engineering department where he will award marks going by the quality of job executed in different categories. Any contractor awarded marks below 70 marks will be issued with warning letter and will

not be eligible to take part in any future tender.

13 Deviation from specs of Design Book will also be taken as penalty, where the contractor will be asked to provide the material or supplies as per the Book Specification. If the same is not followed within given time, the amount equivalent to the cost of the job will be deducted from the final payment of the contractor and the job will be performed by Bank's own resources, here contractor will also be liable of pen marks in marking performa for each

14. The site inspection phase is per the performa attached as Annexure

RENOVATION WORKS - BUFFERZONE BRANCH (RELOCATION)

Serial No:

Bidder Name: Latifi Enterprises

2.6.5 Eligibility Criteria

S. No.	Requisite	Total Points	Points Obtained	Point Criteria	Contractor Action (Documents to be enclosed)	
1	Status of Firm	20		Private Limited/ Partner Ship	Certificate of incorporation/	
		15	15	Sole proprietorship	Partnership deed/NTN	
	Experience in Similar nature of	40	40	One Similar nature of work having minimum cost 80% of the estimated cost	Award letters to be attached duly issued from each financial institution's Admin Department that the contractor has	
2	work during the last five years	30		Two Similar nature of work having minimum cost 50% of the estimated cost	satisfactorily constructed the required number of branches for them. Complete Renovation work order will only be considered issued in last 5 years	
Average yearly		40	40	2.6 Million and above	Audited Financial Statements Report or	
3	turnover in last Five years	25		1 Million and above	Tax Return of last Five years	
	TOTAL POINTS	INTS 100 95 Qualified/Disqualified				

Members Signatures- Evaluation Team

Athar Iqbal Administration Division Fouzia Shamim Operations Division Hasan Raza Finance Division

Members - Procurement Committee

- 4. HEAD OF ADMIN
- 5. CHIEF FINANCIAL OFFICER
- 6. CHIEF MANAGER, IDBL

Signature



ATTENDANCE SHEET BID OPENING -

FOR SELECTION OF Renovation of Main Boulevarel Branch Lahore

Date: 01-08-2023

S.No	Company Name	Name of Company Representative	Contact No.	Company Address	Signature
01	latiti Enterprises				

Signature - Hocurement Committee Members	Signature -Procurement	Committee	Members
--	------------------------	-----------	---------

Head of Administration

Chief Financial Officer

Chief Manager (IDBL)

MINUTES OF THE OPENING OF THE TENDER (TECHNICAL /FINANCIAL PHASE)

TYPE OF PROCUREMENT	ADMIN / IT / CONSULTANT / MEDIA	A	
TENDER NAME		air Boverand DHA	Brack Lahr
TYPE OF TENDER	SINGLE STAGE-ONE ENVELOPE / SINGLE STAGE-TWO EN		
OPENING DATE	01/08/23	The street of th	
OPENING TIME	11 00 thrs.		
ATTENDANCE (MEMBER PC)			
Pyr			
TEAR			
U			
0.2			
	NAME	FIRM	BID OFFERED
ATTENDANCE (REPS. OF BIDDERS)			
AT!	1 Latit Exterprises	Ps.	1737,165/-
42	/	/	
Çe-			
(4			
OTAL BIDS ACCEPTED FOR EVALUATIO	N		
BIDS REJECTED			
EMARKS			

SIGNATURE MEMBERS PC-ADMIN Head - Fin Div.

Head - Admin Div._

Member-IDBL.

Date:_