# SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

## CONTRACT EVALUATION FORM

# TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT.	Sindh Bank Ltd
2)	PROVINCIAL / LOCAL GOVT./ OTHER	Administration Division
3)	TITLE OF CONTRACT	Renovation of Main Boulevard DHA Branch, Karachi
4)	TENDER NUMBER	SNDB/COK/ADMIN/TD/1337/2023
5)	BRIEF DESCRIPTION OF CONTRACT	Renovation of Main Boulevard DHA Branch, Karachi
6)	FORUM THAT APPROVED THE SCHEME	Competent Authority
7)	TENDER ESTIMATED VALUE	
8)	ENGINEER'S ESTIMATE (For civil works only)	Rs 1,560,876/-
9)	ESTIMATED COMPLETION PERIOD (AS PI	ER CONTRACT) 1 Year
	TENDER OPENED ON (DATE & TIME)	01/08/2023 at 1100 Hrs
11)	NUMBER OF TENDER DOCUMENTS SOLD (Attach list of buyers)	)1
12)	NUMBER OF BIDS RECEIVED	A
13)	NUMBER OF BIDDERS PRESENT AT THE	TIME OF OPENING OF BIDS 1
	BID EVALUATION REPORT (Enclose a copy)	28/03/2024
15)	NAME AND ADDRESS OF THE SUCCESSFO	UL BIDDER M/s. Latifi Enterprises C-707, 81 Floor
		Rs.1,737,165/-
16)	CONTRACT AWARD PRICE	18.1,737,100-
17)	RANKING OF SUCCESSFUL BIDDER IN EV (i.e. 1 <sup>st</sup> , 2 <sup>nd</sup> , 3 <sup>rd</sup> EVALUATION BID).	ALUATION REPORT  1. M/s. Latifi Enterprises
18)	METHOD OF PROCUREMENT USED : - (Tic	ck one)
	a) SINGLE STAGE – ONE ENVELOPE	PROCEDURE Domestic/ Local
	b) SINGLE STAGE – TWO ENVELOPE	PROCEDURE
	c) TWO STAGE BIDDING PROCEDUR	E
	d) TWO STAGE – TWO ENVELOPE BI	DDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER EMERGENCY, DIRECT CONTRACTING	METHOD OF PROCUREMENT WAS ADOPTED i.e.  G ETC. WITH BRIEF REASONS:

20) WHE	THER THE PROCUREMENT WAS INCLUDED IN	N ANN	Yes No
21) ADV	ERTISEMENT:		
a	SPPRA Website	Yes	T00531-22-0049 Notification 13.07.2023
i)	(If yes, give date and SPPRA Identification No.)		
		No	
ii)	News Papers (If yes, give names of newspapers and dates)	Yes	Notification 13.07.2023
		No	
2) NAT	URE OF CONTRACT		Domestic/ Local Int.
WAS	ETHER QUALIFICATION CRITERIA S INCLUDED IN BIDDING / TENDER DOCUMEN' es, enclose a copy)	TS?	Yes No
		<b>A</b>	
WAS	ETHER BID EVALUATION CRITERIA S INCLUDED IN BIDDING / TENDER DOCUMEN es, enclose a copy)	TS?	Yes V No
25) WHI MET	ETHER APPROVAL OF COMPETENT AUTHORIZ THOD OTHER THAN OPEN COMPETITIVE BIDD	Y WA	AS OBTAINED FOR USING A Yes No
26) WAS	S BID SECURITY OBTAINED FROM ALL THE BI	DDEF	Yes V No
27) WH BID	ETHER THE SUCCESSFUL BID WAS LOWEST E / BEST EVALUATED BID (in case of Consultancies	VALU s)	JATED Yes V No
	ETHER THE SUCCESSFUL BIDDER WAS TECHN MPLIANT?	NICAL	LLY Yes V No
29) WH THI	ETHER NAMES OF THE BIDDERS AND THEIR ETIME OF OPENING OF BIDS?	QUO	TED PRICES WERE READ OUT AT Yes No
30) WH	ETHER EVALUATION REPORT GIVEN TO NTRACT?	BIDI	DERS BEFORE THE AWARD OF
(Att	tach copy of the bid evaluation report)		Yes No

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes	
	No	No .
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN I	N THE T	ENDER NOTICE / DOCUMENTS
(If yes, give details)	Yes	
	No	No
33) WAS THE EXTENSION MADE IN RESPONSE TIME? (If yes, give reasons)	Yes	
	No	No
34) DEVIATION FROM QUALIFICATION CRITERIA (If yes, give detailed reasons.)	Yes	
	No	No
35) WAS IT ASSURED BY THE PROCURING AGENC BLACK LISTED?	Y THAT	THE SELECTED FIRM IS NOT
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIAL SUPPLIER'S PREMISES IN CONNECTION WITH THE BE ASCERTAINED REGARDING FINANCING OF WI (If yes, enclose a copy)	E PROC	UREMENT? IF SO, DETAILS TO
37) WERE PROPER SAFEGUARDS PROVIDED ON MOTHE CONTRACT (BANK GUARANTEE ETC.)?	BILIZA	Yes No
38) SPECIAL CONDITIONS, IF ANY (If yes, give Brief Description)	Yes	
/2/	No	
Addition Division	14/25	24
OFFICE USE ONLY  Sindh Bank Limited  Head Office Karachi		


<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print Save Reset

## 3 SCOPE OF WORK

Sindh Bank Limited (SNDB) requires proposal from the Contractors for RENOVATION OF MAIN BOULEVARD DHA BRANCH, LAHORE

	AMOUNT DEPOSITED	1150	1150
Buyer Record	Company Name	Latifi	Total
	S.No	1	







		Bid Evaluation Report	
	Renovation o	f Main Boulevard DHA Branch Lahore	
1	Name of Procuring Agency	Sindh Bank Ltd.	
2	Tender Reference No.	SNDB/COK/ADMIN/TD/1337/2023	
3	Tender Description	Renovation of Main Boulevard DHA Branch Lahore	
4	Method of Procurement	Single Stage One Envelope Bidding Procedure	
5	Tender Published & SPPRA S. No.	S. No: T00531-22-0049 Notification (13/07/2023)	
6	Total Bid Documents Sold	01	
7	Total Bids Received	01	
8	Technical / Financial Bid Opening Date & Time	01/08/2023 at 1100 Hrs.	
9	No. of bids qualified	01	
10	Bid(s) Rejected / Disqualified	0	

Details on the above as given below:

S. No	Name of Firm or Bidder	Qualified / Disqualified in Technical / Eligibility Inspection/ Mandatory	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost (Rs.1,560,876/-)	Reasons for acceptance/ rejection	Remarks
	1	2	3	4	5	6	7 -
1.	M/s. Latifi Enterprises	Qualified	Rs. 1,737,165/- (Area 1800 sq.ft x Rate per sq.ft Rs. 965.09)	Only Bidder	Rs. 176,289/- Above the estimated cost	Accepted	Rule 48 has been Complied With

Accordingly, going by the Technical/Financial Evaluation criteria laid down in the tender document, M/s. Latifi Enterprises is the most advantageous bid i.e. 1,737,165/-, hence recommended for award of contract for Renovation of Main Boulevard DHA Branch Lahore of Sindh Bank Limited.

Members Signature- Procurement Committee

Arshad Abbas Soomro Head of Administration

Dilshad Hussain Khan Chief Financial Officer

Syed Muhammad Aqeel Chief Manager, IDBL Karachi

SIGNATURE MEMBERS PC-ADMIN
Head - Fin Div.
Head - Admin Div.
Member-IDBL.
Date:

	1
	:
	1
	1
	1
	•
	•
	•
>	
QUANTITY	1
$\vdash$	
z	
4	
$\approx$	
-	
BILL OF	
٧.	1
4	
=	
ш	
	į
	į

	DESCRIPTION UNIT OTY. RATE A	UNIT OTY.	OTY.	RATE	AMOUNT	RATE	AMOUNT
1	CIVIL WORKS						
	Termite Proofing			Engine	Engineer Estimate	Latifi	Latifi Enterprises
-	Fernite Prooting  Froviding and carrying out termite proofing using FIPROKILL/ BIFLEX  / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per  10.76 st. Area) with a pressure ensuring at least 3" penetration in the sol of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client Protosotal & Vertical).	SFT	0	8	,	0	
~	Block / Brick Masonary works.  Providing & laying Block / Brick masonary walls including racking of joints with 1.4 cement sand mortar, the job includes two 3/6" dia steel bars of 2.0" length on both sides of wall at every 3.0 if height for anchoring of masonry with the sides and Two 3/6" dia bars of 2.0" length at every third block length for anchoring masonry walls to pletifyllour beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer.						
-	4" thick Block Masonary internal walls (First class Machine made Blocks)  Placter Works	SFT	150	185	27,750	180	27,000
•	Providing & laying <sup>2</sup> / <sub>4</sub> * thick cement sand plaster (Internal / External) with 1:4 cement sand mortar on walls, columns, beams, using best quality O.P.C. including 6" inches wide mesh at joints of structure with block masonary and over conclusing, smooth trowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the existing walls) as per existancies of Architect Dank's entities.	F	300	152	45,600	67.1	52,500
-	FALSE CELING		Ц				
	Gypsum Board (24"X24") Only at GF  Providing & laying 8 mm thick gypsum board False Ceding, 24" x 24" Elephant Brand or approved equivalent in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated, with greove, aluminum, " T" & "L" section with ediling suspension system having provisions for light and AG grill. Complete in all respect as per drawing and	F	84	150	000'09	138	54,000

DESCRIPTION	UNIT	UNIT OTY.	RATE	AMOUNT	RATE	AMOUNT
Ceramic Tiles				1		1
Tollet: Providing / Laying wash room tiles (HMD45-117 9"x17" SB for floor & walls upto 7 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of material hank engineer.	5	150	115	76,650	480	72,000
Kitchen/Pantity.  Providing / Laying Pantry tiles (HMD38-50SF 9" x 17" SB for floor & walls upto 5 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect Dank engineer.	S S	8	511	30,660	750	45,000
Marble				•		
Providing & fixing pre-polished 3/4" thick Marble Top quality with approved size and shade over 2" thick pre-cast RCC slab including 1/2" thick gola, grouting and jointing including cost of cutting of marble for basin and sink bowf including filling with silicone around joint of marble complete in all respect as per silicone around joint of marble complete in all respect as per silicone around joint of marble complete in all respect as per silicone around joint of marble complete in all respect as per silicone.	50858	2	1300	18,200	1050	14,700
Party Counter Top (Boticina)						

SIGNATURE MEMBERS PC-ADMIN
Head - Fin Div.
Head - Admin Div.
Member-IDBL.
Date:

SIGNATURE MEMBERS PC-ADMIN
Head - Fin Div.
Head - Admin Div.
Member-IDBL.

Date:\_

WOODEN CABINETS						
	+			'		
Kitchen Cabinets	_			•		
Lower Unit;  Providing, Intercating and floing in position parity cabinets 24" deep Parwiding, Intercating and floing in position parity cabinets 24" deep SQP high consisting of 34" thick luminated board (Furniture color) of SONEX, Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including rails, screws, boths, imported hinges, catchers, locks, handles, 3 coat of sperif polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tiles above 4" thick P.C. C. floor platform complete in all respects as per drawings and as directed by the bank's Engineer.	eeep ) of greey alls. Sft to of St cocks	82	1400	25,200	1500	27,000
Upper Unit; Providing, (latricating and fixing in position pantry cabinets 12' deep and 24' high (Hanging) consisting of 344' thick lanninated board and 24' high (Hanging) consisting of 34' thick lanninate board and drawers. Dark grey on internal box and shelves moulding 1/2'x34' including nalls, screws, botts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of maliching shade of furniture color on wood lipping and wood preservative treatment complete in	leep sard ding sers.	٥	1250	,	1500	,
MDF Low Height Partition BM Seating						
Provide and install 2" x 2" partal wood Solignum treated frame for wooden partitions spaced no more than 16" on centre vertically and 24" on centre in the horizontal dimension fixed in plants and level. With water based mat finish paint. Complete in all respect with good work man elip and as per details mentioned in drawing.	for and sood	0	900		1500	
Providing and applying, 2 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any facer & at any height over one coat of printer and making smooth and even surface by appling ICI Paintex base faling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer.	White e, at looth per s as	3000		120,000	8	160,000
MS Griff at main entrance & Acs outer	SFT	-	750		Ц	
MS door for ATM & Guard post	sft	H	1500	31,500		25,725
Removal of old floor tiles & installation of new tiles 24"x24"	ns.	120	166	19,920	380	45,600
Supply & installation of wooden ply doors with frames kitchen/store	US a	4	833	34,986	920	27,300
TOTAL CIVIL WORKS	OBKS		1	490.466		570,825

Head - Fin Div.

Head - Admin Div.....

Member-IDBL.

Date:\_

S N.S	NOTTELESTA	I'NIT OTY	OTV	Engine	Engineer Estimate	Latifi I	Latifi Enterprises
2				RATE	AMOUNT	RATE	AMOUNT
(a)	Providing and fixing European type ceramics ware coupled water closet, (ICL IFO) or equivalent, white / light colour, including 3 gallons cistern, P/S trap, C.P tee stop cock with wall cups, connection pipes, "SONEX", "MASTER ( Royal)", hinged double bacolite seat and cover of best quality, all joints to services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings.	Nos	-	23,000	23,000	6,800	008'9
					*		
61	Providing and fixing Wash hand Basin Vanity type, ICL IFO or equivalent white colour "SONEX"/ "MASTER" waste coupling, plug with C.P brass chain, 1.5" dia. P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, waste pipe waste coupling, plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as directed by the Engineer.	No.	-	21,500	21,500	5,000	5,000
	The state of the s						,
	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubber plug & chrome plated brass chain, 40mm (1 1/2") C.P brass waste, pillar tap 2 way deluxe, 40 mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material. (with SONEX fittings).	Nos.	-	20,750	20,750	2,000	5,000

Head - Fin Div.

Head - Admin Div.

Member-IDBL.

Date:\_

	S.Ivo.	CIVIT CIT	5	Cugmeet	Engineer Estimate	TOTAL TOTAL	Laun Linerprises
4	Provide & fix uPVC floor drains of 4" dia of make Nikkassi or approved equivalent, having minimum guaranteed 2" water seal with screw down C.P cover, peripheral drains with or without a vent arm. Make requisite holes in walls, floor for pipe connections & make good with approved material, including SS drain / grating with side perforation.	Nos.	2	2,000	4,000	1,500	3,000
is.	Provide & fix approved quality chromium plated towel rails 750mm x 20mm (30"x3/4") with brackets and C.P screws. (Taiwan make)	Zos	-	2500	2,500	1500	1,500
9	Provide and fix approved quality C.P toilet paper holders and coat hook. (Taiwan make)	Nos.	-	2500	2,500	1000	1,000
7	Provide & fix p soap dish of approved quality with C.P screws. (Master /Sonex)(White color)	Nos.	-	2500	2,500	1000	1,000
8 (a)	Provide and fix Muslim Showers manufactured by Master/Sonex 8 (a) or equivalent, complete with stop cock and controlled spray Noshead (White color)	Nos.	1	7500	7,500	3500	3,500
<b>@</b>	Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or approved equal complete including pipe connections, all fittings, testing etc. (White color)		-	7000	7,000		
a	For Wash basin	Nos.	-	7000	7,000	3500	3,500
(ii	Kitchen Sink Mixer	Nos.	1	8000	8,000	3500	3,500

Head - Fin Div..

Head - Admin Div.

Member-IDBL..

Providing, fixing, jointing and testing Polypropylene Random pressure paper anke Dadex A AGM or approved equivalent pressure pape for cold/hor water as Grandom Sty73-8078, py2.  for pipes and DIN 16062, PN-25 for fittings (polyfixino welded pressure pape for cold/hor water as dependent of the pressure paper for cold/hor water and specials (sockers, etes, chows, beans, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from noof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting no BSS for and make good with Test and Commission for cold and hot water system.  Dia 1-1/4"  And the care UPVC pipes (AGM/dadex /vebro turkey Brand) including plaugem hangars, beds, Tees, Yees hangers/supports etc. conforming to BSS for soil waste and vent phyers as embedded in floor and walls or suspended from also or clamped from also or clamped from also methods of making groud the same as neces, allows, sockets, wyc, hangers/supports enchedded in floor and walls or suspended from also or clamped from also or clamped from also michaded in making groud the same as necessary to the structure labeling, resting to 6.5 feet water height complete Job also includes making Sewer Connection to existing Sewerage disposal system.  Dia 2"  rft 500  Dia 3"  The Dia 3"  rft 78  Dia 4"  Dia 5"  Dia 4"	SNo	DESCRIPTION	LIND	UNIT OTY	Engineer Estimate	Estimate	Latifi Enterprises	rprises
Dia 1-1/2"  Dia 1-1/4"  Dia 3/4"  Provide and fix cast UPVC pipes( AGM/dadex /vebro turkey and fix cast UPVC pipes( AGM/dadex /vebro turkey)  Brand) including fittings such as tees, elbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugam hangars, beds, Tees, Yees. Include for making good the same as in walls and floors where required and making good the same as increased to the same as the complete. Job also includes making Sewer Connection to existing Sewerage disposal system.  Dia 2"  frit 30 500 15,000	6	Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent pressure pipe for cold/hot water as per DIN 8077-8078,PN-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. Job also includes making Water Connection to existing Water supply system.				,		
Dia 1-1/4"  Dia 1-1/4"  Dia 1-1/4"  Dia 1-1/4"  Dia 3/4"  Provide and fix cast UPVC pipes (AGM/dadex /vebro turkey Brand) including fittings such as tees, elbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugsm hangars, beds, Tees, Yees. Include for making requisite number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete. Job also includes making Sewer Connection to existing Sewerage disposal system.  Dia 2"  rft		Dia 1-1/2"	Ħ					,
Dia 1"  19500  Dia 3/4"  Provide and fix cast UPVC pipes( AGM/dadex /vebro turkey Brand) including fittings such as tees, elbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugsm hangars, beds, Tees, Yees Include for making requisite number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete. Job also includes making Sewer Connection to existing Sewerage disposal system.  Dia 2"  rft -  Dia 4"  rft 30 500 15,000	п	Dia 1-1/4"	Ħ					
Dia 3/4"  Provide and fix cast UPVC pipes( AGM/dadex /vebro turkey) Brand) including fittings such as tees, elbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugsm hangars, beds, Tees, Yees. Include for making requisite number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete. Job also includes making Sewer Connection to existing Sewerage disposal system.  Dia 2"  Tit  Dia 2"  Tit  Dia 4"  Dia 4"	:8	Dia 1"	Ŧ	78	250	19,500	180	14,040
Provide and fix cast UPVC pipes (AGM/dadex /vebro turkey) Brand) including fittings such as tees, elbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugsm hangars, beds, Tees, Yees. Include for making requisite number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete. Job also includes making Sewer Connection to existing Sewerage disposal system.  Dia 2"  Tft	4.	Dia 3/4"	ŧ	78	200	15,600	150	11,700
Dia 2"  Dia 3"  Dia 4"  Tif .  500 15,000	=	Provide and fix cast UPVC pipes( AGM/dadex /vebro turkey Brand) including fittings such as tees, elbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugsm hangars, beds, Tees, Yees. Include for making requisite number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete. Joh also includes making Sewer Connection to existing Sewerage disposal system.						*
Dia 3" rft - 500 15,000		Dia 2"	Æ	,		,		
Dia 4" rft 30 500 15,000	:=	Dia 3"	Ħ			,		
	H	Dia 4"	Ŧ	30	200	15,000	400	12,000
Total 156.350		Total	Ш			156,350		71,540

Head - Fin Div.

Head - Admin Div.

Member-IDBL.

Date:\_\_

			Γ	Enginee	Engineer Estimate	Latif E	Latifi Enterprises
S.No.	DESCRIPTION	CINI	QTY	Rate	Amount	Rate	Amount
]	INTERNAL WIRING						
-	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be	N. Sg.	S	9200	27,500	5300	26,500
61	Providing, Installation, testing and commissioning of wiring of <b>Three light points</b> controlled by one switch and wired with 3x1.5 mm sq. PVC	Z So.	23	2200	48,400	4800	105,600
3	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4mm2+1x2.5mm² CU/PVC	So Z	3	6500	19,500	7700	23,100
					,		
4	Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable	ž	4	8500	22,000	0089	27,200
2	Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.	No.	4	4000	16,000	2500	22,000
					,		
9	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos	4	9200	22,000	0089	27,200
7	Confirming to same specification as mentioned above in item A-09, but outlet to outlet wining. Complete in all respect.	Nos.	4	2000	20,000	2500	22,000
œ	Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16 Amps switch socket, wired with 2x6mm² + 1x4mm² 1 core CU/PVC cable	Z S	2	10500	52,500	11000	55,000
6	Sign Board Wiring as same as above	Nos.	-	11500	11,500	11000	11,000
10	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent 6" dia	Nos.	90	1200	000'09	1850	92,500

Head - Fin Div. ..

Head - Admin Div.

Member-IDBL.\_

Date:\_\_

S.No.			VID LINU	Rate	Amount	Rate	Amount
	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories,				,		
0	Bracket fan wall	Nos	-	7500	7,500	4500	4,500
	Exhaust Fan 12" dia	Nos.	3	0009	18,000	4500	13,500
P	12. TELEPHONE SYSTEM						
	Providing & wiring of each Telephone socket outlet in preinstalled outlet boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT USA in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as per site conditions,, complete with all conduit & wiring accessories including RJ-45 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall.		1-	2500	38,500	8300	58,100
		Nos.				The second secon	
					,		
ö	13. COMPUTER NET WORKING SYSTEM				٠		
	Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M / PANDUIT USA in 25 mm dia PVC conduit including Data Oudet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per darwing, and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement)		∞	10625	85,000	8300	06,400
		Nos.				46000	
4	14 Earthing Work	lob	0	20000		45000	
	Total - Electrical works				448,400		554,600

Head - Admin Div.

Member-IDBL

Date:

		1	Engine	Engineer Estimate	Latifi	Latifi Enterprises
DESCRIPTION	FIND	OTY.	RATE	AMOUNT	RATE	AMOUNT
Removal of Acs from old premises & installation of same at new premises (with service & Gas balancing)						
a) 1.0 Ton SAC	Nos	-	11,000	11,000	10,500	10,500
b) 1.5 Ton SAC	SoN	4	11,000	44,000	10,500	42,000
c) 2.0 Ton SAC	Nos					
Estimate additional copper piping with insulation for split units make(Muller) (charged as per final measurement on site). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex insulators with gray tape.	ŧ	120	918	110,160	099	79,200
Provide & fix UPVC, 1-1/4" dia and 1" dia pipe, Beta or popular, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with PVC fittings such as tees, elbows, unions, reducers, sockets, Teflon tape for jointing, hangers, supports, sleeves, including testing and commissioning and insulation with Aero flex insulation.	ŧ	200	200	40,000	230	46,000
Providing and installing M.S angle iron brackets, treated with rust	Set	5	2,500	12,500	3,000	15,000
TOTAL HVAC WORKS	KS			217,660		192,700

AIRCONDITIONING / HVAC WORKS: DHA Main Boulevard Lahore Renovation Works- Main Boulevard DHA Branch Lahore

UTILIZATION OF EXISTING ITEMS(Removal & installation of items)

				Enginee	Engineer Estimate	Latifi Er	Latifi Enterprises
*	Items	Unit	QTY.	Rate	Amout	Rate	Amout
-	Removal of Glass Doors (Main Entrance 02, ATM Cabin 01, BM 01 Cash Counter 01), glass partition & placement these items at new premises	Sft	150	200	30,000	250	37,500
2	Providing & Installation of floor machines under glass doors	Ŷ.	4	15000	000'09	18000	72,000
60	All wooden Furniture (Chairs Cleaning+tables+02 Cash Counters, wooden cabinets)	Job	-	20000	20,000	35000	35,000
4	All Steel Items (Vault Room Door 01, Safe+SS Card Trolley+Fire Almrah2)		-	80000	80,000	160000	160,000
2	Main DB	Job	0	20000			
9	UPS DB	Job	-	20000	20,000	2000	5,000
7	IT Rack & Patch Panel( with 9 new IOS 3M)	Job	-	15000	15,000	25000	25,000
8	Main Cable 25mm2	Job	-	18000	18,000	10000	10,000
6	Telephone main cable	Job	-	2000	2,000	3000	3,000
	Total				248,000		347,500

Head - Admin Div.

Member-IDBL.

Date:

CIVIL, INTERIOR, ELECTRICAL FINANCIAL PROPOSAL

#### PRICE SCHEDULE

(Applicable for the year 2023-24)

Nume of Bidder Latifi Enterprises

RENOVATION WORKS- Main Boulevard DHA Branch Lahore

Lavortonic	PARTICIPATION OF THE PARTY OF T	Area 1800 sft
S#	DESCRIPTION	AMOUNT
A	CIVIL WORKS	. 570,825
В	Plumbing Works	. 71,540
С	ELECTRICAL WORKS	. 554,600
D	HVAC	. 192,700
E	Shifting & Installation of Items from Existing Br to New premises	. 347,500
	*TOTAL RENOVATION COST	(1737165)

"This amount will be considered as only the "Bid Offered". Whereas be apprised wirese "Evaluated Bid" is the lowest. (For purther clarification refer



BILL OF QUANTITY

Renoavtion Works- DHA Ma		avard I	ohore	CONTRACTOR CONTRACTOR
DESCRIPTION	UNIT			AMOUN
CIVIL WORKS		+		AMIOUN
Termite Proofing		T -		
Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client (horizontal & Vertical).	SFT	0		-
Block / Brick Masonary works.  Providing & laying Block / Brick masonary walls including racking of joints with 1.4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0" ft height for anchoring of masonry with the sides and Two 3/8.				
anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, the satisfaction of Architect / bank's engineer.				S
I" Ihick Block Masonary internal walls (First class Machine made Blocks)	SFT	150	180	27,000
Plaster Works.			100	1/50
Providing & laying 3/4" thick cement sand plaster internal / External) with 1:4 cement sand mortar on vails, columns, beams, using best quality O.P.C. including 6" inches wide mesh, at joints of structure with block masonary and over conduiting, smooth owel finish complete in all respect. (This includes all he base plaster require for making diagonal and lignment for the exisiting walls), as per satisfaction.	SFT	300	175	52500
ALSE CELING			<del>i</del>	
ypsum Board (24"X24") Only at GF			1	
	Renoavtion Works- DHA Ma  DESCRIPTION  CIVIL WORKS  Termite Proofing  Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 litters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client (horizontal & Vertical).  Block / Brick Masonary works.  Providing & laying Block / Brick masonary walls including racking of joints with 1.4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2"-0" length on both sides of wall at every 3"-0" if theight for anchoring of masonry with the sides and Two 3/8 of dia bars of 2"-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, of the satisfaction of Architect / bank's engineer.  I' thick Block Masonary internal walls (First class Machine made Blocks)  Plaster Works.  Providing & laying 3/4" thick cement sand plaster internal / External) with 1:4 cement sand mortar on walls, columns, beams, using best quality O.P.C. including 6" inches wide mesh at joints of structure with block masonary and over conduting, smooth owel finish complete in all respect. (This includes all the base plaster require for making diagonal and lignment for the existing walls) as per satisfaction in Architect / bank's engineer.	DESCRIPTION  CIVIL WORKS  Termite Proofing Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client (horizontal & Vertical).  Block / Brick Masonary works.  Providing & laying Block / Brick masonary walls including racking of joints with 1.4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2-0" length on both sides of wall at every 3'-0" theight for anchoring of masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer.  I' thick Block Masonary internal walls (First class Machine made Blocks)  Plaster Works.  Providing & laying 3/4" thick cement sand plaster internal / External) with 1:4 cement sand mortar on valls, columns, beams, using best quality 0.P.C. including 6" inches wide mesh at joints of structure with block masonary and over conduiting, smooth over finish complete in all respect. (This includes all lee base plaster require for making diagonal and lignment for the exisiting walls) as per satisfaction Architect / bank's engineer  ALSE CELLING	Renoavtion Works- DHA Main Boulevard L  DESCRIPTION  UNIT QTY.  CIVIL WORKS  Termite Proofing  Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client (horizontal & Vertical).  Block / Brick Masonary works.  Providing & laying Block / Brick masonary walls including racking of joints with 1.4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2".0" length on both sides of wall at every 3"-0" ft height for anchoring of masonry wills to plinth/floor beams, complete in all respect as per drawing, specifications, of the satisfaction of Architect / bank's engineer.  I" thick Block Masonary internal walls (First class Machine made Blocks)  Plaster Works.  Providing & laying 3/4" thick cement sand plaster internal / External) with 1.4 cement sand mortar on walls, columns, beams, using best quality O.P.C. including 6" inches wide mesh at joints of structure with block masonary and over conduiting, smooth owel finish complete in all respect. (This includes all the base plaster require for making diagonal and agriment for the existing walls) as per satisfaction in Architect / bank's engineer.	Renoavtion Works- DHA Main Boulevard Lahore  DESCRIPTION  UNIT QTY. RATE  CIVIL WORKS  Termite Proofing  Providing and carrying out termite proofing using Providing and carrying out termite proofing using this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. The contractor will provide a guarantee for a period of ten years against infestation of termite in the shape and mode approved by the Engineer, stating that in case of infestation, additional treatment will by provided by the contractor at no extra cost to the Client (honzontal & Vertical).  Block / Brick Masonary works.  Providing & laying Block / Brick masonary walls including racking of joints with 1.4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2"-0" length on both sides of wall at every 3"-0" theight for anchoring of masonry with the sides and Two 3/8" dia bars of 2"-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, of the salisfaction of Architect / bank's engineer.  Plaster Works.  Providing & laying 3/4" thick cement sand plaster internal / External) with 1:4 cement sand mortar on a salis, columns, beams, using best quality O.P.C, including 6" inches wide mesh at joints of structure with block masonary and over conduiting, smooth ower finish complete in all respect. (This includes all lee base plaster require for making diagonal and lignment for the existing walls) as per saltsfaction.  Architect / bank's engineer  ALSE CELLING.

		5.0		E HL	TRS/FC-	ADMIN
	Lower Unit:  Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick laminated board (Furniture color) of SONEX, Noor or	His.			Jan	1000000
	equivalent on front shutter and drawers. Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the bank's Engineer all kind of best quality hardware's, spring hinges. SS handles, locks etc. Complete in all respects	Sft	18	158	27,000	
	Upper Unit: Providing fabricating and fixing in position pantry cabinets 12" deep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in all respects as per drawings and as directed by the bank's Engineer	sft	0	15æ	7	
The state of the s	MDF Low Height Partition BM Seating Provide and install 2" x 2" partal wood Sohgnum treated frame for wooden partitions spaced no more than 16" on centre vertically and 24" on centre in the horizontal dimension fixed in plumb and level. With water based matt finish paint. Complete in all respect with good work man ship and as per details mentioned in drawing.  Paint at Walls	Sn	0	1500		
A1 A1 A1 A1 A1 A1	Providing and applying. 2 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by appling ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer	SFT	3000	60	180,000	
Α, (	MS Grill at main entrance & Acs outer	SFT	0	_		
N	MS duor for ATM & Guard post	sit	21	1225	25725	
- 5-	Removal of old floor tiles & installation of new tiles 4"x24"	sft	120		45,600	
S ki	upply & installation of wooden ply doors with frames lichen/store	sít	42	650	27300	
	TOTAL CIVIL WORK	S	-	A	C7 020	
	Sand Continues	/	ENTE	NATO	570,825	

25

CONSTITUTE OF STREET ATTENDED AT VIN BOIL I EVARD DHA BRANCH LATRORD

STORATURE NEW BEXS PC-ADMI

Head • Fin Div.\_

Head - Admin Div.

2.7	 	* -		1
1.	 441	15	ø	

	Plumbing Works			Date	A
S.No.	DESCRIPTION	UNIT	QTY	Engineer Estim	ate
	D · F			RATE	AMOUN'
La	Providing and fixing European type cerannes ware coupled water closet, (ICL II-O) or equivalent, white / light colour, including 3 gallous eistern, P/S trap, C.P tecstop cock with wall cups, connection pipes, "SONEX", "MASTER Royal)", hinged double bacoute sear and cover of best quality, all joints to services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings.	Nos	1	6800	6800
2 11	Providing and fixing Wash hand Basin Vanuv type, ICL II-O or equivalent white colour "SONLX", "MASTER" waste coupling, plug with C.P brass chain, 15" dia P.V.C ( D type, waste pipe connections to water ines, tee stop cock for cold and not water inlet connector with nuts and fitting, waste pipe waste coupling, plugs with chain other necillary material C.P grating neluding C.P bottle trap, testing te, complete in all respect and as irected by the Engineer.	Nos.	1	Sooo	Sãoo

KARACM

3	Provide & tix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make 40" x 20", 1000mm x 500mm sink with C1 or W1 brackets 150mm (6") built in wall, 40mm(11/2") rubber plug & chrome plated brass chain, 40mm (11/2") C.P brass waste, pillar tap 2 way deluxe, 40 mm (11/2") dial mallcable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved imaterial (with SONEX fittings).	Nos	1:	sad-fin Giv tad-Admin Givenber-IDAL Datai	Am
4	Provide & fix uPVC floor drains of 4" dia of make Nikkassi or approved equivalent, having minimum guaranteed 2" water seal with screw down C.P cover, peripheral drains with or without a vent arm. Make requisite holes in walls, floor for pipe connections & make good with approved material, including SS drain / graining with side perforation.	Nos.	2	1500	3000
5	Provide & fix approved quality chromium plated towel rails 750mm v 20mm (30"x3/4") with bracket- and CP screws. (Taiwan make	Nus.	1	1500	1500
6	Provide and fix approved quality C.P totlet paper holders and coat hook. (Tarwan make)	Nos	1	1000	1000
7	Provide & fix p soap dish of approved quality with C.P screws. (Master /Sonex)(White color)	Nos.	1	1000	1000
8	Provide and fix Muslim Showers manufactured by Master/Sonex or equivalent, complete with stop cock and controlled spray head. White color:	Nos.	1	3500	3500

		ULW:		A. M. L. B. B. B. B. B.	PARD DIA BRANCH, LAHOR	Ř
		4	11114		2/1	
	Providing and fixing 15 mm dia C.P mixer with C.P pipe 15 mm dia, of Master, Sonix or approved	i cad Memb	- Adolis er-ICCI	V. I. samples		
-b	connections all fittings, testing		Datt:		?	
1	ete (White color For Wash boom			7.00		
ii)	Kitchen Sink Mixer	Non	- 1	3500	3500	
- 4	11301	Nos		3500	3500	
· ·	Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent pressure pipe for cold hot water as per DIN 8077-8078,PN-20 for pipes and DIN 16962,PN-25 for fittings polyfosion welded joints inside building including fittings and specials (socials, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from root slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects, conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. Job also includes making Water Connection to existing Water supply system.					
1	Dia 1 1/2" Dia 1 1/4"	rt1			-	
	Dia 1"	rt:				
	Dia 3/4"	rti	<sup>-</sup> 8	180	14040	
. 1	Mil 1/ 4	rti	78	150	14040	
				KARACH		

11	AGM (dadex /vebro turkey Brand including fittings such as tees, elbows, sockets, wye, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plangsm hangars, beds. Lees, Yees, Include for making requisite number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete. Job also includes making. Sewer Connection to existing Sewerage disposal system.			Lader Caller	WAS PC-ADM
	Dia 3"	rtt			
I i	7.1-2.0	rtt		- Harrison in	
11	Dia 1"	rti	30	400	12000

-	-	-	1	T	1
S.No.	DESCRIPTION	UNIT	QTY	P	+
1. 1.	NTERNAL WIRING	-	۷.,	Rate	Amount
1	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be	Nos.	5	5300	26500
2	Providing, Installation, testing and commissioning of wiring of Three light points controlled by one switch and wired with 3x1.5 mm sq. PVC			10	101
5	Providing & wiring of 1-3 pin 15 Amps power socket outlets for General Use) wired with 2-1.	Nos	22	4800	105600
,	General Use) wired with 2x4mm2+1x2.5mm <sup>2</sup> CU/PVC		3	7700	23100
1	Providing & wiring of 1-3 pin 10 Amps power switch socker outlets for RAW supply (WANTAM)				
	outlets for RAW supply / WAPDA) wired with 3x2.5inm2 1 core CU/PVC insulated cable	Nos.	7	6800	27200

KARACTI

Lender Document | KI NOW ALLEST OF WARS BUTTERARD DEMAN

Head - Fin Civ.

Monthau Tool

AIRCONDITIONING / HVAC WORKS : DHA Main Boulevard Lahore

S#	DESCRIPTION	UNIT	QTY.	RATE	AMOUNE
ı	Removal of Acs from old premises & installation of same a new premises with service & Gas balancing)	1	-	NATE	AMOUN
	a) 10 Ton SA(	Nos	-	/ **	1 10
	b) 1.5 Ton S.\((	Nos	<u> </u>	10500	
	c) 2.0 Ton SAC	Nos		10500	92,000
?	L stimate additional copper piping with insulation for split units make( Muller) (charged as per final measurement on site). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex insulators with gray tape.	rń	120	660	79200
	Provide & fix UPVC, 1-1/4" dia and 1" dia pipe. Beta or popular, for AC drain system, (medium) conforming to BSN 1307 of 195", along with PVC fittings such as tees, elbows, unions, reducers, sockets. Teflon tape for joining, hangers, supports, sleeves, including testing and commissioning and insulation with Aero flex insulation.	rfi	200	2.30	46000
	Providing and installing M.S angle iron brackets, treated with rust proof paint and chaniel coating for external A/C's units fixed to the wall slab with Hilti bolts.	Set	5	3000	15000
	TOTAL HVAC WORKS				1922.



UTILIZATION OF EXISTING ITEMS(Removal & installation of items)

#	Items			T	4
	Removal of Glass Doors (Main Entrance 02, ATM Cabin 01, BM 01 Cash Counter 01), glass partition & placement these items at new premises	Sft	150	250	37500
	Providing & Installation of floor machines under glass doors	No	4	18000	-
					7.2000
-	All wooden Furniture (Chairs Cleaning+tables+02 Cash Counters, wooden cabinets)	200	1	35000	35000
-	All Steel Items (Vault Room Door 01, Safe+SS Card Trolley+Fire Almrah2)	job	1	160000	11
	Main DB	1-1		100000	160,000
	UPS DB	Job	0		
l	IT Rack & Patch Panel( with 9 new IOS 3M)	Job	1	5000	5000
	Main Cable 25mm2	Job	1	25000	25,000
	Telephone main cable	Job	_1	10000	10000
	Cable	Job	1	3000	3000
					71.710

The branch has to be handed over in 45 days of issue date of award letter. In case of delay, a penalty at 0.15% of total contract amount, for each day of delay

The cost anist include all applicable taxes, stamp duty (as applicable under Stamp Act 1989) duty stamped on the contract agreement, installation, labor and

No advance payment will be made, bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager &

Calculation of bid security 20% of the \*Total Amount will be submitted with the tender document as bid security

In case it is revited at any stage after the completion of work that the asked specification of the tenter have not been met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary by the procurement continues:

In case of any observation arising in respect of quality of the item, the company will be hable to address it at his own cost, non-compliance of the same will

result into initiation of a case against the company for non-continument or cancellation of tender as will be decided by the Procurement Committee.

In case financial bids are the same, the successful bidder will be the one who hav assumed more marks in the technical evaluation I sweet evaluated bid is going to be the criteria for award of contract rather than considering the lowest officed had, encompassing the lowest whole sum cost which the procuring agency has to pay for the services items duration the contract period. SPPRA Raic 49 may piease be referred. The successful bidder will be the one whose total sum of cost is the lowest. As it is package tender, so no partial lowest cost will be considered for award of any work 1) Payment will be made as per the scheduled attached as Annessure K

The successful backler has to depose 2% retention money at the time of award of contact and 5% will be withheld at the time of final payment. The found 5% withheld amount on account of retention money-performance security will be released after a months of completion of tender assigned tob and after due receipt

During final inspection, a performa (specimen attached as Amexire "H") will be filled by the representative of prigmeering department where he will award marks, going by the quality of job executed in different categories. Any contractor awarded marks below 70 marks will be issued with warning letter and will

Deviation from spees of Design Book will also be taken as penalty, where the contractor will be asked to provide the material as supplies as per the Book Specification. If the same is not followed within given time, the amount equivalent to the cost of the job will be deducted from the final payment of the contractor and the job will be performed by Bank a own resources, here contractor will also be mable of pen-The site inspection phase marks in marking performs for each

is per the performa attached as Annexur

# RENOVATION WORKS - BUFFERZONE BRANCH (RELOCATION) Serial No: 6

Bidder Name: Latiti Exterprises

#### 2.6.5 Eligibility Criteria

S. No.	Requisite	Total Points	Points Obtained	Point Criteria	Contractor Action (Documents to be enclosed)
	Status of Firm	20		Private Limited/ Partner Ship	Certificate of incorporation/
1	Status of Firm			Sole proprietorship	Partnership deed/NTN
	Experience in Similar nature of	40	40	One Similar nature of work having minimum cost 80% of the estimated cost	Award letters to be attached duly issued from each financial institution's Admin Department that the contractor has
2	work during the last five years	30		Two Similar nature of work having minimum cost 50% of the estimated cost	satisfactorily constructed the required number of branches for them. Complete Renovation work order will only be considered issued in last 5 years
	Average yearly	40	40	2.6 Million and above	Audited Financial Statements Report or
3	furnover in last Five years	25		1 Million and above	Tax Return of last Five years
	TOTAL POINTS	100	95	Qualifi	ied/Disqualified

Members Signatures- Evaluation Team

Athar Iqbal Administration Division Fouzia Shamim Operations Division

Hasan Raza Finance Division

#### Members - Procurement Committee

- HEAD OF ADMIN
- CHIEF FINANCIAL OFFICER
- CHIEF MANAGER, IDBL



ATTENDANCE SHEET BID OPENING -

FOR SELECTION OF Renovation of main Boulevarel Branch Labore

Date: 01-08-2023

S.No	Company Name	Name of Company Representative	Contact No.	Company Address	Signature
01	latiti Enterprises				
1					
2					

Signature -Procurement	Committee	Members
		//

Head of Administration


Chief Financial Officer

Chief Manager (IDBL)

# MINUTES OF THE OPENING OF THE TENDER (TECHNICAL /FINANCIAL PHASE)

TYPE OF PROCUREMENT

TYPE OF PROCUREMENT	ADMIN / IT / CONSULTANT / MEDIA		
TENDER NAME	Perovation of Ma		A Brack Lahur
TYPE OF TENDER	SINGLE STAGE-ONE ENVELOPE / SINGLE STAGE-TWO ENV		
OPENING DATE	01/08/23	TABLE WO ENVELOP	
OPENING TIME	11 00 thrs.		
ATTENDANCE (MEMBER PC)			
700			
TEM			
Q.F			
	NAME	FIRM	BID OFFERED
ATTENDANCE (REPS. OF BIDDERS)			DIO OFFERED
* AT	1 Latit Exterprises	Ps	1737,165/-
	/	/	13111031
12			
56			
ý for		<del></del>	
I v			
TOTAL BIDS ACCEPTED FOR EVALUA	ION		
TO BIDS REJECTED	<i></i>		
REMARKS			
r.			
r¥-	CTCU LOUIS		
	SIGNATURE MEMBERG	PC-ADMIN	
e e	Head - Fin Div.		
24	Head - Admin Div.	1	
	Member That	X	



NBP-1066-2403290004371706

GoS-KHI-FDFEA4310A57A806

#### Non-Judicial

Rs 6,081/-

Description : Contract - 15(a)

Principal : sindh bank limited [36540087]

Contractor : ARBAB ALI KALWAR [45102-6972376-3]
Applicant : ARBAB ALI KALWAR [45102-6972376-3]
Stamp Duty Paid by : ARBAB ALI KALWAR [45102-6972376-3]

Issue Date : 29-Mar-2024, 01:42:22 PM Paid Through Challan : 2024C0EAD1C45CAC

Amount in Words : Six Thousand and Eighty One Rupees Only

Please Write Below This Line

# Agreement for Renovation, Interior and Electrical work for Main Boulevard DHA Branch Lahore of Sindh Bank Ltd

THIS AGREEMENT is entered into at Karachi on this the 3 day of 12 day.

#### BETWEEN

M/S. Latifi Enterprises, a sole proprietorship, having its principal place of business at C-707, 8th Floor, Billys Tower, Main Rashid Minhas Road, Gulistan-e-Jouhar, Block-20, Karachi (hereinafter referred to as "Contractor", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the First Part;

#### AND

SINDH BANK LIMITED, a banking company incorporated under the laws of Pakistan and having its Head office at 3<sup>rd</sup> Floor, Federation House, Abdullah Shah Ghazi Road, Clifton, Karachi-75600, Pakistan. (Hereinafter referred to as "THE BANK", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the Second Part.

#### WHEREAS:

"THE BANK" intends to acquire the services of "Contractor" for Renovation, Interior and Electrical Work, for its Main Boulevard DHA Branch Lahore and Contractor agrees to provide the following services to the bank, as per the tender opened on 01/08/2023.

 Renovation, Interior and Electrical work as per detailed BOQ submitted to the Bank. Total Price as per Financial / Technical Proposal Submitted by M/s.Latifi Enterprises: Rs.1,737,165/- as Annexure "A".

KARACHI

The terms and conditions are as follows:

#### **Terms & Conditions:**

All terms and conditions of the tender document will remain part of this agreement.

Change / alteration in the original Plan:

 Any change/alteration in the original plan, if required, due to site hindrance or any other reason shall be made after written approval of the Bank. Electricity & Water for renovation activities will be provided free of charge to the Contractor, by the Bank.

#### Payment Schedule:

The payment will be made given as per following schedule:

S.No	Payment Stages	Payment in terms of percentage	Job to be Completed	Verified By
1	1st Running Payment 40%	On completion of 50% job.	Brick Work, Plaster, Wash Room Tiles Work, Door Frame, Plumbing Work	Admin/Area Manager
2	2 <sup>nd</sup> Running Payment 40%	On completion of 90% job.	Copper Pipe, False Ceiling, Lights Networking, Telephone Wiring, Glass Work, Kitchen, Paint 1st Coat	Admin/Area Manager
3	Final Payment 17%	On completion of 100% job.	Shifting of Furniture, Paint	Engineer Visit/Branch Completion Certificate
3	5% Retention Money (2% Performance Security + 3% Retention Money)	On satisfactory completion for three month period, after actual completion of work	After satisfactory completion of 3 months from actual completion.	Branch/Management

The contractor has to deposit 2% retention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money / performance security will be released after 3 month of completion of tender assigned job and after due receipt of letter of satisfaction from concerned branch manager. Final Bill will be made on actual verified quantities.

#### Period of Contract:

- Date of Handing over site

18/05/2024

- Branch Completion date:

#### Commencement of Work:

- The job will be commenced from the date of acceptance of Award/Letter by the Contractor.

#### Penalty:

- The completion period of the awarded work will be 45 days from the date of handing over the site
- In case of delay in completion, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.



motted an one anotherica line a road of t

Termin & Conditions

testing age with the view intermedial that interest published by the contribute one course ha

Charges altogaton in the original Plans

Any charges in the original Plans

Any charges in the original plans. If required, due to size is indonnes or any other reason shall be to made after the charge at the charge at Winer to consymbol with because the consymbol and the charge are the charge at the charge of the charge o

elabode2 ham.

Incorporate will be made given as per following activities

*		

The compactor has to deposit 2% extention enemy at the time of award of compact and 1% will be withheld at the course of timal payment. The total 5% a iddicate amount on account of tender assence the notical article of completion of later of sales and all the columns and the compact of the collection of later of sales action from configuration from configuration of the collection of the

PERIOD TO DELICA

1/36/10/22 Sile tavo philippi Te staG (56/24/21 Sile tavo philippi Te staG

MoV to hecisossicar.

the job will be commenced them the date of ecoefficients of Award Eoron by the Commercial

Turismos!

the completion behind the second will be a dispersion of the behind not believed the behind the second of the seco

In case of delay in completion, a presiley & 0.15% of total contact amount, longach day of did



- The rates quoted by the Contractor will include all works, necessary for establishment of Bank Branch, complete in all respect strictly in accordance with our specifications given in design book. In case of any deviation in design/ specification, without written permission of Bank's Engineer, the payment of such item will not be paid and the contractor will be liable to replace the objected item as per the design book at his own cost.

- Any notice, request or consent required or permitted to be given or made pursuant to this agreement shall be in writing. Any such notice, request or consent shall be deemed to have been given or made when delivered in person to an authorized representative of the Party to whom the communication is addressed, or when sent to such Party at the given address.
- A party may change its address for notice by giving a notice to the other Party in writing of such change.

## **Authorized Representative:**

- Any action required or permitted to be taken, and any document required or permitted to be executed under this agreement by the Bank or the Contractor may be taken or executed by the officials.

### Taxes and Duties:

- The Contractor and its Personnel shall pay such direct or indirect taxes, duties, fees, and other impositions levied under the Applicable Law, the amount of which is deemed to have been included in the Contract Price.

## Termination of Agreement by the Bank:

- If the performance of the Contractor is not satisfactory this agreement can be terminated by the Bank upon giving a 30 days' advance notice in writing to the Contractor. In such event the Contractor shall refund all advance money to the Bank after adjusting the cost of work done by that date.
- If the Contractor becomes insolvent or bankrupt.
- If the Contractor, in the judgment of the Bank has engaged in corrupt or fraudulent practices in competing for or in executing the Agreement.
- If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) days; and
- If the Bank, in its sole discretion and for any reason whatsoever, decided to terminate this Agreement.
- If issued with two warning letter/email by the bank for unsatisfactory performance to the bidder.

# Termination of Agreement by the Contractor:

- The Contractor may terminate this Agreement, by not less than (30) days' written notice to the Bank, if the Bank fails to pay any money due to the Contractor pursuant to this Agreement without Contractors fault.
- If, as the result of Force Majeure, the Contractor is unable to perform a material portion Services for a period of not less than sixty (60) days.

## Force Majeure:

- The failure on the part of the parties to perform their obligation under the agreement will not be considered as default if such failure is the result of natural calamities, disasters and circumstances beyond the control of the parties.

#### Extension of Time:

- Any period within which Party shall, pursuant to this agreement, complete any action or task, shall be extended for a period equal to the time during which such Party was unable to perform such action as a result of Force Majeure.

#### Good Faith:

The Parties undertake to act in good faith with respect to each other's rights under this agreement and to adopt all reasonable measures to ensure the realization of the objectives of this agreement

### Settlement of Disputes:

- The Parties agree that the avoidance or early resolution of disputes is crucial for a smooth execution of the Agreement and the success of the assignment. The Parties shall use their best efforts to settle amicably all disputes arising out of or in connection with the Agreement or its interpretation.
- If Parties fail to amicably settle any dispute arising out of or in connection with the Agreement within (10) days of commencement of such informal negotiations, the dispute shall be referred to arbitration of two arbitrators, one to be appointed by each party, in accordance with the Arbitration Act, 1940. Venue of arbitration shall be Karachi, Pakistan and proceedings of arbitration shall be conducted in English.

Obligation of the Contractor:

- The Contractor shall perform the Services and carry out their obligations hereunder with all due diligence, efficiency and economy, in accordance with generally accepted professional standards and practices, and shall observe sound management practices, and employ appropriate technology and safe and effective equipment, machinery, materials and methods. The Contractor shall always act, in respect of any matter relating to this Agreement or to the Services, as faithful advisers to the Bank, and shall at all times support and safeguard the Bank legitimate interests in any dealing with Sub-Suppliers or third Parties.
- If the obligation of warranty period are not met or delayed, the repair etc. requirement on this account will be carried out by the bank & the billed amount will be deducted from the performance security/ upcoming payment due to supplier. Risk & subsequent cost to this effect if any will be liability of the vendor and any subsequent expenses on the equipment will also be borne by the supplier

Conflict of Interest:

The Contractor shall hold the Bank's interests paramount, without any consideration for future work, and strictly avoid conflict with other assignments or their own corporate interests.

Confidentiality:

Except with the prior written consent of the Bank, the Contractor and the Personnel shall not at any time communicate to any person or entity and confidential information acquired in the course of the Services, nor shall the Contractor and the Personnel make public the recommendations formulated in the course of, or as a result of, the Services.

#### INDEMNIFICATION.

- a) Contractor (the "Indemnifier") agrees that it shall indemnify, defend, and hold harmless the BANK and its parent, subsidiaries, affiliates, successors, and assigns and their respective directors, officers, employees and agents (collectively, the "Indemnities") from and against any and all liabilities, claims, suits, actions, demands, settlements, losses, judgments, costs, damages and expenses (including, without limitation, reasonable attorneys', accountants' and experts' fees) arising out of or resulting from, in whole or in part: (i) any act, error or omission, whether intentional or unintentional, by the Indemnifier or its officers, directors, employees, or sub-administrators, related to or arising out of the business covered by this Agreement, or (ii) an actual or alleged breach by the Indemnifier of any of its representations, warranties or covenants contained in this Agreement (including, without limitation, any failure of Indemnifier to comply with applicable local, state, provincial or federal regulations concerning Indemnifier's performance under this Agreement).
- b) This Article shall survive after termination of this Agreement.

#### ACCESS TO REGULATOR.

Contractor and THE BANK agree to provide State Bank of Pakistan necessary access to the documentation and accounting records in relation to the Renovation of Main Boulevard DHA Branch Lahore and right to conduct on - site inspection, if required.

#### Anti - Money Laundering.

Contractor acknowledge that they do not violate any statutory / prudential requirement on antimoney laundering or record keeping procedure as per existing laws / rules and regulations of locals as well as foreign jurisdiction."

Independition of day of its expresentations, warranties of coverage contribution this Agreement (modeling value) and independent to comply with applicable local, sed a provincial or total regulations concerning independent or particular to an order this Automation).

In witnesses hereunder both the parties have set the	heir hands on the day and year above first mentioned.
Contractor Signature All'	Witness:
Name Probato Pli Kation	Signature Abdul Rozzagu GRPRISCO
Designation Propries (KARACHI)	Name Abdul Razzagu (Harrin)
Company Name latifi Enterprises	Designation Propriter
Address C-707 Billystown	Address Suit No-So Avarkali complex
Block 20 Could stan John	Phase-3, Bab- Fabal Wagan Cho wrong
Stamp Kava Chin	Karachi
Costumer Signature	Signature
Name Herry Assas Sames	Name ATHER LANK
Designation Has or AON	Designation (NCHALUE PROVIDED)
Company Name Sindh Bank Limited	Company Name Sindh Bank Limited
Address Endonation House Sindh Rank	Address Federation House, Sindh Bank
Address Federation House, Sindh Bank Ltd. Head Office, Karachi	Ltd. Head Office Karachi
Stamp	
( 10 miles)	// X V /
Witness:	
Witness.	
Signature	KARACHI (S)
Name Faraz Atto	KARAY (6)
Designation AVP-1	XAX / //
Address Sak de Azae	*

Some South No- So Amortado Complex Phase-3, Buto- Hoped Magan Charum wante Poster Ages of Court of

Dated: 18/05/2024



Muhammad Rafay Stamp Vendor Mailt, Jinnah Square, Karachi

119764

2 7 MAR 2024

THROUGH WITH APPRESS \_\_\_\_\_ MINGSSIT Saleem Adv

C-707, 8th Floor, Billys Tower Main Rashid Minhas Road, Gulistan-e-Jouhar, Block-20, Karachi

## Letter of Award

Renovation, Interior Work, Construction and Electrical Work at Sindh Bank Limited "Main Boulevard DHA Branch Lahore".

This is with reference of your Tender opened dated 01/08/2023 pertaining to captioned work. We are pleased to inform you that based on your quotation the above work has been assigned to you on contract price basis, on item wise rates, with a total of Rs.1,737,165/-

Other terms & conditions would be as follows:

#### 1. Description of Work:

- a) Civil/Interior work covering total area 1800 sq.ft as per the detailed drawing sul the bank.
- b) Electrical Works


Any change / alteration in the original plan, if required, due to site hindrance or any other reason shall be made after written approval of the bank. Electricity & water for construction activities will be provided free of charge to the contractor, by the bank.

#### Payment Schedule:

The payment will be given as per following schedule.

MODE OF PAYMENTS, CIVIL, ELECTRICAL & RENOVATION WORKS





Hottemmad Rafay Stamp Vender in his an alternation Zell Francisco igelii, ayanah Bayuara, marachi

the contract Mil contract

THE STATE OF THE S

TO THE PROPERTY OF THE PROPERT

the sayment of the parties of the langues and



S.No	Payment Stages	Payment in terms of percentage	Job to be Completed	Verified By
1	1 <sup>st</sup> Running Payment 40%	On completion of 50% job.	Brick Work, Plaster, Wash Room Tiles Work / Door Frame / Plumbing Works	Admin/Area Manager
2	2 <sup>nd</sup> Running Payment 40%	On completion of 90% job.	Copper Pipe, False Ceiling, Lights, Networking, Telephone Wiring, Glass Work, Kitchen, Paint 1st Coat	Admin/Area Manager
3	Final Payment 17%	On completion of 100% job.	Shifting of Furniture, Paint	Engineer Visit/Branch Completion Certificate
3	5% Retention Money (2% Performance Security + 3% Retention Money)	On satisfactory completion for three month period, after actual completion of work	After satisfactory completion of 3 months from actual completion.	Branch/Management

The contractor has to deposit 2% retention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money /performance security will be released after 3 month of completion of tender assigned job and after due receipt of letter of satisfaction from concerned branch manager. Final Bill will be made on actual verified quantities / area.

#### 3. Completion of Period:

The completion period of the entire work will not exceed from the date of handling over SITE to the Contractor i.e. In case of failure to complete the job within stipulated period i.e. penalty @ 0.15% per day will be imposed processor.

#### 4. Commencement of Work:

The job will be commenced immediately from the date of acceptance of this Award/Letter.

Please sign & affix your company's stamp and return the same to us as a token of your acceptance immediately.

With Regards,

Farie Ahnted Chief Engineer

Agreed & Accepted For & on behalf of

bal Phe Kalwar

	20 7		

The contract has to depart, also report a money at the tene or event alcombact and the winder withheld any the train of final payment. The cost is withheld anyone on expendit of remision money (perform the segment will be released the contract of completion of tender assistant to and after the receipt of setting at setting at setting the remision of contract any or expendit manager. The first tip of the or patient of setting any or contract the particular manager. The first tip of the or patient of setting any or contract the contract of the setting of the contract of

#### but of the initialization . . .

The state of the months of the process for the state states and to boring policinaries of the state and the states of the state of the states of the states

#### 4. Commencement of Works

The job will be commenced immediately from the date of accumulation through the

Process of the same of the same of the same of the same to us a new few of the same to the same to the same to the same to the same of the same same to the same t

Manager Harry



TO MANA

Agreed & Accepted

Andre Alikebura

# LATIFI ENTERPRISES

# CIVIL, INTERIOR, ELECTRICAL

INTEGRITY PACT

Contract Value: Rs. 1,737,165 Contract Title: Rensolation of Main Boukunes	
Declaration of Fees, Commissions and Brokerage etc. Payable by the Suppliers of Services Pursuant To Rule 89 Sindh Public Procurement Rules Act, 2010	
M/s. hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Sindh (Gos) or any administrative subdivision or agency thereof or any other entity owned or controlled by it (Gos) through any corrupt business practice.	
Without limiting the generality of the foregoing, M/s	
M/s certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with Gos and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty. M/s accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other right and remedies available to Gos under any law, contract or other instrument, be voidable at the option of Gos.	
Notwithstanding any rights and remedies exercised by Gos in this regard, M/s agrees to indemnify Gos for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to Gos in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by , as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from Gos.	
For and On Behalf Of For and On Behalf Of	
Sindh Bank Limited	
Signature: Signature:	
Name: Name: Name: AggAs Salvisiration	Car



#### FINANCIAL PROPOSAL

#### Annexure "A"

### Name of Bidder: Latifi Enterprises

S.No	Description	SQ.FT	Rate Per Sq.Ft	Amount in Rs.
1.	Renovation of Main Boulevard DHA Branch Lahore	1,800	965.09	Rs.1,737,165/-

