

		Bid Evaluation Report
	Renovation W	orks of Khuhra Sharif Branch Gambat
1	Name of Procuring Agency	Sindh Bank Ltd.
2	Tender Reference No.	SNDB/COK/ADMIN/TD/1494/2025
3	Tender Description	Renovation Works of Khuhra Sharif Branch Gambat
4	Method of Procurement	Single Stage One Envelope Bidding Procedure
5	Tender Published & SPPRA S. No.	SPPRA E-PADS –S-251115604 Express Tribune (English), Daily Jang (Urdu), Sind Express (Sindhi) (05/11/2025)
6	Total Bid Documents Sold	02
7	Total Bids Received	02
8	Technical / Financial Bid Opening Date & Time	19/11/2025 at 1100 Hrs.
9	No. of bids qualified	01
10	Bid(s) Rejected / Disqualified	01

Details on the above as given below:

S. No	Name of Firm or Bidder	Qualified / Disqualified in Technical / Eligibility Inspection/ Mandatory	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost (Rs.4,669,026/-)	Reasons for acceptance/ rejection	Remarks
	1	2	3	5	6	7	8
1.	M/s. Jaffar Khaki & Sons Construction Company	Disqualified	Rs.3,847,319/- (Area 2450 sq.ft x Rate per sq.ft Rs.1,570.3342)	1st Lowest	Rs.821,707/- below the estimated cost i.e.17.5991%	The bidder has been disqualified on the ground that the bidder failed to provide a work order for similar nature of work, under SPPRA Regulations for Procurement of Works Clauses 2.16 & 7.9 (i)	
2.	M/s. DS Enterprises	Qualified	Rs.4,333,225/- (Area 2450 sq.ft x Rate per sq.ft Rs.1,768.6632)	2 nd Lowest	Rs.335,801/- below the estimated cost i.e.7.1920%	Most Advantageous Bid	Accepted- Award of Contract

Accordingly, going by the Technical/Financial Evaluation criteria laid down in the tender document, M/s. DS Enterprises is the most advantageous bid i.e.Rs.4,333,225/-, and their bid is also below the estimated cost, hence recommended for award of contract for Renovation Works of Khuhrah Sharif Branch Gambat of Sindh Bank Limited.

Members Signature- Procurement Committee

Dilshad Hussain Khan Chief Financial Officer

Arshad Abbas Soomro Head of Administration

Parvez Bhutto -Director Works & Services (SMIU) Karachi

			SUMMARY O	F EVALUAT	ION FOR RENC	OVATION OF KH	UHRAH SHA	ARIF BRAN	<u>CH</u>			
		Statu	s of Firm			n similar nature work			urn Over in ve Years			Qualified (70%)
		Tota	I Points	Points Obtained	Total	Points	Points Obtained	Total	Points	Points Obtained	Grand Total	marks / Disqualified
S.No	Contractors	Private Limited / Partnership	Sole Propietorship		One similar nature work having minimum cost 80% of the estimated cost	Two similar nature work having minimum cost 50% of the estimated cost		7 million & Above	4.67 million & Above			
		20	15		40	30		40	25			
1	DS Enterprises		15	15	40		40		25	25	80	Qualified
2	Jaffar Khaki & Sons Construction Company		15	15		0	0	40		40	55	Disqualified

Acquiring of 70% marks is mandatory for qualification in evaluation criteria

Members Signature- Evaluation Team

M.Ather lobal Admin Division

Fouzia Shamim Operation Division

Hasan Raza Finance Division

runuly

Members Signature- Procurement Committee

Dilshad Hussain Khan **Chief Financial Officer**

Arshad Abbas Soomro Head of Adminstration

Parviaz Ali Bhutto

Director Works & Services (SMIN)

			RENOVATION OF	KHUHRAH	H SHARIF E	RANCH			
S.No	Contractors	Submission of Black Listing Affidavit (Yes/No)	FBR Registration/ SRB/ Provincial Revenue Collecting Authority (Yes/No)	Alternate Bid Offered (Yes/No)	Bid Security Submitted (Yes/No)	2 X Warning Letters issued by SNDB (Yes/No)	PEC Registration (Yes/ No)	Blacklisted on SPPRA/Sindh Bank Ltd (Yes/No)	Qualified / DisQualified
1	DS Enterprises	Yes	Yes	No	Yes	No	Yes	No	Qualified
2	Jaffar Khaki & Sons Construction Company	Yes	Yes	No	Yes	No	Yes	No	Qualified

MMI

M.Athar Iobal Admin Division Fouzia Shamim Operation Division Hasan Raza Finance Division

Members Signature- Procurement Committee

Dilshad Hussain Khan
CFO

Arshad Abbas Soomro
 Head of Administration

Parviaz Ali Bhutto
 Director Works & Services (SMIU)

	COMPARIS	ON OF COST FOR KENOVAL	COMPARISON OF COST FOR RENOVATION WORKS- RECORD STATES STATES STATES SINDH BANK LTD			l	
	Area 2450 sft	Engineering Estimate	JAFFAR KHAKI & SONS	JAFFAR KHAKI & SONS	DS ENTERPRISES	JAFFAR	SQ
#5	DESCRIPTION	AMOUNT WITH TAXES	AMOUNT WITHOUT TAXES	AMOUNT WITH TAXES	AMOUNT WITH TAXES	Increase / Decrease	Increase / Decrease
4	CIVIL WORKS	2,911,900	2,555,778	3,143,600	2,739,750	%8	%9-
8	PLUMBING WORKS	271,026	96,130	118,240	243,050	%95-	-10%
U	ELECTRIAL WORKS	913,600	204,204	251,171	825,550	-73%	-10%
٥	HVAC	317,500	164,790	202,692	288,375	-36%	%6-
ш	Removal & Shifting of Items from Qila Deedar Singh Br & Installation at Khora Sharif Br Gambat	255,000	107,000	131,616	236,50 0	-48%	%L-
	Amount without taxes ADD:Taxes Amount		3,127,902				
16.8	TOTAL RENOVATION COST	4,669,026	3,847,319	3,847,319	4,333,2.25	-18%	%1-

SIGNATURE PC M EMBERS, SIMDH BANK LTD
CFO/Head of Finance
Head of Administrate on
Director Works & Services
SMIU

SIGNATURE PC MEMBERB-SWDH BANK LTD Director Works & Services CFO/Head of Finance Head of Administration Renovation Works- Khurah Sharif Branch Gambat BILL OF QUANTITY

											2000					
				Enginee	Engineering Estimate	JAFFAR KHAKI & SONS	KI & SONS	JAFFAR K	JAFFAR KHAKI & SONS	S	INS CONTRIBES	4	Jaffar	1	DS	
#5	DESCRIPTION	UNIT	QTY.	UNIT PRICE WITH	WITH TAXES	UNIT PRICE	WITHOUT TAXES	UNIT	WITH TAXES	PRICE	WITH TAXES AMOUNT	PRICE	AMOUNT	PRICE	AMOUNT	TNO
				TAXES	AMOONI	TAXES		WITH		WITH		HIM		¥ .		
A	CIVIL WORKS															
1	Dismantling / Removal Works.														-	
	Dismantling / Removal of existing Block/Brick masonary, projection ,sub floor cuting, chipping of plaster/floor.where required, Doors & windows with frame in any shape, Iron grills, mosaic skirting, Dado & all sanitary fixtures, water & drainage line disposed off useless materials/debries outside the municipal limits and stack useable materials as decided by bank's engineer. complete in all respect.(Contractor must visit the site prior to quote the rate).Salvage material to be returned to landlord or Bank as the case may be.	qor	1	25000	25,000	14,630	14,630	17995	17,995	25000	25,000	78%	-28%	%	%0	28
2	Raised Flooring				•											
	Providing & laying of stone filling earthing work filling with stone/Crushed brick ballast upto 2' from Road Level. Levelling compaction complete in all	CFT	3500	20	175,000	38	133,000	47	164,500	25	192,500	%9-	%9-	10%	10%	%
3	Plain cement Concrete														+	
	Providing, laying, average 4" thick Flooring (1:3:6) at raised floor of 1250 psi compressive strength under any type of flooring using best Quality OPC/Sulphate Resistant cement and local aproved quality sand and crushed stone, form work and its removal, with necessary arrangements where required excluding base of tiles complete in all respects as per approval of bank's engineer. Cement: Falcon, Lucky Pakland, D.G Khan Sand: Hyderabad Bolari /Malir River/Hub Crush: Hub 3/4" and Kot Banglo for Interior Sindh	150	650	300	195,000	238	154,700	293	190,450	250	162,500	-5%	-2%	-17%	-17%	%
	Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper										000	702.5	/92.7	7694		3
4	entrance height upto 7' & making edges with cement rich mortar/plaster.	Nos	7	10000	70,000	2,695	18,865	3315	23,205	8200	000'60	ę p	8.70	ROT-	RCT.	R
S	Termite Proofing														-	
	Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft., Area) with a pressure ensuring at least 3" penetration in the soil of the areas to the treated.	TAS.	1500	20	30,000	15	22,500	18	27,000	20	30,000	-10%	-10%	%0	%0	*
9	Block / Brick Masonary works.														1	
	Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' it height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of				,											
4.1	4" thick	SFT	700	230	161,000	231	161,700	284	198,800	200	140,000	23%	23%	-13%	-13%	3%
7	Plaster Works.														4	

				_			_	A CONTRACT		27%		_
NK LTD	1	AMOUNT	14%		%s			-17%		%8	%S-	
MOH BA	101	PRICE	%b1-		965			-17%		%8 8	%S-	
SIGNATURE PC MEMBERS-SINDH BANK LTD		ORMOLINI	rvices		-13%			%Z9-		-23%	-23%	
URE PCA	CFO/Head of Finance	OM IPPABETAT	Director Works & Services		.13%			%29-		-23%	-23%	
SIGNAT	CFO/Head	WITH TENES OF ACID INVIERTITION WITH	Director Sigue.		200,000			218,750		120,000	21,000	
		UNIT PRICE WITH	09		400			175		400	350	
		WITH TAXES AMOUNT	165,000		415,000			100,000		85,200	17,040	
		PRICE	22		332			80		284	284	
		WITHOUT TAXES AMOUNT	134,200		337,500			81,250		902'69	13,860	
		UNIT PRICE WITHOUT TAXES	61		270			65		231	231	
		WITH TAXES AMOUNT	154,000		475,000	*		262,500		111,000	22,200	
		UNIT PRICE WITH TAXES	70		380			210		370	370	
		QTY.	2200		1250			1250		300	09	
		UNIT	FS		F			SFT		FF	7	
		DESCRIPTION	Providing & laying ² / _a " thick cement sand plaster (Internal / External) with 1:4 cement sand mortar on walls, columns, beams, using best quality O.P.C, including 6" inches wide mesh at joints of structure with block masonary and over conduiting ,smooth trowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the existing walls) as per satisfaction of Architect / bank's	Flooring, Elevation & Special Finishes.	providing and laying glazed full body Porcelain tiles 24" X 24" at floor, of approved design, colour and pattern, china bone colour or Master or equivalent full body porcelain, setting in Stile dry bond (with cement), with matching color imported Grout. Complete in all respect, including curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, and 4 inches wide skirting at walls of the same tiles as above mentioned, with 1:2:4 PCC 50 mm thick, etc. as per specifications and/or as directed by the Architect / Finineer (at any elevation)	EALSE CELING	Gypsum Board (24"X24")	Providing & laying 8 mm thick gypsum board False Ceiling, 24" x 24" Elephant Brand or approved equivalent in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated, with groove, aluminum, "T" & "L" section with ceiling suspension system having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Bank's Engineer.	Т		engineer. Kitchen/Pantry: Kitchen/Pantry: Richen/Pantry: Providing / Laying Pantry tiles (HMD38-50SF 9" x 17" SB for floor & walls upto 5 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.	engliser:
t	1	35		80		0			9	п	۵	

								Sea Note and			1	_			_	
K LTD	1	AMOUNT		-5%			%°,	%°.			11%		%4.	-13%		
VDH BAN	8	PRICE	No.	-2%			%e-	γ¢ 60,			11%		%4.	-13%		
SIGNATURE PC MEMBERS-SINDH BANK LTD	The state of the s	AMOUNT	1	-57%			-17%	-17%			%68		103%	165%		
RE PC ME	Finance	INPRICETION WITH	rks & Servi	-57%			.17%	.17%			%68		103%	165%		
SIGNATUR	CFO/Head of Finance	WINESESSI Administration amount	Oirector Works & Services SMIU	7,000			27,900	31,000			175,000		32,500	68,250		
		UNIT		350		T	1550	1550			20		9200	650		
\cup		WITH TAXES AMOUNT		3,200			23,868	26,520			297,500		71,035	208,845		
		UNIT PRICE WITH		160			1326	1326			88		14207	1989		
		WITHOUT TAXES AMOUNT		2,600			19,404	21,560			241,500		57,750	169,785		3 of 5
		UNIT PRICE W		130			1,078	1,078			69		11,550	1,617		30
		WITH TAXES AMOUNT		7,400			28,800	32,000			157,500		35,000	78,750		
		UNIT PRICE WITH TAXES		370			1600	1600			45		7000	750		
		QTY.		20			18	50			3500		9	105		
		TINO		SFT			TSS	FRS			SFT		N N N N N N N N N N N N N N N N N N N	Les P	-	
		DESCRIPTION	Providing & fixing pre polished 3/4" thick Marble Top quality with approved size and shade over 2" thick pre cast RCC slab including 1/2" thick gola, grouting and jointing including cost of cutting of marble for basin and sink bowl including filling with silicone around joint of marble complete in all respect as per satisfication by the	engineer.	anty counter top tookensy	WOODEN CABINETS	Cover Unit: Providing, fabricating and fixing in position pantry cabinets 24" deep 32" Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick faminated board (Furniture color) of SCNEK. Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coard of sprit polish of imported hinges, catchers, locks, handles, 3 coard of sprit polish of treatment including premium quality ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the bank's Engineer. all kind of best quality hardware's, spring hinges, SS handles, locks etc.	Dupper Unit: Providing, fabricating and fixing in position pantry cabinets 12" deep and 24" vividing, fabricating and fixing in position pantry cabinets 12" deep and 24" vividing, fabricating of 34,4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in all respects as per drawings and as	directed by the bank's Engineer.	Paint at Walls	Providing and applying, 3 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by appling ICI Paintex base filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's	MOODEN DOOR / ERAME / CHOWKAT / Beading	SOURCE Providing and fixing of required width, 16 SWG, GI door frames for Toilets, kitchen, stores & cash counter with polishing, including Lintels, hold fasts, where ever required, complete in all respect including painting / Linter wood heading.	SKIN DOORS, 1-1/2 inches thick (for Toilets, Kitchen, stores) provide and install doors consisting of best quality Malaysian skin, pressed over best quality treated partial wood framing, with approved quality of door locks, handle, tower bolt, hold fest, stopper, hardware and paint /polish, complete in all respect.	leahear	Wooden Hanging Beams.
		*	0 4 4 5 7	9 0		72	n	٩		13		:	*	٩		15

INI	-1	*	V8.	*	*	*
AMOUNT	3	-10%	% E	.16%	-10%	-17%
PRICE	with the same of t	-10%	3%	-16%	*01-	**11.
EIGMOUNT.	% donate	42%	44%	82%	25%	*88*
UNIT UNIT	orks & Se	42%	44%	82%	752%	48%
AMPRICATION AND THE STATE OF TH	Director Works & Servides, SMIE	18,000	214,200	183,750	112,500	68,400
PRICE	750	18000	1700	1050	750	1200
WITH TAXES AMOUNT	26,530	28,413	298,368	397,775	156,300	43,206
PRICE	758	28413	2368	2273	1042	758
WITHOUT TAXES AMOUNT	21,560	23,100	242,550	323,400	127,050	35,112
UNIT PRICE WITHOUT TAXES	919	23,100	1,925	1,848	847	616
WITH TAXES AMOUNT	31,500	20,000	207,900	218,750	124,950	82,650
UNIT PRICE WITH TAXES	006	20000	1650	1250	8333	1450
QTY.	35	-	126	175	150	57
TINO	RFT	O _Z	FS	T-S	SFT	T-S
DESCRIPTION	Providing & fixing in postion wooden Beams for support to fix glass and glass door constisting of 1.1/2 x3" @ 2.0" c/c partal wood framing and 1./2" MDF Lasani board (Malaysia) on both sides including nails, bolts, glue wastage, wood preservative, treatment & 3 coats of paint complete in all respect as per drawings and as directed by Bank's Engineers.	INSTALLATION OF VAULT ROOM DOOR Lifting & Fixing charges of Bank's supplied Vault / Locker Doors, welding of door frame with RCC MS bars, and to facilitate the Vendors. Complete in all respects. GLASS DOOR IBM Cabin, ATM front)	Providing, fabrication & fixing 12 mm thick glass door with top & bottom locking system, 4" Aluminum D-48 by Lucky or equivalent section, with 12mm thick Middle East / Saudi Arabia or equivalent clear glass with frost film and Bank's monogram, Approved Ajrak film, with gasket size and shape as shown on drawing, including bolts, D lock, nuts, screws aluminum channel, handle, floor machine (New Star or equivalent), locks etc. Complete in all respects as directed by Engineer.	GLASS PARTITION Providing and installation 12mm thick glass KSA/UAEor equivalent polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon from Dow corning or other approved by the Engineer. Complete in all respects.	Wrought Iron Grills for external windows, AC outers (If necessary) Approved design grills for all external windows & Ac Outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (IC,NIPPON,BERGER or equivalent) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units.	M.S DOOR on Emergence exit, ATM internal & Guard Post Fabricating, providing and fixing MS door with 16 S.W.G M.S 3/4" square pipe, 16 SWG MS sheet pressed over this frame including metal door frame, at both sides, sheet frame painted with approved enamel color fincluding 2. *S eye level opening with proper MS stutter of 16 swg sheat to look outside, including best quality hinges, locks, handles, hold fasts and other necessary hardware etc. size as per site. Complete in all respects as per drawing attached herewith, specifications and as directed
35		17		81	16	20

SIGNATURE PC MEMBERS SHUDH BANK LTD

	DESCRIPTION	UNIT	QTY.	UNIT PRICE WITH	WITH TAXES AMOUNT	UNIT PRICE WITHOUT TAXES	WITHOUT TAXES AMOUNT	PRICE	WITH TAXES AMOUNT	PRICE	WITH TAXES AMOUNT	PRICE	AMOUNT	PRICE	AMOUNT
	Providing and laying 20mm thick Marble of approved quality and size on any type of flooring straight or curved, as per drawings, laid with cement sury over cement sand mortar (1:4), including filling of joint with SFT securing marketal rubhing rounding and final chemical polish etc.	F	99	370	18,500		53,900	1307	65,350	350	17,500	253%	253%	%5-	%5-
5 5	group late in all requerts														
12	Water Proofing Work							L			036 356	21%	-51%	-1744	724
10	Providing & laying of water proofing at roof top, cost include P.C.C	Sft	1250	150	187,500	09	75,000	74	92,500	125	136,430	24.0	240	W/T.	2/17
71	chemicals, sealant complet in all respect	1					2,555,776								
Ø	Amount without taxes						587 824								
0	ADD-Taxes Amount						2000000		3 142 600		2.739,750		%8		%9-
[]	TOTAL CIVIL WORKS	DRKS			2,911,900		3,143,600		3,143,000						

CFO/Head of Finance - Chart

SIGNATURE PC MEMBERS-SINDH BANK LTD

s	4	w	N F N N N S M	(b)	1(a) P		S.No.	8	
Provide & fix approved quality chromium plated towel rails 750mm x 20mm (30",3/4") with brackets and C.P. screws. (Talwan make)	Provide & fix uPVC floor drains of 4" dia of make Nikkassi or approved equivalent, having minimum guaranteed 2" water seal with screw down C.P cover, peripheral drains with or without a vent arm. Make requisite holes in walls, floor for pipe connections & make good with approved material, including SS drain / grating with side perforation.	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubber plug & chrome plated brass chain, 40mm (1 1/2") C.P brass waste, pillar tap 2 way deliue, 40 mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material. (with SONEX fittings).	Providing and fixing Wash hand Basin Vanity type, PORTA or equivalent white colour "SONEX"/ "MASTER" waste coupling, plug with C.P brass chain, 1.5" dia. P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, stop cock for cold and hot water inlet connector with must and fitting waste pipe waste coupling , plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as discretal but he functioner.	Providing and fitting Glazed earthen ware water closet, squatter type (Orisa pattern), combined with foot rest, Best Quality including Plastic made Flushing tank, SONEX tee stop cock for cistern water inlet and C-p connector with nuts and fitting, approved other ancillary material complete in all respect.	Providing and fixing European type ceramics ware coupled water closet, [PORTA] or equivalent, white / light colour, including 3 gallons cisters, P/S trap, C.P tee stop cock with wall cups, connection pipes, "SONEX", P/S TRAP, C.P tee stop cock with wall cups, connection pipes, "SONEX", all joints to services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings.		DESCRIPTION	Plumbing Works	BILL OF QUANTITY Renovation Works- Khurah Sharif Branch Gambat
Nos.	Nos.	Nos.	Nos.	Nos	Nos		UNIT		ch Gambat
2	ω	1	2	1	pa.		QIY		
2524	1,413	12,555	27,000	16,000	44,244	UNIT PRICE WITH TAXES	Engineeri		
5,048	4,239	12,555	54,000	16,000	44,244	AMOUNT	Engineering Estimate		
2,310	3,850	6,160	5,390	7,700	9,240	WITHOUT TAXES	JAFFAR KH		
4,620	11,550	6,160	10,780	7,700	9,240	AMOUNT TAXES	JAFFAR KHAKI & SONS		
2,841	4,736	7,577	6,630	9,471	11,365	WITH TAXES	JAFFAR KI		
5,682	14,208	7,577	13,260	9,471	11,365	AMOUNT	JAFFAR KHAKI & SONS		
2,150	1,250	10,500	22,000	14,000	39,000	WITH TAXES	S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.S.		T T
4,300	3,750	10,500	44,000	14,000	39,000	AMOUNT	DS EMPHORISES	Director Works & Sarvicas	nead of Administration
13%	235%	-40%	-75%	-41%	-74%	WITH TAXES	JAFFAR	Rapicae	stration
13%	235%	-40%	-75%	41%	-74%	AMOUNT	X	1	1
-15%	-12%	-16%	-19%	-13%	-12%	WITH TAXES		1	
-15%	-12%	-16%	-19%	-13%	-12%	AMOUNT	DS.		

Director Works & Services .

Head of Administration 7

SIGNATURE PC MEMBERS, SINDH BANK LTD

CFO/Head of Finance

Į.	=	=	-	ω	=	1)	(b)	T	8 (a)	7	o	S.No.
Dia 3/4"	Dia 1"	Dia 1-1/4"	Dia 1-1/2"	Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent pressure pipe for cold/hot water as per DIN 8077-8078,PN-20 for pipes and DIN 15962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects, conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. Job also includes making Water Connection to existing Water supply system.	Kitchen Sink Mixer	For Wash basin	Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or approved equal complete including pipe connections, all fittings, testing etc.(White color)			Provide & fix p soap dish of approved quality with C.P screws. (Master /Sones)(White color)	Provide and fix approved quality C.P tollet paper holders and coat hook. (Taiwan make)	DESCRIPTION
7.	ı	Ŧ	7	20 0 2 N C 2 7 N	Nos.	Nos.			Nos.	Nos.	Nos.	UNIT
200	140				1	2			2	2	2	QTY
160	180				5500	4890			5475	585	1170	Enginee
32,000						9,780			10,950	1,170	2,340	Engineering Estimate
	62				1,540				1,540	385	770	JAFFAR KHAKI & SONS
13,400	8,580				1,540	4,030	4 530		3,080	770	1,540	IKI & SONS
82	0/0	75			1,594	4004	2 841		1,894	474	947	JAFFAR KI
16,400	Ī	T		r	1,034	1 804	5 682		3,788	948	1,894	JAFFAR KHAKI & SONS
130	130	150			0,000	6000	5,000		4,500	700	1,000	DS ENTERPRISES
20,000	26,000	21.000			- Land	6.000	10,000		9,000	1,400	2,000	RPRISES
1070	-49%	-58%				-66%	-42%		-65%	-19%	-19%	JAFFAR
	-49%	-58%				-66%	-42%		-65%	-19%	-19%	A.
	-19%	-17%				9%	2%		-18%	20%	-15%	8
	-19%	-17%				9%	2%		-18%	20%	-15%	

7	=	#	-	ω	11)	1	1	(b)	8 (a)		7	on	S.No.
Dia 3/4"	Dia 1"	Dia 1-1/4"	Dia 1-1/2"	Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent pressure pipe for cold/hot water as per DIN 8077-8078,PH-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. Job also includes making Water Connection to existing Water supply system.	Aitchen Jink Mixer	FOT Wash Dasin	fittings, testing etc.(White color)	Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or approved equal complete including pipe connections, all	Provide and fix Muslim Showers manufactured by Master/Sonex or equivalent, complete with stop cock and controlled spray head.(White color)	***************************************	Provide & fix p soap dish of approved quality with C.P screws. (Master /Sonex)(White color)	Provide and fix approved quality C.P toilet paper holders and coat hook. (Taiwan make)	DESCRIPTION
7	3	3	3	9 C 3 C 3 C C A A V	1000	NOS	Nos	= 4	Nos.		Nos.	Nos.	UNIT
200	140					1	2		2		2	2	QTY
160						5500	4890		5475		585	1170	Engineerir
32,000	25,200					5,500	9,780	i.	10,950		1,170	2,340	Engineering Estimate
/0	79					1,540	2,319		1,540		385	770	JAFFAR KHAKI & SONS
00h/cT	0,000	0 500				1,540	4,638		3,080		770	1,540	KI & SONS
	000					1,894	2,841		1,894		474	947	JAFFAR KI
Ī	16 400			n		1,894	5,682		3,788		948	1,894	JAFFAR KHAKI & SONS
		150				6,000			4,500		700	1,000	DS ENTI
		21,000				6,000	10,000		9,000		1,400	2,000	DS ENTERPRISES
	-49%	-58%				-66%	-42%		-65%		-Y.K.T.	-19%	0.253
	-49%	-58%				-60%	-42%		-65%		-1376	-19%	JAFFAR
	-19%	-17%				976	97.7	38	-18%		2070	200C	DS.
	-19%	-17%				270	790	200	-18%		1000	2000	


Director Works & Services ______

Head of Administration -

CFO/Head of Finance

SIGNATURE PC MEMBERS-SLANDH BANK LTD

T			ti	12		=	-	-	:	<	V	H	=:	_	10	S.No.
ADD: laxes Amount	ADD-Taxes Amount	Amount without taxes	Provide and construct man holes for sewer with 24°x24° C.I frame and cover (40kg) including 8° Masonry, puddlo plaster internally and externally up to depths; shown on drawings and approved by the Engineer. PCC 1:2:4 base slab, benching with 1:3 cement sand mortar including 24° dia manhole cover, frame and rungs, complete in all respect.	Provide and construct gully trap with 12"x12" cast iron frame and cover, including excavation, backfilling, masonry, plaster internally and externally vitreous China trap etc. complete and approved by the Engineer.	9.0	Dia 4"	Dia an	Dia 2"	Provide and fix cast UPVC pipes! AGM/dadex /vebro turkey Brandl including fittings such as tees, elbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugsm hangars, beds, Tees, Yees. Include for making requisite number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete. Job also includes making Sewer Connection to existing Sewerage disposal system.	Dia 1/2"	Dia 3/4"	Dia 1"	Dia 1 1/4"	Dia 1 1/2"	Provide and fix of Gate valve, Threaded ends, bronze body with union bonnet, non-rising stem and wedge disc. suitable for 8.5 bars SWP and 250 deg. F., manufactured by KITZ (Japan) or approved equivalent.	DESCRIPTION
T			Nos.	Nos.		Ŧ	#	Ħ		Nos.	Nos.	Nos.	Nos.	Nos.		UNIT
			н	944		40	40					-				QTY
			6,500	4,500		500	350					3000				Engineeri
271,026			6,500	4,500		20,000	14,000					3,000			κ.	Engineering Estimate
			2,310	3,850		69	69					//0	770			JAFFAR KHAKI & SONS
118,240	22,110	96,130	2,310	3,850		2,760	2,760					011	770			KI & SONS
			2,948	4,736			85						947	-		JAFFAR KI
118,240			2,948	4,736		3,400	3,400	3 400					947			JAFFAR KHAKI & SONS
			6,000	4,000		200	500	400					2.500			DS ENTERPRISES
243,050			6,000	4,000		and and	23,600	16.000					2,500			RPRISES
			-55%	5%			-83%	-76%					-68%			JAFFAR
-NOC-	7623		-55%	5%			-83%	-76%					-68%			AR
			-8%	-11%			18%	14%					-17%			DS
4000	-10%		-8%	-11%			18%	14%					-17%			



Director Works & Services

Head of Administration

SIGNATURE PC MEMBERS SINDH BANK LTD

			15	15	14		13. C		12.	(ii)	=	11	S.No.
Total - Flortrical works	ADD:Taxes Amount	Amount without taxes		Providing & instilation of 24 port 3M patche panel	Providing & installation of Main cable 4 core 25 mm2 from Meter to Main DB	Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M / PANDUIT USA in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per darwing, and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement)	13. COMPUTER NET WORKING SYSTEM	Providing & wiring of each Telephone socket outlet in preinstalled outlet boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT USA in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as per site conditions,, complete with all conduit & wiring accessories including RJ-45 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall.	TELEPHONE SYSTEM	Exhaust Fan 12" dia Wash room 2 & Kitchen 1	Bracket fan wall Guard Room	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories,	DESCRIPTION
			Job	Nos.	Mtr	Nos		Nos.		Nos.	Nos.		TINU
			1	1	25	00		o.		u	2		QTY
			85000	35000	3500	8500		8500		0000	8500		UNIT PRICE WITH TAXES
913,600			85,000	35,000	87,500	68,000		51,000		- - - - - -	17,000		WITH TAXES AMOUNT
0			770	770		616		616		11,550			UNIT PRICE
254,171	49,967	204,204	T		13	4,928		3,696		34,030	27,700		WITH OUT TAXES AMOUNT
			900	T		758		758		10357	17048		UNIT PRICE WITH TAXES
251,171			900	947	16,575	6,064		4,548		- Liver	34,096		WITH TAXES AMOUNT
			70,000	T		8,000		6,900		2000	5 500		UNIT PRICE WITH TAXES
825,550			000,00	28,500	92,500	64,000		41,400			16,500		WITH TAXES AMOUNT
	7		-97%	9776-	-81%	-91%		-91%			119%		PRICE WITH TAXES
-/370	720/		-5570	9770	-81%	-91%		-91%			119%	1018	TAXES AMOUNT
			. TO/0	1907	6%	-6%		-19%			-15%	17%	PRICE WITH TAXES
-TOZ	-10%		- A070	1892	-19%	-6%		-19%			-15%	-12%	TAXES AMOUNT



			4		ω	2				1	#S	0
TOTAL CIVIL MORKS	ADD:Taxes Amount	Amount without taxes	Providing and installing M.S angle iron brackets, treated with		Provide & fix UPVC, 1-1/4" dia and 1" dia pipe, Beta or popular, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with PVC fittings such as tees, elbows, unions, reducers, sockets, Teflon tape for jointing, hangers, supports, sleeves, including testing and commissioning and insulation with Aero flex insulation.	Estimate additional copper piping with insulation for split units make(Muller) (charged as per final measurement on site). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex insulators with gray tape.	c) 2.0 Ton SAC	b) 1.5 Ton SAC	a) 1.0 Ton SAC	Installation of Split Air Conditioners (SAC) including USA	DESCRIPTION	
DVC			Set		7.	∌	Nos	Nos	Nos		TINU	
			5		200	250	£	4	1		QTY.	
			2,500		200	950		5,500	5,500		UNIT PRICE WITH TAXES	Engineer
317,500			12,500	1	40,000	237,500		22,000	5,500		AMOUNT	Engineering Estimate
			2,310		27	539		2,310			WITHOUT TAXES	JAFFAR KH
202,692	37,902	164,790			5,400	134,750		9,240	3,850		AMOUNT TAXES	JAFFAR KHAKI & SONS
			2,841		33	663		2,841	4,773		WITH TAXES	JAFFAKK
202,692			14,205		6,600	165,750		11,364	4,773		AMOUNT	JAFFAK KHAKI & SUNS
			2,050		170	850		6,325	6,325		WITH TAXES	N3 CO
288,375			10,250		34,000	212,500		25,300	6,325		AMOUNT	DO ENTENTACIONO
			14%		-84%	-30%		47.04	-13%		WITH TAXES	
-36%			14%		-84%	-30%		9704-	700. 4.01.		AMOUNT	-

15%

15%

UNIT PRICE WITH TAXES
WITH TAXES AMOUNT

-11%

-11%

-15%


-15%

-9%

-18%

-18%

	S#		1 All wood	wooden c	wooden cabinets 04 All Steel Items (Va Trolley+Fire Almrah)	500					
	ltems		All wooden Furniture (Chairs +tables+02 Cash Counters, wooden cabinets 04)	All Steel Items (Vault Room Door, Safe+cabinets+SS Card Trollev+Fire Almrah)				Patch Panel(with 9 new IOS 3M)	Main DB UPS DB IT Rack & Patch Panel(with 9 new IOS 3M) Main Cable 4 core 16mm2	Main DB UPS DB IT Rack & Patch Panel (with 9 new IOS 3M) Main Cable 4 core 16mm2 Amount without taxes	Main DB UPS DB IT Rack & Patch Panel (with 9 new IOS 3M) Main Cable 4 core 16mm2 Amount without taxes ADD:Taxes Amount
			Job		Job	Job	loh	200	Job	Job	Job
		QTY	1	1	1	1	1	1			
	Engineer	UNIT PRICE WITH TAXES	55,000	130,000	20,000	15,000	20,000	15,000			
	Engineering Estimate	WITH TAXES AMOUNT	55,000	130,000	20,000	15,000	20,000	15,000			
	JAFFAR KHAKI & SONS	UNIT PRICE WITHOUT TAXES	30,000	30,000	10,000	12,000	20,000	5,000			
	KI & SONS	WITHOUT TAXES AMOUNT	30,000	30,000	10,000	12,000	20,000	5,000	107,000	24,616	131 616
	JAFFAR	UNIT PRICE WITH TAXES	36,900	36,900	12,300	14,760	24,600	6,150			
	JAFFAR KHAKI & SONS	WITH TAXES AMOUNT	36,900	36,900	12,300	14,760	24,600	6,156			131 616
	DS EN	UNIT PRICE WITH TAXES	50,000	125,000	18,000	13,500	17,500	12,500			
	DS ENTERPRISES	WITH TAXES AMOUNT	50,000	125,000	18,000	13,500	17,500	12,500			236,500
	Aſ	PRICE WITH TAXES	-33%	-72%	-39%	-2%	23%	-59%			
	JAFFAR	WITH TAXES AMOUNT	-33%	-72%	-39%	-2%	23%	-59%			-48%
]		UNIT PRICE WITH TAXES	-9%	-4%	-10%	-10%	-13%	-17%			
	DS	WITH TAXES AMOUNT	-9%	-4%	-10%	-10%	-13%	-17%			-7%





M/S Jaffar Khaki & Sons

Construction Const

CFO/Head of Finance

ITo be signed & stamped by the Bidder and reproduced on the etter head. To be attached with

PRICE SCHEDUL

Director Works & Services (Applicable for the year 2

Name of Bidder:

ESTIMATE FOR RENOVATION WORKS- KHUHRA SHARAF BRANCH SINDH BANK LTD

Area 2450 sft

		THE PRODUCT
S#	DESCRIPTION	AMOUNT
A	CIVIL WORKS	RS.2555778/=
В	PLUMBING WORKS	RS.96130/=
C	ELECTRIAL WORKS	RS.204204/=
D	PVAC	RS.164790/=
	Removal & Shifting of Items from Qila Deedar Singh Br & Irstaliation at Khora Sharif Br Gambat	RS.107000/=
	TOTAL COST	RS.3127902/=
	TAX AMOUNT	÷ RS.719417.46
101	AL RENOVATION COST	(RS.3847319.46)

"Crand Total: This total amount will be considered as only the "Bid Offered". Whereas be apprised that the successful bidder will be the one waese "Evaluated Bid" is the most advantageous bid. (For further clarification refer Note 8, below)

- The Errorch has to be hundred over in 60 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be improved. The Enrich has to be handed over in 60 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed. The cost must include all applicable taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges. No divance payment will be made, bills will only be processed for necessary bayment on receipt of certificate of satisfaction from the Branch Manager & Project Manager. Calculation is Ed security. The of the "Total Estimated Cost (2% of Rs. 4.669,026/- nits. 91,380/-) will be jubmitted with the tender document as bid security in case if it revised at any playe after the completion of work that the asked specification of the tender have not been met, the amount of that specific item will be flowed and interactive with appropriate actions as deemed necessary by the procurement committee.

- In case of any observation arising in respect of quality of the items, the company will be liable to address it at his own cost, non-compliance of the sum made in n invitation of a case against the company for non-commitment or cancellation of tender as will be decided by the Progressment Committee.

- Alterms and condition to Agreement (IBD Section 7.8) are part of Lender Document.

 Must An enforcement by its point to be the criteria for award of contract rather than considering the lowest offered bid, encompassing the lewest whole sum root which the procuring agency has to pay for the service, items duration the contract period. SPPRA Rule 49 may place be referred. The service, item duration the contract period. SPPRA Rule 49 may place be referred. The service, included will be the contract period. SPPRA Rule 49 may place be referred. The service, included will be the contract period. SPPRA Rule 49 may place be referred. The service, included will be the contract period. SPPRA Rule 49 may place be referred. The service, including the contract period is a service service and the service serv
- ayment will be made as nor the scheduled attached as Annexure "!"
- 10. The successful builder has to deposit 2% refention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money/performance security will be released after 3 months of completion of tender assigned job and after due receipt of letter of satisfaction from concerned Branch Manager.
- 11. Signing of Integrity Pact on Rs. Stamp Paper Affidavit is mandatory.

Wa, here by accept all the terms and conditions as given above.

(Signature of hidder with name, Designation and Company Seal) (Dated:

M/S JAFFAR KHAKI & SONS CONSTRUCTION COMPANY

Prorieto Head Office: House # 314, 315 Sector 2, Falak Naz Society Memon Goth Karachi.

Email: jaffarsonsco@hotmail.com Contact: 0336-3131442 , 0300-0021242



M/S Jaffar Khaki & Sons
Construction Construction

Head of Administration...

BILL OF QUANTITY Works & Services
Renovation Works - KHUHRA SMarif Branch Gambar

S#	DESCRIPTION	UNIT	QTY.	RATE	TAUCMA
Α	CIVIL WORKS				
1	Dismantling / Removal Works.	-	-		
	Dismantling / Removal of existing Block/Brick masonry, projection, sub floor cutting, chipping of plaster/floor where required, Doors & windows with frame in any shape, Iron grills, mosaic skirting, Dado & all sanitary fixtures, water & drainage line disposed of useless materials/debris outside the municipal limits and stack useable materials as decided by bank's engineer. Complete in all respect. (Contractor must visit the site prior to quote the rate). Salvage material to be returned to landlord or Bank as the case may be.	Job	1	14630	14,630
2	Raised Flooring				
	Providing & laying of stone filling earthling work filling with stone/Crushed brick ballast upto 2' from Road Level. Leveling compaction complete in all respect	CFT	3500	38	13,3000
3	Plain cement Concrete				
	Providing, laying, average 4" thick Flooring (1:3:6) at raised floor of 1250 psi compressive strength under any type of flooring using best Quality OPC/Sulphate Resistant cement and local approved quality sand and crushed stone, form work and its removal, with necessary arrangements where required excluding base of tiles complete in all respects as per approval of bank's engineer. Cement: Falcon, Lucky Pakland, D.G. Khan or equivalent best quality Sand: Hyderabad Bolari /Malir River/Hub Crush: Hub 3/4" and Kot Banglo for Interior Sindh	CFT	650	238	154700
4	Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height up to 7' & making edges with cement rich mortar/plaster. Termite Proofing	Nos	7	2695	18865
	Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3' penetration in the soil of the area to be treated.	SFT	1500	15	22500
6	Block / Brick Masonry works.				
p s	Providing & laying Block / Brick masonry walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8 dia bars of 2'-0" length at every third block length for anchoring masonry walls to blinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect /bank's engineer.				
1	4" thick Block Masonry internal walls compressive strength 1000 psi (First class Machine made Blocks)	SFT	700	231	161700
	Plaster Work				
S fi	Providing & laying 1/4" thick cement sand plaster (internal / External) with 1.4 cement and mortar on walls, columns, beams, using best quality O.P.C, including 6" inches vide mesh at joints of structure with block masonry and over conduits, smooth frowel nish complete in all respect. (This included all the base plaster require for making lagonal and alignment for the existing walls) as per satisfaction of Architect / enk's ongineer.	SFT	2200	61	134200

Head Office: House # 314 , 315 Sector 2 , Falak Naz Society Memon Goth Karachi.

Email: jaffarsonsco@hotmail.com Contact: 0336-3131442 , 0300-0021242



M/S Jaffa SIGNATURE PC MEMBERS SINDLE ANK LTD CONSTRUCTION COMPONDING

_	D	rector Works &	Servi	064	1	1.
	Flooring, Elevation & Special Finishes.	VIU	00.4	-	Mund	manufacture.
	Providing and laying glazed full body Porcelain tiles 24" X 24" at floor, of a colour and pattern, bone colour Master or equivalent of best quality fur setting in Stile dry bond (with cement), with matching color imported Gry Complete in all respect, including curing, cleaning, finishing & hacking existing surface for bonding where necessary, and 4 inches wide skirting same tiles as above mentioned, with 1:2:4 PCC 50 mm thick, etc. as per and/or as directed by the Architect / Engineer (at any elevation)	oproved design, Il body percelain out. ng/chipping of at walls of the	SFT	1250	270	337500
9	FALSE CELING					
	Gypsum Board (24"X24")					
	Providing & laying 8 mm thick gypsum board False Ceiling, 24" x 24" E or approved equivalent of best quality in straight, curved, tiles or multiple shown on drawing section, fixed with imported powder coated, with groov T" & "L" section with ceiling suspension system having provisions for light Complete in all respect as per drawing and instruction of Bank's Engineer.	profiles, as re, aluminum, "	SFT	1250	65	81250
10	Ceramic Tiles					
а	Toilet:Providing / Laying wash room tiles (HMD45-117 9"x17" SB for flow feet height (Master brand) or equivalent best quality as per approved ship pattern with 2" thick base concrete including grouting of joint with match	nade & layout ning grout	SFT	300	231	69300/=
b	Kitchen/Pantry:Providing / Laying Pantry tiles (HMD38-50SF 9" x 17" SB upto 5 feet height (Master brand) or equivalent best quality as per approlayout pattern with 2" thick base concrete including grouting of joint with material of Stile, complete in all respect as per satisfaction of Architect/ I	oved shade & matching grout	SFT	60	231	13860/=

11	Marble				
	Providing & fixing pre polished 3/4" thick Marble Top quality with approved size and shade over 2" thick pre cast RCC slab including 1/2" thick gola, grouting and jointing including cost of cutting of marble for basin and sink bowl including filling with silicone around joint of marble complete in all respect as per satisfaction by the engineer.				
	Pantry Counter Top (Boticina)	SFT	20	130	2600
12	WOODEN CABINETS				19
	Kitchen Cabinets				
а	Lower Unit: Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3.4" thick laminated board (Furniture color) of SONEX, Noor or equivalent best quality on front shutter and drawers. Dark grey on internal box and shelves molding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, coks, handles, 3 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the bank's Engineer. all kind of best quality hardware's, spring hinges, SS handles, tooks etc. Complete in all respects.	SFT	18	1078	19404
b	Upper Unit: Provioing, fabricating and fixing in position country cabinets 12" ricep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent best quality on front shutter and drawers, Dark grey on internal box and shelves molding 1/2"> 3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in all respects as per drawings and as directed by the bank's Engineer.	SFT	20	1073	21560

Head Office: House # 314, 315 Sector 2, Falak Naz Society Memon Goth Karachi.






M/S Jaffar Kna of Find Head of Administ

13	Paint at Walls CONSTRUCTION (Director V	Vorks &	Service		Very /
	Providing and applying, 3 coats of ICI Matt Finish Paint Ash White (3130) or benefit or equivalent best quality of approved colour and shade, at any floor & at any height are the coat of primer and making smooth and even surface by applying ICI Paintex base or equivalent best quality filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's	SFT	3500	69	241500
14	WOODEN DOOR / FRAME / CHOWKAT /Beading				
а	DOOR FRAME: Providing and fixing of required width, 16 SWG, GI door frames for Toilets, kitchen, stores & cash counter with polishing, including Lintels, hold fasts, where ever required, complete in all respect including painting / polish with proper beach / diyar wood beading.	NO	5	11550	57750
b	SKIN DOORS, 1-1/2 inches thick (for Toilets, Kitchen, stores) Provide and install doors consisting of best quality skin, pressed over best quality treated partial wood framing, with approved quality of door locks, handle, tower bolt, hold fast, stopper, hardware and paint /polish, complete in all respect.	SFT	105	1617	169785
15	Wooden Hanging Beams.				
	Providing & fixing in position wooden Beams for support to fix glass and glass door consisting of 1 1/2 x3" @ 2'-0" c/c partal wood framing and 1/2" MDF Lasani board best quality on both sides including nails, bolts, glue wastage, wood preservative, treatment & 3 coats of paint complete in all respect as per drawings and as directed by Bank's	RFT	35	616	21560
16	INSTALLATION OF VAULT ROOM DOOR				
	Lifting & Fixing charges of Bank's supplied Vault / Locker Doors, welding of door frame with RCC MS bars, and to facilitate the Vendors. Complete in all respects.	NO	1	23100	23100
17	GLASS DOOR (BM Cabin, ATM front)				
	Providing, fabrication & fixing 12 mm thick glass door with top & bottom locking system, 4" Aluminum D-48 by Lucky or equivalent best quality section, with 12mm thick clear glass with frost film and Bank's monogram, Approved Ajrak film, with gasket size and shape as shown on drawing, including botts, D lock, nuts, screws aluminum channel, handle, floor machine (New Star or equivalent best quality), locks etc. Complete in all respects as directed by Engineer.	SFT	126	1925	242550
18	GLASS PARTITION				
	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS- 304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects	SFT	175	1848	323400

19	Wrought Iron Grills for external windows, AC outers (If necessary)				
	Approved design grills for all external windows & Ac Outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI, NIPPON, BERGER or equivalent best quality) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units.	SFT	150	847	127050
20	M.S DOOR on Emergency exit, ATM internal & Guard Post				
	Fabricating, providing and fixing MS door with 16 S.W.G.M.S 3/4" square pipe, 16 SWG MS sheet pressed over this frame including metal door frame, at both sides, sheet frame painted with approved enamel color including 2'x 5" eye level opening with proper MS shutter of 16 swg sheet to look outside including best quality hinges, locks, handles, hold fasts and other necessary hardware etc. size as per site. Complete in all respects as per drawing attached nerewith, specifications and as directed by the Bank.	SFT	57	616	35112
21	MARBLE AT ENTRANCE/Stair STEPS				
	Providing and laying 20mm thick Marble of approved quality and size on any type of flooring straight or curved, as per drawings, laid with cement slurry over cement sand monar (1.4), including filling of joint with grouting material, rubbing, rounding and final chamical polish ctc, completein all respects.	SFT	50	1078	53900
22	Water Proofing Work				
	Providing & laying of water proofing at roof top, cost include P.C.C chemicals, sealant complete in all respect	SFT	1250	60	75000
TOTAL CIVIL WORKS				RS.255	5778/=

Head Office: House # 314, 315 Sector, Falls ciety Memon Goth Karachi.





SIGNATURE PC MEMBERS-SINDH BANK LTD M/S Jaffar K

Construction, Company

S.No	DESCRIPTION	UNIT	QTY	Engineer Estimate	
	PLUMBING WORK			RATE	AMOUNT
1(a)	Providing and fixing European type ceramics ware coupled water closet, (PORTA) or equivalent best quality, white / light colour, including 3 gallons cistern, P/S trap, C.P tee stop cock with wall cups, connection pipes, "SONEX", "MASTER (Royal)" or equivalent best quality, hinged double bacolite seat and cover of best quality, all joints to services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings.	Nos	1	9240	9240
(b)	Providing and fitting Glazed earthen ware water closet, squatter type (Orisa pattern), combined with foot rest, Best Quality including Plastic made Flushing tank, SONEX or equivalent best quality tee stop cock for cistern water inlet and C.P connector with nuts and fitting, approved other ancillary	Nos	1	7700	7700
2	Providing and fixing Wash hand Basin Vanity type, PORTA or equivalent best quality white colour "SONEX"/ "MASTER" or equivalent best quality waste coupling plug with C.P brass chain, 1.5" dia.P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, waste pipe waste coupling, plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as directed by the Engineer.	NOS	2	5390	10780
	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubbor plug & chrome plated brass chain, 40mm (1 1/2") C.P brass waste, billar tap 2 way deluxe, 40 mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material, (with SONEX fittings).	nos	1	6160	6160

ii)	Kitchen Sink Mixer	Nos	1	1540	1540
i)	For Wash basin	Nos.	2	2310	4620
(b)	Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or equivalent best quality complete including pipe connections, all fittings,				
8 (a)	Provide and fix Muslim Showers manufactured by Master/Sonex or equivalent best quality, complete with stop cock and controlled spray head. (White color)	Nos.	2	1540	3080
7	Provide & fix soap dish of approved quality with C.P screws. (Master /Sonex)(White color or equivalent best quality)	Nos.	2	385	770
6	Provide and fix approved quality branded C.P toilet paper holders and coat hook.	Nos.	2	770	1540
5	Provide & fix approved quality branded chromium plated towel rails 750mm x 20mm (30"x3/4") with brackets and C.P screws.	Nos.	2	2310	4620
4	Provide & fix uPVC floor drains of 4" dia of make Nikkassi or approved equivalent best quality, having minimum guaranteed 2" water seal with screw down C.P cover, peripheral drains with or without a vent arm. Make requisite holes in walls, floor for pipe connections & make good with approved material, including SS drain / grating with perforation.	Nos.	3	3850	11550

M/S JAFFAR KHAKI & SONS

Head Office: House # 314 , 315 Sector 2 , Falak Naz Society Memon Goth Karachi.





M/S Jaffar Khature RCM MREDS & CFO/Head of Finance Construction Componer

	TOTAL PLUMBING WORK			RS.9	6130/=
13	Provide and construct man holes for sewer with 24"x24" C.I frame and cover (40kg) including 8" Masonry, puddlo plaster internally and externally up to depths; shown on drawings and approved by the Engineer. PCC 1:2:4 base slab, benching with 1:3 cement sand mortar including 24" dia manhole cover, frame and rungs,	Nos.	1	2310	2310
12	Provide and construct gully trap with 12"x12" cast iron frame and cover, including excavation, backfilling, masonry, plaster internally and	Nos.	1	3850	3850
iii	Dia 4"	rft	40	69	2760
ii	Dia 3"	rft	40	69	2760
1	Dia 2"	rft			
11	Provide and fix cast UPVC pipes (AGM/dadex /vebro or equivalent best quality Branded) including fittings such as tees, elbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugsm hangars, beds, Tees, Yees. Include for making requisite number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete. Job also includes making Sewer Connection to existing Sewerage disposal system.				
٧	Dia 1/2"	Nos.			
iv	Dia 3/4"	Nos.			
iii	Dia 1"	Nos.	1	770	770
H	Dia 1 1/4"	Nos.			
İ	Dia 1 1/2"	Nos.			
10	Provide and fix of Gate valve, Threaded ends, bronze body with union bonnet, non- rising stem and wedge disc. suitable for 8.5 bars SWP and 250 deg. F. best quality.				
iv	Dia 3/4"	rft	200	67	13400
iii	Dia 1"	rft	140	62	8680
Ϊ	Dia 1-1/4"	rft			
9	fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. Conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. Job also includes making Water Connection to e x i s t i n g Water supply system. Dia 1-1/2"	rft			
	Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent best quality pressure pipe for cold/hot water as per DIN 8077 BPT PN 20 for pipes and DIN 16962,PN- 25 for fittings (polyfusion welded joints) inside building in Miliog	r Works	& Serv	ices	mun)

M/S JAFFAR KHAKI & SONS

Proviet.

Head Office: House # 314, 315 Sector 2, Falak Naz Society Memon Goth Karachi.



M/S Jaffar Khit

SIGNATURE PC MEMBERS-SINDH BANK LTD

Khaki & Søns

Construction Company

C	SMIU				
No.	DESCRIPTION	UNIT	QTY	Rate	Amount
- 11	NTERNAL WIRING				
1	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be wired with 3x2.5mm sq. All wiring in below mentioned items 1 to 9 & 14 will be manufactured o M/s. AGE, Pioneer, FAST or equivalent best quality, including cost of 1° dia. heavy duty PVC conduit make Popular, Beta, or equivalent best quality installed on roof slab, above false ceiling, o concealed in walls, or as required as per site conditions, all PVC conduit accessories, pul boxes, steel pull wires. Complete in all respects.	Nos.	6	1155	6930
2	Providing, Installation, testing and commissioning of wiring of Three light points controlled by one switch and wired with 3x1.5 mm sq. PVC	Nos.	22	1155	25410
3	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use wired with 2x4mm2+1x2.5mm² CU/PVC	Nos.	5	616	3080
4	Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	5	616	3080
5	Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.	Nos.	7	693	4851
6	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	5	693	3465
1	Confirming to same specification as mentioned above in item A-09, but outlet to outlet wiring. Complete in all respect.	Nos.	7	616	4312
8	Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16 Amps switch socket, wired with 2x6mm² + 1x4mm² 1 core CU/PVC cable		5	1155	5775
9	Sign Board Wiring as same as above	Nos.	1	7700	7700
10	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent best quality 6" dia	Nos.	58	924	53592
11	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, PAK fan or equivalent best quality louvers, all necessary fixing accessories,				
i)	Bracket fan wall 16 dia Guard Room, PAK fan or equivalent best quality.	Nos.	2	13860	27720
(ii)	Exhaust Fan 12" dia Wash room 2 & Kitchen PAK fan or equivalent best quality.	Nos.	3	11550	34650
12	TELEPHONE SYSTEM	1403.	- 3		
13	Providing & wiring of each Telephone socket outlet in preinstalled outlet boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT or equivalent best quality in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false calling or as required as per site conditions,, complete with all conduit & wiring accessories including RJ-45 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall.	N	6	616	3696
	Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M / PANDUIT or equivalent best quality in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per drawing, and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement)	Nos	8	616	4928
14	Providing & installation of Main cable 4 core 25 mm2 from Meter to Main DB	Mtr	25	539	13475
15	Providing & installation of 24 port 3M or equivalent best quality patch panel	Nos.	1	770	770
15	Earthing Work	Job	1	770	770
-	Total Electrical Work		L	DC 20	04204/=

Head Office: House # 314, 315 Sector 2, Falak Max Society Memon Goth Karachi

CHARTINGTION COMPAN

Email: jaffarsonsco@hotmail.com Contact: 0336-3131442, 0300-0021242



<u> M</u>/S Jaffar®K計 AIRCONDITIONING / HVAC construction D RATEMAMOUNT S# DESCRIPTION UNIT Installation of owner's supplied Split Air Conditioners (SAC) outdoor units complete in all respect. 1 Nos a) 1.0 Ton SAC 3850 3850/= Nos 4 2310 9240/= b) 1.5 Ton SAC Nos c) 2.0 Ton SAC Estimate copper piping size 22 Swg with insulation for split units charged as per final measurement on site). The return and supply copper tubing to be 539 134750/= sized as 1/2"+1/4" and to be drawn in separate Aeroflex insulators with gray 250 rft 2 tape. Provide & fix UPVC, 1-1/4" dia and 1" dia pipe, Beta or popular or equivalent best quality, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with PVC fittings such as tees, elbows, unions, 5400 3 rft 200 27 reducers, sockets, Teflon tape for jointing, hangers, supports, sleeves, including testing and commissioning and insulation with Aero Providing and installing M.S angle iron brackets, treated with rust proof paint and enamel coating for external A/C's 2310 11550 units fixed to the wall slab with Hilti bolts Set 5 4

E.UTILIZATION/INSTALLATION OF EXISTING ITEMS

S#	Items				
1	All wooden Furniture (Chairs +tables+02 Cash Counters, wooden cabinets 04)	Job	1	30000	30,000/=
2	All Steel Items (Vault Room Door, afe+cabinets+SS Card Trolley Fire Amirah)		1	30000	30,000/=
3	Main DB	Job	1	10000	10000/=
4	UPS DB	Job	1	12000	12000/=
5	IT Rack & Patch Panel(with 9 new IOS 3M)	Job	1	23000	20,000/=
6	Main Cable 4 core 16mm2	Job	1	5000	5000/=
	TOTAL EXISTING ITEMS			RS.10	07000/=

TOTAL AMOUNT HAVE WORK

MIS JAFFAR KHAKI & SONS

RS.164790/=

Head Office: House # 314, 315 Sector 2, Falak Naz Society Memon Goth Karachi.

Email: jaffarsonsco@hotmail.com Contact: 0336-3131442 , 0300-0021242



🛌 M/S Jaffar Khaki & Sons

Construction Company

ANNEXURE "B"

7.2 Bidder Profile Form

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached	
with Technical Bid1	

Sr.#	Particulars
1.	Name of the company: M/S JAFFAR KHAKI & SONS CONSTRUCTION COMPANY
2.	Registered Office: HOUSE NO:314,315, SECTOR-2, FALAK NAAZ SOCIETY NEAR MEMON GOTH
Addre	ess:
Office	Telephone Number:
Fax N	umber:
3.	Contact Person: 03000021242
Name	e: ALI HASSAN
Perso	onal Telephone Number:
Emai	Address: JAFFARSONSCO@HOTMAIL.COM
4.	Local office if any:
Addr	ess:
Office	e Telephone Number:
Fax N	lumber:
5.	Registration Details:
6.	CNIC of Owners (Copy attached)
	Audited Financial Statement Attachment (Last 3 years) Yes No Details of Experience (Last Five Years)
(i)	

c) Number of outsourced staff on the payroll of the Company -

1/8 JAFFAR KHAKI & SONS

Head Office: House # 314, 315 Sector 2, Falak Naz Society Memon Goth Karachi.





M/S Jaffar Khaki & Sons

Construction Company

ANNEXURE "C"

7.3 General Information Form

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]


	Particulars						
Company Name	M/S JAFFAR KHAKI & SONS CONSTRUCTION COMPANY						
Abbreviated Name		JAFFAR KHAKI & SONS					
CNIC No (Attached copies)		45208-45456403					
National Tax No.	4427877-2	Sales Tax Registration No					
SRB Tax No.		PEC (If applicable)					
No. of Employees		Company's Date of					
	15	Formation					

^{*}Please attach copies of NTN, GST Registration & Professional Tax Certificate

Registered Office Address	H.NO [.] 314,315, SECTOR-2, FALAN NAZ SOCIETY NEAR MEMON GOTH KARACHI	State/Province	SINDH
City/Town	KARACHI	Postal Code	
Phone	03000021242	Fax	
Email Address	JAFFARSONSCO@HOTMAIL.COM	Website Address	

MIS JAFFAR KHAKI & SON

Head Office: House # 314 , 315 Sector 2 , Falak Naz Society Memor Goth Karachi.





Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

Date: 19/11/2025

Quotation

This quotation of Khurah Sharif branch renovation having containing 4,333,225 PKR including all taxes.



Proprietor

Office Address: Al-Hayyat Chamber, Office No. 503, 5th Floor, Plot No. A-7, Block 7/8 K.C.H.S.U Shahrah-e-Faisal Road, Karachi

E-mail: Info.dsenterprises.pk@gmail.com



Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

ESTIMATE FOR RENOVATION WORKS- KHURAH SHARIF BRANCH SINDH BANK LTD

Area 2450 sft

S#	DESCRIPTION	AMOUNT	
Α	CIVIL WORKS	2	739,750
В	PLUMBING WORKS		243,050
С	ELECTRIAL WORKS		825,550
D	HVAC Removal & Shifting of Items from Qila		288,375
Е	Deedar Singh Br & Installation at Khora Sharif Br Gambat		236,500
	TOTAL RENOVATION COST	4	,333,225

*Grand Total;

This total amount will be considered as only the "Bid Offered". Whereas be apprised that the successful bidder will be the one whose "Evaluated Bid" is the most advantageous bid (For further clarification refer Note 8. below)

Note

- 1 The branch has to be handed over in 60 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed
- 2 The cost must include all applicable taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges
- 3 No advance payment will be made; bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager & Project Manager
- 4 Calculation of bid security 2% of the *Total Estimated Cost (2% of Rs. 4,669,026/- = Rs. 93,380/-) will be submitted with the tender document as bid security.
- 5. In case it is reviled at any stage after the completion of work that the asked specification of the tender have not been met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary by the procurement committee.
- 6 In case of any observation arising in respect of quality of the items, the company will be hable to address it at his own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee
- 7. All terms and condition of Agreement (IBD Section 7.8) are part of Tender Document
- 8. Most Advantageous bid is going to be the criteria for award of contract rather than considering the lowest offered bid, encompassing the lowest whole sum cost which the procuring agency has to pay for the services/items duration the contract period. SPPRA Rule 49 may please be referred. The successful bidder will be the one whose total sum of cost is the lowest. As it is package tender, so no partial lowest cost will be considered for award of any work.
- 9 Payment will be made as per the scheduled attached as Annexure "J". 10. The successful bidder has to deposit 2% retention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money/performance security will be released after 3 months of completion of tender assigned job and after due receipt of letter of satisfaction from concerned Branch Manager. 11. Signing of Integrity Pact on Rs. Stamp Paper Affidavit is mandatory

We, hereby accept all the seonditions as given above.

DS ENVER PROPERTY (Signature of bidder with bank Designation and Company Seal)

Dated: 19/n/25

SIGNATURE PC MEMBERS-SINDH BANK LTD

CFO/Head of Finance

Head of Administration

Director Works & Services

SMIU

Office Address: Al-Hayyat Chamber, Office No. 503, 5th Floor, Plot No. A-7, Block 7/8
K.C.H.S.U Shahrah-e-Faisal Road, Karachi

E-mail: Info.dsenterprises.pk@gmail.com



Building Maintenance, Rengyation Report Fire BERGINDHUM Wood
Air Conditioning Work & General Order Supplier.

CFO/Head of Finance

S#	DESCRIPTION 11 and of Administra	LINIT	OTA/	RATE	ΔM	OUNT
Α	CIVIL WORKS DESCRIPTION Head of Administra	ion	4	IVATE	AIV	00141
1	Discounting / Democrat Montes			mm	٨	
_	Dismantling / Removal works. Dismantling / Removal of existing Block/Brick masonary, projection	arvices.		VIIII VIII	-	
	sub floor cuting, chipping of plaster/floor.where required, Doors &	-		-	1	
	windows with frame in any shape, Iron grills, mosaic skirting, Dado &					
	all sanitary fixtures, water & drainage line disposed off useless				3	0.5.00
	materials/debries outside the municipal limits and stack useable	I Jon	1	25,000		25,00
	materials as decided by bank's engineer. complete in all					
	respect.(Contractor must visit the site prior to quote the rate).Salvage					
	material to be returned to landlord or Bank as the case may be.					
2	Raised Flooring					
	Providing & laying of stone filling earthing work filling with	1 / 1	3500	55		192,50
	stone/Crushed brick ballast upto 2' from Road Level. Levelling	CIT	3300	33		132,50
3	Plain cement Concrete					
	Providing, laying, average 4" thick Flooring (1:3:6) at raised floor of 1250 psi compressive strength under any type of flooring using best					
	Quality OPC/Sulphate Resistant cement and local aproved					
	quality sand and crushed stone, form work and its removal, with					
	necessary arrangements where required excluding base of tiles					
	complete in all respects as per approval of bank's engineer.	CFT	650	250		162,50
	Cement: Falcon, Lucky Pakland, D.G Khan					
	Sand: Hyderabad Bolari /Malir River/Hub					
	Crush: Hub 3/4" and Kot Banglo for Interior Sindh	105				
		A S				
4	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich	The state of the s	7	8,500		59,50
	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster.	The state of the s	7	8,500		59,50
4 5	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing	Nos	7	8,500	-	59,50
	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing Providing and carrying out termite proofing using FIPROKILL/	Nos	7	8,500	-	59,50
	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing	Nos	7	8,500		59,50
	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing Providing and carrying out termite proofing using FIPROKILL/	Nos	7	8,500		59,500
	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing Providing and carrying out termite proofing using FIPROKILL/BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50	Nos			-	
	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing Providing and carrying out termite proofing using FIPROKILL/BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area	Nos				
	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing Providing and carrying out termite proofing using FIPROKILL/BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. Block / Brick Masonary works.	Nos				
5	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing Providing and carrying out termite proofing using FIPROKILL/BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. Block / Brick Masonary works. Providing & laying Block / Brick masonary walls including racking of	Nos				
5	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing Providing and carrying out termite proofing using FIPROKILL/BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. Block / Brick Masonary works. Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia	Nos				
5	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing Providing and carrying out termite proofing using FIPROKILL/BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. Block / Brick Masonary works. Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height	Nos				
5	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing Providing and carrying out termite proofing using FIPROKILL/BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. Block / Brick Masonary works. Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-	Nos				
5	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing Providing and carrying out termite proofing using FIPROKILL/BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. Block / Brick Masonary works. Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to	Nos				
5	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing Providing and carrying out termite proofing using FIPROKILL/BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. Block / Brick Masonary works. Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing,	Nos				
5	Crush: Hub 3/4" and Kot Banglo for Interior Sindh Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster. Termite Proofing Providing and carrying out termite proofing using FIPROKILL/BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated. Block / Brick Masonary works. Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to	Nos				

1 of 5





		CFO/Head of Finance	-	No		
S#	DESCRIPTION		UNIT	QTY.	RATE	AMOUNT
7	Plaster Works.	Head of Administration	/ V	Anen	win	-
40	Providing & laying ³ / ₄ " thick cement sand plass with 1:4 cement sand mortar on walls, colum quality O.P.C, including 6" inches wide mest with block masonary and over conduiting complete in all respect. (This includes all the making diagonal and alignment for the essatisfaction of Architect / bank's engineer.	at joints of structure, smooth trowel finish base plaster require for	SFT	2200	60	132,000
8	Flooring, Elevation & Special Finishes.					-
	Providing and laying glazed full body Porce floor, of approved design, colour and patter colour or Master or equivalent full body postile dry bond (with cement), with matching Grout. Complete in all respect, including cut finishing & hacking/chipping of existing su where necessary, and 4 inches wide skirting tiles as above mentioned, with 1:2:4 PCC 50 per specifications and/or as directed by the (at any elevation)	lain tiles 24" X 24" at ern, china bone orcelain, setting in g color imported aring, cleaning, arface for bonding at walls of the same 0 mm thick, etc. as	SFT	1250	400	500,000
9	FALSE CELING					-
	Gypsum Board (24"X24")	h Hai Paine				-
	Providing & laying 8 mm thick gypsum bo x 24" Elephant Brand or approved equivale tiles or multiple profiles, as shown on draw imported powder coated, with groove, alust section with ceiling suspension system havi and AC grill. Complete in all respect as per instruction of Bank's Engineer.	ent in straight, curved, ing section, fixed with minum, " T" & "L" ng provisions for light	SFT	1250	175	218,750
10	Ceramic Tiles			7. 238 2	U 452750	
а	Toilet: Providing / Laying wash room tiles (HMD floor & walls upto 7 feet height (Master bit per approved shade & layout pattern concrete including grouting of joint material of Stile, complete in all respect Architect / bank engineer.	rand) or equivalent as with 2" thick base with matching grout	SFT	300	400	120,000

2 of 5



. .



ds enteresses

Building Maintenance, Renovation, Civil, Electric Paint Flumbering, Wood
Air Conditioning Work & General Order Supplier.

0.0	DESCRIPTION Head of Administr	UNIT	QTY	RATE	_ AMC	UNT
S#				mark		
	Ritchen/Pantry:	Servic	5-			7
	Kitchen/Pantry: Providing / Laying Pantry tiles (HMD38-50SF *Dixector Warks & Floor & Walls upto 5 feet height (Master brand) or Sald vivalent as					
h.	per approved shade & layout pattern with 2" thick base		60	350		21,000
b	concrete including grouting of joint with matching grout	01 1	00			
	material of Stile, complete in all respect as per satisfaction of					
	Architect / bank engineer.					
11	Marble					
	Providing & fixing pre polished 3/4" thick Marble Top quality					
	with approved size and shade over 2" thick pre cast RCC slab					
	The second secon					
	including 1/2" thick gola, grouting and jointing including cost of					
	cutting of marble for basin and sink bowl including filling with					
	silicone around joint of marble complete in all respect as per					
	satisfication by the engineer.					
	Pantry Counter Top (Boticina)	SFT	20	350		7,00
12	WOODEN CABINETS					
	Kitchen Cabinets					
а	Lower Unit: Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick laminated board (Furniture color) of SONEX, Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the bank's Engineer. all kind of best quality hardware's, spring hinges, SS handles, locks etc. Complete in all respects.	SFT	18	1,550		27,900
b	Upper Unit: Providing, fabricating and fixing in position pantry cabinets 12" deep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent on front shutter and drawers, Dark grey on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in all respects as per drawings and as directed by the bank's Engineer.	SFT	20	1,550		31,000

3 of 5





Building Maintenance, Renovation, Civil, Electric, Paint, Rumbering, Wood Air Conditioning Work & General Orden Supplier.

	Signature	On	_	_												
S#	DESCRIPTION FOI Head of Finance	UNIT	ØTY.	RATE	AMOUNT											
13	Paint at Walls	V	_													
	Providing and applying, 3 coats of ICI Matt Finish Raint ASP White	1	-	1/1												
	(3130) or BERGER or equivalent of approved colour and shade, at		m	1												
	any floor & at any height over one coat of primer and making prime the	SFT	3500	50	175,000											
	specifications, to surface of walls, complete in all respects as	SAME SPECIAL														
	specified and as approved by the bank's Engineer.															
14	WOODEN DOOR / FRAME / CHOWKAT /Beading															
540	DOOR FRAME: Providing and fixing of required width, 16															
	SWG, GI door frames for Toilets, kitchen, stores & cash															
2	counter with polishing, including Lintels, hold fasts, where		5	6,500	32,50											
а	ever required, complete in all respect including painting /															
	polish with proper beach / diyar wood beading.															
	SKIN DOORS, 1-1/2 inches thick (for Toilets, Kitchen, stores)															
	Provide and install doors consisting of best quality Malaysian		105	105	105	105	105	105	105	105	105	105	105	105		
h	skin, pressed over best quality treated partial wood framing,	SFT													105	105
b	with approved quality of door locks, handle, tower bolt, hold	011		000	00,20											
	fast, stopper, hardware and paint /polish, complete in all															
	respect.															
15	Wooden Hanging Beams.															
	Providing & fixing in postion wooden Beams for support to fix glass															
	and glass door consitsting of 1 1/2 x3" @ 2'-0" c/c partal wood															
	framing and 1/2" MDF Lasani board (Malaysia) on both sides	RFT	35	750	26,25											
	including nails, bolts, glue wastage, wood preservative, treatment & 3															
	coats of paint complete in all respect as per drawings and as directed by Bank' s Engineers.															
16	INSTALLATION OF VAULT ROOM DOOR	ME														
	Lifting & Fixing charges of Bank's supplied Vault / Locker															
	Doors, welding of door frame with RCC MS bars, and to		1	18,000	18,00											
	facilitate the Vendors. Complete in all respects.															
17	GLASS DOOR (BM Cabin, ATM front)		b Jiyaran	5000												
	Providing, fabrication & fixing 12 mm thick glass door with top	1 Bept	F STA	7829												
	& bottom locking system, 4" Aluminum D-48 by Lucky or															
	equivalent section, with 12mm thick Middle East / Saudi Arabia															
	or equivalent clear glass with frost film and Bank's monogram,															
	Approved Ajrak film, with gasket size and shape as shown on		126	1,700	214,20											
	drawing, including bolts, D lock, nuts, screws aluminum channel,		120	1,700	214,20											
	handle, floor machine (New Star or equivalent), locks etc.															
	Complete in all respects as directed by Engineer.															
	complete in an respecto as directed by Engliseer.															

4 of 5





Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier

	TOTAL POLICE PER MEMBER	100-0	DTY	DATE	AMOUNT
S#	DESCRIPTION SIGNATURE PC MEMB	UNI	QIV.	RATE	AWOUNT
18	GLASS PARTITION	- Gar	1		
	Providing and installation 12mm thick glass KSA/UAEor equivalent polished glass with 100mm top & along administration		W/		-1
	equivalent polished class with 100mm top & howeninistration	-		V	1-
	equivalent polished glass with 100mm top & how administration brush finish SS-304, lucky or equivalent section with frosted film			med 1	- -
	brush mish 55-504, lucky of equivalent section with hoseed sing	SFT	175	1,050	183,750
	surface as per approved design. Contractor is rection works in Service		THE PERSON NAMED IN	THE RESERVE AND ADDRESS OF THE PARTY OF THE	
	Joints between the panels with minimum sittle thanks clear shieren				
	from Dow corning or other approved by the Engineer. Complete				
	in all respects.				
19	Wrought Iron Grills for external windows, AC outers (If nece	essary)		
	Approved design grills for all external windows & Ac Outers/exhaust				
	fans (if required). The security grills will be installed from inside so				
	that glass will be visible from outside. MS Grill comprising of 1/2"				
	solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron,				
	welding, grinding, finishing, rubbing 3 coat of enamel paint	SFT	150	750	112,50
	(ICI,NIPPON,BERGER or equivalent) red oxide before paint.		1000		
	Complete in all respects, as per standardized design and /or as				
	shown in drawing as per approved design, attached herewith. Further				
	proper lockable grills with above specification will also be provided				
	for all AC outdoor units.				
20	M.S DOOR on Emergency exit, ATM internal & Guard Pos	<u>t</u>			
	Fabricating, providing and fixing MS door with 16 S.W.G M.S 3/4"				
	square pipe, 16 SWG MS sheet pressed over this frame including			8	
	metal door frame, at both sides, sheet frame painted with approved				
	enamel color including 2" x 5" eye level opening with proper MS	SFT	57	1,200	68.40
	shutter of 16 swg sheet to look outside, including best quality	0.1	0,	1,200	55,40
	hinges, locks, handles, hold fasts and other necessary hardware etc.				
	size as per site. Complete in all respects as per drawing attached		-		
	herewith, specifications and as directed by the Bank.				
21	MARBLE AT ENTRANCE/Stair STEPS				
	Providing and laying 20mm thick Marble of approved quality and size				
	on any type of flooring straight or curved, as per drawings, laid with				
	cement slurry over cement sand mortar (1:4), including filling of joint	SFT	50	350	17,50
	with grouting material, rubbing, rounding and final chemical polish	1 -1-1	a light	7.00	
	etc, complete in all respects.	E TESTS	P 0 297.03	A 30/1000	
22	Water Proofing Work				
	Providing & laying of water proofing at roof top, cost include P.C.C	Sft	1250	125	156,25
	chemicals, sealant complet in all respect		1250	120	100,20
	TOTAL CIVIL WORK	S			2,739,75

5 of 5





Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

	B Plumbing Works SIGNATURE PC MEMBERS-SINDH BANK LTD					
В	Plumbing Works SIGNATURE PC MEM	DEILO -	M			
S.No.	DESCRIPTIO CFO/Head of Finance			RATE	AMOUNT	
1(a)	Providing and fixing European type ceramics ware coupled water closet, (PORTA) or equivalent, white / light and Administration	Nos	Variation 1	39,000	39,000	
(b)	Providing and fitting Glazed earthen ware water closet, squatter type (Orisa pattern), combined with foot rest, Best Quality including Plastic made Flushing tank, SONEX tee stop cock for cistern water inlet and C.P connector with nuts and fitting, approved other ancillary material complete in all respect.	Nos	1	14,000	14,000	
2	Providing and fixing Wash hand Basin Vanity type, PORTA or equivalent white colour "SONEX"/ "MASTER" waste coupling, plug with C.P brass chain, 1.5" dia. P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, waste pipe waste coupling, plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as directed by the Engineer.	Nos.	2	22,000	44,000	
3	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubber plug & chrome plated brass chain, 40mm (1 1/2") C.P brass waste, pillar tap 2 way deluxe, 40 mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material. (with SONEX fittings).		1	10,500	10,500	

DS ENTERPRISES

1 of 3

E-mail: Info.dsenterprises.pk@gmail.com Contact: +92-300-2901823



Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

	SIGNATURE	CMEM	BERS-S	NOH BAN	KLID
S.No.	DESCRIPTION	UNIT	QTV	RATE	AMOUNT
4	Provide & fix uPVC floor drains of 4" dia of make Nikkassi of approved equivalent, having minimum guaranteed 2" water, so with screw down C.P cover, peripheral drains with of without vent arm. Make requisite holes in walls, floor for with connections & make good with approved material, including S drain / grating with side perforation.	a	1	1,250	m 3,750
5	Provide & fix approved quality chromium plated towel rail 750mm x 20mm (30"x3/4") with brackets and C.P screws (Taiwan make)		2	2,150	4,300
6	Provide and fix approved quality C.P toilet paper holders an coat hook. (Taiwan make)	d Nos.	2	1,000	2,000
7	Provide & fix p soap dish of approved quality with C.P screw (Master /Sonex)(White color)	Nos.	2	700	1,400
8 (a)	Provide and fix Muslim Showers manufactured by Master/Sone or equivalent, complete with stop cock and controlled spra head.(White color)		2	4,500	9,000
(b)	Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or approved equal complete including pip connections, all fittings, testing etc.(White color)				ē
i)	For Wash basin	Nos.	2	5,000	10,000
ii)	Kitchen Sink Mixer	Nos.	1	6,000	6,000
9	Providing, fixing, jointing and testing Polypropylene Randor (PPR) pipes make Dadex / AGM or approved equivaler pressure pipe for cold/hot water as per DIN 8077-8078,PN-2 for pipes and DIN 16962,PN-25 for fittings (polyfusion welder joints) inside building including fittings and specials (socket tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. Jo also includes making Water Connection to existing Water supp system.	m nt 0 d d ss, n d d nt d b			±28

2 of 3





Building Maintenance, Renovation, Civil Electric Faint, Plumbering, Wood Air Conditioning Work & Shene Fair Order Supplier.

beatings	of	Finance	-

	CEOIHEAD OF FINANCE		N/			
S.No.	DESCR	PTION	UNIT	QTY	RATE	AMOUNT
i	Dia 1-1/2"	Head of Administration	rft	-		1-
ii	Dia 1-1/4"	& Sold Sheet	-tft	-		-
iii	Dia 1"	Director Works & Services min	rft	140	150	21,000
iv	Dia 3/4"	SMIU	rft	200	130	26,000
	Provide and fix of Gate valve, T	hreaded ends, bronze body with				
10	union bonnet, non-rising stem a bars SWP and 250 deg. F., ma approved equivalent.					-
i	Dia 1 1/2"		Nos.	-		-
ii	Dia 1 1/4"		Nos.	1-1		-
iii	Dia 1"		Nos.	1	2,500	2,500
iv	Dia 3/4"		Nos.	-		-
V	Dia 1/2"		Nos.	7-		-
11	hangers/supports etc. conforming pipes as embedded in floor and clamped to wall including plau. Include for making requisite nurwhere required and making good structure labeling, testing to 6.5 also includes making Sewer Codisposal system.	walls or suspended from slab or gsm hangars, beds, Tees, Yees. nber of holes in walls and floors od the same as necessary to the feet water height complete. Job				
i	Dia 2"		rft			
ii	Dia 3"		rft	40	400	16,000
iii	Dia 4"		rft	40	590	23,600
12	Provide and construct gully tra and cover, including excavatio internally and externally vitreous approved by the Engineer.		Nos	1	4,000	4,000
13	Provide and construct man ho frame and cover (40kg) include	ng 24" dia manhole cover, frame	Nos.	1	6,000	6,000
	Total					243,050

3 of 3





Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

SIGNATURE PC MEMBERS-SINDH BANK LTD

CFO/Head of Finance

Elect	trical Works			M		
C		nead of Administration	m —	1/	AT THE REAL PROPERTY.	
S.No.	DESCRIPTION	Director Works & Ser	UNIT	VITO	Rare	Amount
IN	TERNAL WIRING	CMIII	1662 "		The state of the s	
1	Supply, installation and commissioning of Light MCB in DB to Switch Board to be	Circuit wiring, from	Nos.	6	7,000	42,00
2	Providing, Installation, testing and commissioning of wiring of Three light points controlled by one switch and wired with 3x1.5 mm sq. PVC			22	4,500	99,00
3	Providing & wiring of 1-3 pin 15 Amps power General Use) wired with 2x4mm2+1x2.5mm ² CU		Nos.	5	8,000	40,00
4	Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable			5	6,250	31,25
5	Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.		Nos.	7	5,000	35,00
6	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated cable		Nos.	5	6,950	34,75
7	Confirming to same specification as mentioned above in item A-09, but outlet to outlet wiring. Complete in all respect.		Nos.	7	5,750	40,25
8	Providing installing & wiring for Split A/C's u board to respective 1-3 pin 16 Amps switch socket + 1x4mm ² 1 core CU/PVC cable		Nos.	5	10,500	52,50
	Sign Board Wiring as same as above		Nos.	1	9,800	9,80
10	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent 6" dia		Nos.	58	1,950	113,10
	Supply, installation and commissioning of Exhaus following sizes, plastic body, louvers, all necessary is		F 61		in the same	-
i)	Bracket fan wall Guard Room		Nos.	2	7,500	15,000
(11)	Exhaust Fan 12" dia Wash room 2 & Kitchen 1		Nos.	3	5,500	16,500

DS ENTERPRISES

1 of 2



Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

SIGNATURE PC MEMBERS-SINDH BANK LT	10
CFO/Head of Finance	-

		CECILLEGA		/ W	/	
S.No.	. DESCRIPTION	intro	LINI	QTY	Rate	Amount
12. T	TELEPHONE SYSTEM	Head of Administrat	101		N. 1	-
10	Providing & wiring of each Telephone socket of outlet boxes, wired with 4 Pair Cat-6 (UTP)C PANDUIT USA in 25mm dia PVC conduit recess	utlet in preinstalled	ervices	_ In	werm /	
	walls, columns or on slab above false ceiling or as conditions,, complete with all conduit & wiring acce 45 IOs & Face Plates. Complete in all respect with thick sheet steel back box recessed in wall.	essories including RJ			6,900	41,400
			Nos.	6		
13. CC	OMPUTER NET WORKING SYSTEM					-
	Providing, laying & testing of Data Cable 4 Pair PANDUIT USA in 25 mm dia PVC conduit includi make) Face plate (2port) w/o shutter RJ-45 (Par fixed, on 1.5 mm thick steel back box complete in a darwing. and providing of Fluke Test Report Certificate (Complete as per Client's requirement)	ng Data Outlet (3M nduit USA)K6 Jack Il respect and as per & 3M's 20 Years	Nos.	8	8,000	64,000
14	Providing & installation of Main cable 4 core 25 n Main DB	nm2 from Meter to	Mtr	25	3,700	92,500
15	Providing & instllation of 24 port 3M patche panel		Nos.	1	28,500	28,500
15	Earthing Work	700	Job	1	70,000	70,000
	Total - Electrical works	CHOISE BOOK F 1 (1) IN IN IN IN				825,550

DS ENTERPRISES

5 82 8



Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

	SIGNATURE PC MEMBERS-SINDH BANK LTD						
AIRCO	NDITIONING / HVAC WORKS : CFO/Head of Final						
S#	DESCRIPTION	Head of Administ	ationit	ФТҮ.	RATE	AMOUNT	
1	Installation of Split Air Conditioners (SAC) including USA		men	100		
	a) 1.0 Ton SAC	Director Works &	Nos	- Marian Salar	6,325	6,325	
	b) 1.5 Ton SAC	-3MIU	Nos	4	6,325	25,300	
	c)·2.0 Ton SAC		Nos	-		=	
2	Estimate additional copper piping with insulation for split units make(Muller) (charged as per final measurement on site). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex insulators with gray tape.			250	850	212,500	
3	Provide & fix UPVC, 1-1/4" dia and 1" dia popular, for AC drain system, (medium) co 1307 of 1957, along with PVC fittings such unions, reducers, sockets, Teflon tape for supports, sleeves, including testing and co insulation with Aero flex insulation.	informing to BSS as tees, elbows, jointing, hangers,	rft	200	170	34,000	
4	Providing and installing M.S angle iron brackets	s, treated with rust	Set	5	2,050	10,250	
	то	TAL CIVIL WOR	KS			288,375	

S#	Items	UNIT	QTY.	RATE	AMOUNT
1	All wooden Furniture (Chairs +tables+02 Cash Counters, wooden cabinets 04)	金色 图	1	50000	50000
2	All Steel Items (Vault Room Door, Safe+cabinets+SS Card Trolley+Fire Almrah)	1 St. 14	1	125000	125000
3	Main DB	Job	1	18000	18000
4	UPS DB	Job	1	13500	13500
5	IT Rack & Patch Panel(with 9 new IOS 3M)	Job	1	17500	17500
6	Main Cable 4 core 16mm2	Job	1	12500	12500
	Total				236500

1 of 1



Office Address: Al-Hayyat Chamber, Office No. 503, 5th Floor, Plot No. A-7, Block 7/8 K.C.H.S.U Shahrah-e-Faisal Road, Karachi

E-mail: Info.dsenterprises.pk@gmail.com