SINDH PUBLIC PROCUREMENT REGULATORY AUTHORITY

CONTRACT EVALUATION FORM

TO BE FILLED IN BY ALL PROCURING AGENCIES FOR PUBLIC CONTRACTS OF WORKS, SERVICES & GOODS

1)	NAME OF THE ORGANIZATION / DEPTT. Small Boull Ital / Administration
2)	PROVINCIAL/LOCAL GOVT/OTHER Scheduled Beull
3)	TITLE OF CONTRACT Roundling T Chulog Shay Staticly
4)	TENDER NUMBER SN013/COW/ Addmin 170/1494/2825
5)	BRIEF DESCRIPTION OF CONTRACT Same as abone.
6)	FORUM THAT APPROVED THE SCHEME Consecut Authorly
7)	TENDER ESTIMATED VALUE
8)	ENGINEER'S ESTIMATE (For civil works only)
9)	ESTIMATED COMPLETION PERIOD (AS PER CONTRACT) 60 days
10)	TENDER OPENED ON (DATE & TIME) 19 11 2025 & 1100 Am
11)	NUMBER OF TENDER DOCUMENTS SOLD 0 — (Attach list of buyers)
12)	NUMBER OF BIDS RECEIVED
13)	NUMBER OF BIDDERS PRESENT AT THE TIME OF OPENING OF BIDS
14)	BID EVALUATION REPORT (Enclose a copy) Suprementation of the control of the cont
15)	NAME AND ADDRESS OF THE SUCCESSFUL BIDDER MISDS Enleques 4 Phan-1, Swp
16)	CONTRACT AWARD PRICE Ps. 4,333, 215] = 26 & M, No sery chown will
17)	RANKING OF SUCCESSFUL BIDDER IN EVALUATION REPORT (i.e. 1st, 2nd, 3rd EVALUATION BID). 1) M/S D S Sullement
18)	METHOD OF PROCUREMENT USED : - (Tick one)
	a) SINGLE STAGE – ONE ENVELOPE PROCEDURE Domestic/ Local
	b) SINGLE STAGE TWO ENVELOPE PROCEDURE
	c) TWO STAGE BIDDING PROCEDURE
	d) TWO STAGE – TWO ENVELOPE BIDDING PROCEDURE
	PLEASE SPECIFY IF ANY OTHER METHOD OF PROCUREMENT WAS ADOPTED i.e. EMERGENCY, DIRECT CONTRACTING ETC. WITH BRIEF REASONS:

				1 1 1 1
				Competent Authoria
19)	APPRO	OVING AUTHORITY FOR AWARD OF CONTRA	ACT	J
20)	WHET	HER THE PROCUREMENT WAS INCLUDED IN	N ANNU	JAL PROCUREMENT PLAN?
				Yes No
21)	ADVE	RTISEMENT:		25115
			Yes	EPADS-S-251115604
	i)	SPPRA Website (If yes, give date and SPPRA Identification No.)		05/11/2025
		(11 yes, give date and 51 1 KA Identification 140.)	No	
	ii)	News Papers	Yes	Empress Freguel Daily Jung, Teefal
		(If yes, give names of newspapers and dates)		Daily Jong, Jeefal
			No	05/41 2021
			140	2/4/2025
				Domestic/
22)	NATU	RE OF CONTRACT		Local Int.
22)	MALIET	THER OHALIEICA TION CRITERIA		
23)		HER QUALIFICATION CRITERIA NCLUDED IN BIDDING / TENDER DOCUMEN	ITS?	
		enclose a copy)	3,50,53,50	Yes No
24)	WHET	THER BID EVALUATION CRITERIA	A	
24)		NCLUDED IN BIDDING / TENDER DOCUMEN	ITS?	Yes No
	(If yes,	enclose a copy)		
			-	7
25)	WHET	THER APPROVAL OF COMPETENT AUTHORIT	TY WAS	S OBTAINED FOR USING A
		OD OTHER THAN OPEN COMPETITIVE BIDD		Yes No
26)	WAS I	BID SECURITY OBTAINED FROM ALL THE BI	IDDERS	S? Yes No
				163 140
and the same	7 (67)			
27)		THER THE SUCCESSFUL BID WAS LOWEST E BEST EVALUATED BID (in case of Consultancies		ATED Yes No
	DID / I	BEST EVALUATED BID (III case of consultances	3)	
		THE	ноли	V Vos No
28)		THER THE SUCCESSFUL BIDDER WAS TECHN	NICALL	Y Yes No
	COMP	LIANT?		
29)		THER NAMES OF THE BIDDERS AND THEIR	QUOT	ED PRICES WERE READ OUT AT
	THE T	IME OF OPENING OF BIDS?		Yes No
				173
30)		THER EVALUATION REPORT GIVEN TO	BIDDE	ERS BEFORE THE AWARD OF
		RACT? h copy of the bid evaluation report)		
	(Attac)	n copy of the old evaluation reports		Yes No

31) ANY COMPLAINTS RECEIVED (If yes, result thereof)	Yes
(11) 40, 140, 110, 110, 110, 110, 110, 110,	
	No NO
THE STATE OF THE S	I DUTHE TENDED NOTICE / DOCUMENTS
32) ANY DEVIATION FROM SPECIFICATIONS GIVEN (If yes, give details)	IN THE TENDER NOTICE / DOCUMENTS
(11) 55, g. 15 35 1115)	Yes
	No NO
22) WAS THE EXTENSION MADE IN DESPONSE TIME	
33) WAS THE EXTENSION MADE IN RESPONSE TIME (If yes, give reasons)	Yes
	No NO
34) DEVIATION FROM QUALIFICATION CRITERIA	
(If yes, give detailed reasons.)	Yes
	No NO
35) WAS IT ASSURED BY THE PROCURING AGEN	NCY THAT THE SELECTED FIRM IS NOT
BLACK LISTED?	Yes No L
36) WAS A VISIT MADE BY ANY OFFICER/OFFICIA	
SUPPLIER'S PREMISES IN CONNECTION WITH BE ASCERTAINED REGARDING FINANCING OF	
(If yes, enclose a copy)	Yes No V
37) WERE PROPER SAFEGUARDS PROVIDED ON 1	MOBILIZATION ADVANCE PAYMENT IN
THE CONTRACT (BANK GUARANTEE ETC.)?	Yes No
38) SPECIAL CONDITIONS, IF ANY	
(If yes, give Brief Description)	Yes
M /	
	No NO
1911	
Signature & Official Stamp of ARSAAD ABBAS SOOMRO	18/12/201
Authorized Officer ARSHAD ABDAG AMERICAN & Security Head of Administration & Security Administration Division Sindh Bank Limited Sindh Bank Limited	_ 10(14 164
Head Office National	
OR OFFICE USE ONLY	

<u>SPPRA, Block. No.8, Sindh Secretariat No.4-A, Court Road, Karachi</u> Tele: 021-9205356; 021-9205369 & Fax: 021-9206291

Print

Save

Reset



SNDB/COK/ADMIN/TD/1494/2025 Dated 18/12/2025

M/s.DS Enterprises Supreme Avenue, Phase 1 Shop No.26 & 27, Nagan Chowrangi Karachi

Subject: Contract Award - Renovation Works - Khuhrah Sharif Branch Gambat

The management of Sindh Bank Limited is pleased to award the subject contract to M/s. DS Enterprises in accordance with terms and conditions mentioned in our tender dated 05/11/2025.

Please acknowledge.

Sincerely,

For & behalf of Sindh Bank Limited,

Arshad Abbas Soomro

Head - Administration Division



d.s enterprises

Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

FINANCIAL PROPOSAL

Annexure "A"

Name of Bidder: M/s.DS Enterprises

S.No	Description	Rate Per Sq.Ft	Amount in Rs.
1.	Renovation Works – Khuhra Sharif Branch Gambat	Area 2450 x 1,570.3342Per Sq.Ft	Rs.4,333,225/-





Office Address: Al-Hayyat Chamber, Office No. 503, 5th Floor, Plot No. A-7, Block 7/8 K.C.H.S.U Shahrah-e-Faisal Road, Karachi

E-mail: Info.dsenterprises.pk@gmail.com

Contact: +92-300-2901823



ds enterprises

Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

INTEGRITY PACT

1494

Contract Number:	Dated:	
Contract Value: Rs. 43332157	Chulman Sharif Frankl Grandet	
Contract Title: Remonation of K	Chilian Should Franket	
Declaration of Fees, Commissions and Brokerage e Pursuant To Rule 89 Sindh Public Procurement Ru	etc. Payable by the Suppliers of Services Jules Act, 2010	
M/s. DS Euleypuyes hereby declares that it has not right interest privilege or other obligation or henefit fr	at obtained or induced the presumant of any contract	
right, interest, privilege or other obligation or benefit for subdivision or agency thereof or any other entity owned	Hom dovernment of small (dos) of any autilinistrative	
practice.	A = C .	
Without limiting the generality of the foregoing, M/s.	DS allequestrepresents and warrants that it has	
fully declared the brokerage, commission, fees etc. paid and shall not give or agree to give to anyone within or ou	outside Pakistan either directly or indirectly through any	
natural or juridical person, including its affiliate, ager shareholder, sponsor or subsidiary, any commission, g		
described as consultation fee or otherwise, with the o contract, right, interest, privilege or other obligation of		
which has been expressly declared pursuant hereto.		
M/s. Schlepuse certifies that it has made an arrangements with all persons in respect of or related to or will not take any action to circumvent the	to the transaction with Gos and has not taken any action	
M/s. De Culegus accepts full responsibility and strict full disclosure, misrepresenting facts or taking any act	rict liability for making any false declaration, not making	
representation and warranty. It agrees that any contract obtained or procured as aforesaid shall, without prejud	ct, right, interest, privilege or other obligation or benefit	
under any law, contract or other instrument, be voidable		
Notwithstanding any rights and remedies exercised by	Gos in this regard, M/s. A S Eulopuragrees to	
indemnify Gos for any loss or damage incurred by it on pay compensation to Gos in an amount equivalent to	o ten times the sum of any commission, gratification,	
bribe, finder's fee or kickback given by , as aforesaid for of any contract, right, interest, privilege or other obligati	r the purpose of obtaining or inducing the procurement	
For and On Behalf of	For and On Behalf Of	Charles
Di Enlironies	15 MILES	
DS ENGLY RISES	Sindh Bank Limited	
Signature: Demish Haider	Signature:	A
Name: Syed. Hours	Name: Heed - Administration	K
	Heed - Hammyrum	-

E-mail: Info.dsenterprises.pk@gmail.com

Contact: +92-300-2901823



		Bid Evaluation Report
	Renovation W	orks of Khuhra Sharif Branch Gambat
1	Name of Procuring Agency	Sindh Bank Ltd.
2	Tender Reference No.	SNDB/COK/ADMIN/TD/1494/2025
3	Tender Description	Renovation Works of Khuhra Sharif Branch Gambat
4	Method of Procurement	Single Stage One Envelope Bidding Procedure
5	Tender Published & SPPRA S. No.	SPPRA E-PADS –S-251115604 Express Tribune (English) , Daily Jang (Urdu), Sindle Express (Sindhi) (05/11/2025)
6	Total Bid Documents Sold	02
7	Total Bids Received	02
8	Technical / Financial Bid Opening Date & Time	19/11/2025 at 1100 Hrs.
9	No. of bids qualified	01
10	Bid(s) Rejected / Disqualified	01
-		

Details on the above as given below:

S. No	Name of Firm or Bidder	Qualified / Disqualified in Technical / Eligibility Inspection/ Mandatory	Cost offered by the Bidder	Ranking in terms of cost	Comparison with Estimated cost (Rs.4,669,026/-)	Reasons for acceptance/ rejection	Remarks
	1	2	3	5	6	7	8
1.	M/s. Jaffar Khaki & Sons Construction Company	Disqualified	Rs.3,847,319/- (Area 2450 sq.ft x Rate per sq.ft Rs.1,570.3342)	1 st Lowest	Rs.821,707/- below the estimated cost i.e.17.5991%	The bidder has been disqualified on the ground that the bidder failed to provide a work order for similar nature of work, under SPPRA Regulations for Procurement of Works Clauses 2.16 & 7.9 (i)	
2.	M/s. DS Enterprises	Qualified	Rs.4,333,225/- (Area 2450 sq.ft x Rate per sq.ft Rs.1,768.6632)	2 nd Lowest	Rs.335,801/- below the estimated cost i.e.7.1920%	Most Advantageous Bid	Accepted- Award of Contract

Accordingly, going by the Technical/Financial Evaluation criteria laid down in the tender document, M/s. DS Enterprises is the most advantageous bid i.e.Rs.4,333,225/-, and their bid is also below the estimated cost, hence recommended for award of contract for Renovation Works of Khuhrah Sharif Branch Gambat of Sindh Bank Limited.

Members Signature- Procurement Committee

Dilshad Hussain Khan Chief Financial Officer

Arshad Abbas Soomro Head of Administration

Parvez Bhutto -Director Works & Services (SMIU) Karachi

	COMPARIS	SINDH	SINDH BANK LTD	RAINCH GAINIDAL			
Are	Area 2450 sft	Engineering Estimate	JAFFAR KHAKI & SONS	JAFFAR KHAKI & SONS	DS ENTERPRISES	JAFFAR	SO
DE	DESCRIPTION	AMOUNT WITH TAXES	AMOUNT WITHOUT TAXES	AMOUNT WITH TAXES	AMOUNT WITH TAXES	Increase / Decrease	Increase / Decrease
CIVIL WORKS		2,911,900	2,555,778	3,143,600	2,739,750	8%	%9-
PLUMBING WORKS	JRKS	271,026	96,130	118,240	243,050	-56%	-10%
ELECTRIAL WORKS	RKS	913,600	204,204	251,171	825,550	-73%	-10%
HVAC		317,500	164,790	202,692	288,375	-36%	%6-
Removal & Shiftir Deedar Singh Br & Sharif Br Gambat	Removal & Shifting of Items from Qila Deedar Singh Br & Installation at Khora Sharif Br Gambat	255,000	107,000	131,616	236,500	-48%	%L-
Amount without taxes ADD:Taxes Amount	out taxes nount		3,127,902				
IL RENOV	TOTAL RENOVATION COST	4,669,026	3,847,319	3,847,319	4,333,225	-18%	%1-

SIGNATURE PC MEMBERS, SIMDH BANK LTD
CFO/Head of Finance
Head of Administration
Director Works & Services
SMIU

SIGNATURE PC MEMBERB-SMDH BANK LTD

CFO/Head of Finance

Head of Administration,

Renovation Works- Khurah Sharif Branch Gambat **BILL OF QUANTITY**

			Enginee	Engineering Estimate	JAFFAR KHAKI & SONS	IKI & SONS	JAFFAR	JAFFAR KHAKI & SONS	DS	ENGENPRISES		Jaffar	1	SO
DESCRIPTION	UNIT	QTY.	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITHOUT TAXES	WITHOUT TAXES AMOUNT	PRICE	WITH TAXES AMOUNT	PRICE	WITH TAXES AMOUNT	PRICE	AMOUNT	PRICE	AMOUNT
CIVIL WORKS														
Dismantling / Removal Works.														
Dismantling / Removal of existing Block/Brick masonary, projection sub floor cuting, chipping of plaster/floor.where required, Doors & windows with frame in any shape, iron grills, mosaic skirting, Dado & all sanitary fixtures, water & drainage line disposed off useless materials/debries outside the municipal limits and stack useable materials as decided by bank's engineer. complete in all respect.(Contractor must visit the site prior to quote the rate).Salvage material to be returned to landlord or Bank as the case may be.	qor	н	25000	25,000	14,630	14,630	17995	17,995	25000	25,000	-28%	-28%	%0	%0
Raised Flooring				1										
providing & laying of stone filling earthing work filling with stone/Crushed brick ballast upto 2' from Road Level. Levelling compaction complete in all	T-T-D	3500	20	175,000	38	133,000	47	164,500	55	192,500	%9-	%9-	10%	10%
Plain cement Concrete				£.										
Providing, laying, average 4" thick Flooring (1:3:6) at raised floor of 1250 psi compressive strength under any type of flooring using best Quality OPC/Sulphate Resistant cement and local aproved quality sand and crushed stone, form work and its removal, with necessary arrangements where required excluding base of tiles complete in all respects as per approval of bank's engineer. Cement: Falcon, Lucky Pakland, D.G Khan Sand: Hyderabad Bolair (Malir River/Hub Crush: Hub 3/4" and Kot Banglo for Interior Sindh	CFT	920	300	195,000	238	154,700	293	190,450	250	162,500	-2%	-2%	-17%	-17%
Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper	Nos	7	10000	70,000	2,695	18,865	3315	23,205	8500	005'65	-67%	-67%	-15%	-15%
entrance height upto 7' & making edges with cement rich mortar/plaster.														-
Termite Proofing				1										
Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area but he treated	SFT SFT	1500	20	30,000	15	22,500	18	27,000	20	30,000	-10%	-10%	%0	%0
Block / Brick Masonary works.				1										
Providing & laying Block / Brick masonary walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2-0" length on both sides of wall at every 3-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of	S 4- 4- 2- 14-													
4" thick Block Masonary internal walls (First class Machine made Blocks)	SFT	700	230	161,000	231	161,700	284	198,800	200	140,000	23%	23%	-13%	-13%
Plaster Works.				1										

4				•					•		SIGNAT	URE PC	SIGNATURE PC MEMBERS-SIMDH BANK LTD	MADH BA	INK LTD
1											CFO/Head	CFO/Head of Finance	Ch Ch	10/	1
#5	DESCRIPTION	UNIT	QTY.	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITHOUT TAXES	WITHOUT TAXES AMOUNT	PRICE	WITH TAXES AMOUNT	UNIT	WITH TAXES OF ACIDITIES ALLORINGING	OM INNIE	1108mount	PRICE	AMOUNT
	Providing & laying ³ / ₄ " thick cement sand plaster (Internal / External) with 1:4 cement sand mortar on walls, columns, beams, using best quality O.P.C, including 6" inches wide mesh at joints of structure with block masonary and over conduiting ,smooth trowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the existing walls) as per satisfaction of Architect / bank's	k k s s	2200	70	154,000	61	134,200	75	165,000	09	Director SMJU ₀	Director Works & Services		-14%	-14%
∞	Flooring, Elevation & Special Finishes.				٠										
	Providing and laying glazed full body Porcelain tiles 24" X 24" at floor, of approved design, colour and pattern, china bone colour or Master or equivalent full body porcelain , setting in Stile dry bond (with cement), with matching color imported Grout. Complete in all respect, including curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, and 4 inches wide skirting at walls of the same tiles as above mentioned, with 1:2:4 PCC 50 mm thick, etc. as per specifications and/or as directed by the Architect / Engineer (at any elevation)	T¥S	1250	380	475,000	270	337,500	332	415,000	400	200,000	%ET-	-13%	%5	%s
6	FALSE CELING														
	Gypsum Board (24"X24")				,										
	Providing & laying 8 mm thick gypsum board False Ceiling, 24" x 24" Elephant Brand or approved equivalent in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated, with groove, aluminum, "T" & "L" section with ceiling suspension system having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Bank's Engineer.	R	1250	210	262,500	59	81,250	08	100,000	175	218,750	-62%	-62%	-17%	-17%
10	Ceramic Tiles				-										
т	Toilet: Providing / Laying wash room tiles (HMD45-117 9"x17" SB for floor & walls upto 7 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.	F 8 2 3 3	300	370	111,000	231	008'69	284	85,200	400	120,000	-23%	-23%	%8	%8
٩	Kitchen/Pantry: Providing / Laying Pantry tiles (HMD38-50SF 9" x 17" SB for floor & walls upto 5 feet height (Master brand) or equivalent as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank pentineer.	F.	09	370	22,200	231	13,860	284	17,040	350	21,000	-23%	-23%	%5-	%5-
11	П														

SIGNATURE PC MEMBERS-SINDH BANK LTD

CFO/Head of Finance

	5		WITHOUT TAXES	UNIT	WITH TAXES	TIMO	SIGNAT CFO/Hea	SIGNATURE PC MEMB	SIGNATURE PC MEMBERS. SHADH BANK LTD CFO/Head of Finance County C	SHOHB	ANK LTD
TINO	QTY. WITH AMOUNT	TAXES	AMOUNT	PRICE	AMOUNT	PRICE	Mead of	M MIN	Adminiteration Mount	WITH	AMOUNT
RFT	35 900 31,500	900 616	21,560	758	26,530	750	Director Works & Servides Smith	Norks & S		Julius I	7,77
OZ	1 20000 20,000	23,100	23,100	28413	28,413	18000	18,000	42%	42%	-10%	-10%
SFT 1	126 1650 207,900	300 1,925	242,550	2368	298,368	1700	214,200	44%	44%	3%	%e
SFT 175	1250 218,750	750 1,848	323,400	2273	397,775	1050	183,750	82%	82%	-16%	-16%
Wrought from units for external windows, Ac Outers I in necessary) Approved design grills for all external windows & Ac Outers/Abrust fans (if required). The security grills will be installed from inside so that glass (if required). The security grills will be installed from inside so that glass (if required). The security grills will be installed from inside so that glass (if the visible from outside. MS Grill comprising of 1/2" solid square bars (if the visible from outside. MS Grill comprising of 1/2" solid square bars (if the visible from outside. MS Grill comprised on welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI,NIPPON, BERGER or equivalent) red (if the visible from the paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Eurther proper lockable grills with above specification will also be provided for all AC outdoor units. M.S DOOR on Emergency exit, ATM internal & Guard Post	833 124,950	950 847	127,050	1042	156,300	750	112,500	25%	25%	-10%	-10%
SFT S7	1450 82,650		35,112	758	43,206	1200	68,400	48%	-48%	-17%	-17%

	DESCRIPTION	UNIT	QTY.	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITHOUT TAXES	WITHOUT TAXES AMOUNT	PRICE	WITH TAXES AMOUNT	PRICE	WITH TAXES AMOUNT	PRICE	AMOUNT	PRICE	AMOUNT
1 2 2 7	Providing and laying 20mm thick Marble of approved quality and size on any type of flooring straight or curved, as per drawings, laid with cement slurry over cement sand mortar (1:4), including filling of joint with SFT	SFT	20	370	18,500	1,078	53,900	1307	058'59	350	17,500	253%	253%	-2%	%5-
2 6	grouting material, rubbing, rounding and final chemical polish etc,														
10	22 Water Proofing Work				,										
12	Providing & laying of water proofing at roof top, cost include P.C.C	Sft	1250	150	187,500	09	75,000	74	92,500	125	156,250	-51%	-51%	-17%	-17%
~	chemicals, sealant complet in all respect														
-	Amount without taxes						2,555,776								
-	ADD:Taxes Amount						587,824								
1	TOTAL CIVIL WORKS	DRKS			2,911,900		3,143,600		3,143,600		2,739,750		%8		%9-

CFO/Head of Finance	
Head of Administration	The form
Director Works & Services SMIU	riges rommm)

SIGNATURE PC MEMBERS-SINDH BANK LTD

CFO/Head of Finance ________

Read of Administration

Renovation Works- Khurah Sharif Branch Gambat

BILL OF QUANTITY

30

WITH TAXES AMOUNT -15% -13% .19% .16% -12% .12% DS UNIT PRICE -15% -19% -16% -12% -15% -13% WITH TAXES AMOUNT 235% -40% -74% -41% -75% 13% JAFFAR Director Works & Services UNIT PRICE
WITH TAXES -41% -75% 235% -74% 40% 13% 39,000 44,000 10,500 3,750 4,300 14,000 WITH TAXES AMOUNT DS ENTERPRISES 39,000 14,000 22,000 10,500 UNIT PRICE
WITH TAXES 1,250 2,150 13,260 11,365 9,471 14,208 7,577 5,682 WITH TAXES AMOUNT JAFFAR KHAKI & SONS UNIT PRICE
WITH TAXES 6,630 11,365 9,471 4,736 7,577 2,841 9,240 7,700 10,780 6,160 11,550 WITHOUT TAXES
AMOUNT 4,620 JAFFAR KHAKI & SONS 9,240 7,700 5,390 6,160 2,310 WITHOUT TAXES 3,850 UNIT PRICE 44,244 16,000 54,000 12,555 4,239 5,048 WITH TAXES AMOUNT **Engineering Estimate** UNIT PRICE
WITH TAXES 2524 44,244 16,000 27,000 12,555 1,413 -1 2 QTY LIND Nos. Nos Nos Nos. Nos. Nos. Provide & fix approved quality chromium plated towel rails 750mm x brass chain, 40mm (1 1/2") C.P brass waste, pillar tap 2 way deluxe, 40 made Flushing tank, SONEX tee stop cock for cistern water inlet and C.P equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets providing and fitting Glazed earthen ware water closet, squatter type chain, 1.5" dia. P.V.C (D type) waste pipe connections to water lines, tee waste pipe waste coupling , plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as Provide & fix uPVC floor drains of 4" dia of make Nikkassi or approved C.P cover, peripheral drains with or without a vent arm. Make requisite "MASTER (Royal)", hinged double bacolite seat and cover of best quality, all joints to services and drains, plugging and screwing as necessary to the (Orisa pattern), combined with foot rest, Best Quality including Plastic white colour "SONEX"/ "MASTER" waste coupling, plug with C.P brass stop cock for cold and hot water inlet connector with nuts and fitting Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or 150mm (6") built in wall, 40mm(1 1/2") rubber plug & chrome plated mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions Providing and fixing European type ceramics ware coupled water closet (PORTA) or equivalent , white / light colour, including 3 gallons cistern P/S trap, C.P tee stop cock with wall cups, connection pipes, "SONEX" structure and make good the same, complete in all respect as pe connector with nuts and fitting, approved other ancillary materia providing and fixing Wash hand Basin Vanity type, PORTA or equivalen Make requisite holes in walls & floor for pipe connections & make goo equivalent, having minimum guaranteed 2" water seal with screw down holes in walls, floor for pipe connections & make good with approve 20mm (30"x3/4") with brackets and C.P screws. (Taiwan make) naterial, including SS drain / grating with side perforation. DESCRIPTION with approved material. (with SONEX fittings). pecifications and drawings. mnlete in all respect Plumbing Works S.No. 1(a) (p) 2

585 1,170 385 770 474 948 700 5475 1,0950 1,540 3,080 1,894 3,788 4,500 4890 9,780 2,319 4,638 2,841 5,682 5,000 5500 5,500 1,540 1,540 1,894 6,000 5500 1,540 1,540 1,894 6,000 6,000 1,540 1,894 6,000	S.No.	DESCRIPTION	UNIT	ΔĪΔ	Engineerir	Engineering Estimate	JAFFAR KHAKI & SONS	d & sons	JAFFAR KH	JAFFAR KHAKI & SONS	DS ENTERPRISES	PRISES	JAF	JAFFAR		SQ
Provide & fire p case dish of approved quality with C P screws. (Master Nos. 2 5445 10,950 1,540 3,080 1,694 3,788 700 1,694 1,690 1,694 1,690 1,694 1,694 1,690 1,694 1,694 1,696 1,694 1		Provide and fix approved quality C.P toilet paper holders and coat hook.	Nos.	2	1170	2,340	077	1,540	947	1,894	1,000	2,000	-19%	-19%	-15%	-15%
Provide and fix Muslim Showers manufactured by Master/Sonex of equivalent, complete with stop cock and controlled spray head (White color) Providing and fixing 15 mm dia CP. mixer with CP pipe 15 mm dia, of the connections, all fittings. Estating ext. (Mixer spin controlled spray head (Mixer) Richen Sink Mixer For Wash basin Richen Sink Mixer Providing, Thing, Jointing and testing Polypropylene Random (PPR) pipes may be a performed equal or color or col		Provide & fix p soap dish of approved quality with C.P screws. (Master/Sonex)[White color)		2	585	1,170	385	770	474	948	700	1,400	-19%	-19%	20%	20%
Providing and fixing 15 mm dia CP: mixer with CP pipe 15 mm dia, of Master, Sonix or approved equal complete including pipe connections, all Nos. 2 4890 9,780 2,319 4,638 2,841 5,682 5,000 For Wash basin ext. White color Nos. 1 5500 5,500 1,540 1,594 1,894 5,000 For Wash basin ext. White color Nos. 1 5500 5,500 1,540 1,594 1,894 5,000 For Wash basin ext. White color Nos. 1 5500 5,500 1,540 1,594 1,894 5,000 For Wash basin ext. White color Nos. 1 5500 5,500 1,540 1,594 1,894 5,000 For Wash basin ext. White color Nos. 1 5,682 5,000 For Wash basin ext. White color Nos. 1 5,682 5,000 For Wash basin ext. White color Nos. 1 5,682 5,000 For Wash basin ext. White color Nos. 1 5,682 5,000 For Wash basin ext. White color Nos. 1 5,682 5,000 For Wash basin ext. White color Nos. 1 5,682 5,000 For Wash basin ext. White color Nos. 1 5,682 5,000 For Wash basin ext. White color Nos. 1 5,682 5,000 For Wash basin ext. White color Nos. 1 5,682 5,600 For Wash basin ext. White color Nos. 1 5,682 5,600 For Wash basin ext. White color Nos. 1 5,682 5,600 For Wash basin ext. White color Nos. 1 5,682 5,600 For Wash basin ext. White color Nos. 1 5,682 5,600 For Wash basin ext. White color Nos. 1 5,682 1,692 For Wash basin ext. White color Nos. 1 5,600 For Wash basin ext. White color Nos. 1 5,600 For Wash basin ext. White color Nos. 1 5,600 For Wash basin ext. White color Nos. 1 5,600 For Wash basin ext. White color Nos. 1 5,600 For Wash basin ext. White color Nos. 1 5,600 For Wash basin ext. White color Nos. 1 5,600 For Wash basin ext. White color Nos. 1 5,600 For Wash basin ext. White color Nos. 1 5,600 For Wash basin ext. White color Nos. 1 5,600 For Wash basin ext. White color Nos. 1 5,600 For Wash basin ext. White colo		Provide and fix Muslim Showers manufactured by Master/Sonex or equivalent, complete with stop cock and controlled spray head.(White color)		2	5475	10,950	1,540	3,080	1,894	3,788	4,500	000'6	-65%	%S9-	-18%	-18%
Nos. 2 4890 9,780 2,341 5,682 5,000		Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or approved equal complete including pipe connections, all fathers received and Making colon.														
Nos. 1,540	T	For Wash basin	Nos.	2	4890	9,780	2,319	4,638	2,841	5,682	2,000	10,000	-42%	-42%	7%	2%
rft - 140 180 25,200 62 8,680 76 10,640 150	IT	Kitchen Sink Mixer	Nos.	1	2500	5,500	1,540	1,540	1,894	1,894	000′9	000'9	%99-	%99-	%6	%6
Dia 1-1/2" rft		Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent pressure pipe for cold/hot water as per DIN 8077-8078, PN-20 for pipes and DIN 16962, PN-25 for fittings foolyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof side or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. Job also includes making Water Connection to existing Water supply system.													Pr	
/4" - rft - 140 180 25,200 62 8,680 76 10,640 150	1	Dia 1-1/2"	Ŧ													
Dia1" rft 140 180 25,200 62 8,680 76 10,640 150		Dia 1-1/4"	T,			,										
		Dia 1"	ıft	140	180	25,200	62	8,680	92	10,640	150	21,000	-58%	-58%	-17%	-17%
200 160 32,000 67 13,400 82 16,400 130		Dia 3/4"	Ŧ	200	160	32,000	29	13,400	82	16,400	130	26,000	-49%	-49%	-19%	-19%

SIGNATURE PC MEMBERS, SINDH BANK LTD
CFO/Head of Finance
Head of Administration
Director Works & Services
SMIU

S.No.	DESCRIPTION	TINO	ΔIV	Engineering Estimate	g Estimate	JAFFAR KHAKI & SONS	& sons	JAFFAR KHAKI & SONS	KI & SONS	DS ENTE	DS ENTERPRISES	¥r	JAFFAR	<u> </u>	SQ
10	Provide and fix of Gate valve, Threaded ends, bronze body with union bonnet, non-rising stem and wedge disc. suitable for 8.5 bars SWP and 250 deg. F., manufactured by KITZ (Japan) or approved equivalent.														
-	Dia 1 1/2"	Nos.													
=	Dia 11/4"	Nos.	,												
	Dia 1"	Nos.	1	3000	3,000	770	770	947	947	2,500	2,500	%89-	-68%	-17%	-17%
Т	Dia 3/4"	Nos.													
T	Dia 1/2"	Nos.													
	Provide and fix cast UPVC pipes(AGM/dadex /vebro turkey Brand) including fittings such as tees, elbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste and vent pipes as embedded in floor and walls or suspended from slab or clamped to wall including plaugsm hangars, beds, Tees, Yees, Include for making requiste number of holes in walls and floors where required and making good the same as necessary to the structure labeling, testing to 6.5 feet water height complete. Job also includes making Sewer Connection to existing Sewerage disposal system.													*	
	Dia 2"	Ŧ													
:=	Dia 3"	£	40	350	14,000	69	2,760	85	3,400	400	16,000	-16%	-16%	14%	14%
	Dia 4"	£	40	200	20,000	69	2,760	82	3,400	290	23,600	-83%	-83%	18%	18%
12	Provide and construct gully trap with 12"x12" cast iron frame and cover, including excavation, backfilling, masonry, plaster internally and externally vitreous China trap etc. complete and approved by the Engineer.	Nos.	1	4,500	4,500	3,850	3,850	4,736	4,736	4,000	4,000	2%	2%	-11%	-11%
13	Provide and construct man holes for sewer with 24"x24" C.I frame and cover (40kg) including 8" Masonry, puddio plaster internally and externally up to depths; shown on drawings and approved by the Engineer. PCC 1:2:4 base slab, benching with 1:3 cement sand mortar including 24" dia manhole cover, frame and rungs, complete in all respect.	Nos.	1	6,500	6,500	2,310	2,310	2,948	2,948	9,000	6,000	%95-	-55%	%8-	%8-
	Amount without taxes						96,130								
	ADD:Taxes Amount						22,110								1000
	TOTAL				271,026		118,240		118,240		243,050		-26%		-10%



U				Engineerin	Engineering Estimate	JAFFAR KHAKI & SONS	KI & SONS	JAFFAR KI	JAFFAR KHAKI & SONS	DS EN	DS ENTERPRISES	JAF	JAFFAR		DS
S.No.	DESCRIPTION	UNIT	QTY	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITHOUT TAXES	WITH OUT TAXES AMOUNT	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	PRICE WITH TAXES	WITH TAXES AMOUNT
Z	INTERNAL WIRING														
1	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be	Nos.	9	0059	39,000	1,155	6,930	1421	8,526	2,000	42,000	%81-	-78%	8%	%8
2	Providing, Installation, testing and commissioning of wiring of Three light points controlled by one switch and wired with 3x1.5 mm sq. PVC	Nos.	22	2500	121,000	1,155	25,410	1421	31,262	4,500	000'66	-74%	-74%	-18%	-18%
e a	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4mm2+1x2.5mm² CU/PVC	Nos.	5	7500	37,500	616	3,080	758	3,790	8,000	40,000	%06-	%06-	%/	7%
4	Providing & wiring of 1.3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	2	7500	37,500	616	3,080	758	3,790	6,250	31,250	%06-	%06-	-17%	-17%
2	Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.	Nos.	7	0009	42,000	693	4,851	852	5,964	2,000	35,000	%98-	%98-	-17%	-17%
9	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	25	8500	42,500	663	3,465	852	4,260	056'9	34,750	%06-	%06-	-18%	-18%
7	Confirming to same specification as mentioned above in item A-09, but outlet to outlet wiring. Complete in all respect.	Nos.	7	7000	49,000	616	4,312	758	5,306	5,750	40,250	%68-	%68-	-18%	-18%
∞	Providing installing & wiring for Split A/C's unit from distribution board to respective 1-3 pin 16 Amps switch socket, wired with 2x6mm² + 1x4mm² 1 core CU/PVC cable	Nos.	5	11500	57,500	1,155	5,775	1421	7,105	10,500	52,500	%88-	%88-	%6-	%6-
6	Sign Board Wiring as same as above	Nos.	1	11500	11,500	7,700	7,700	9471	9,471	008'6	008'6	-18%	-18%	-15%	-15%
0,	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent 6" dia	Nos.	58	1950	113,100	924	53,592	1137	65,946	1,950	113,100	-42%	-42%	%0	%0

SIGNATURE PC MEMBERS-SINDH BANK LTD
CFO/Head of Financhan
Head of Administration
Director Works & Services

S.No.	DESCRIPTION	TIND	QTY	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITHOUT TAXES	WITH OUT TAXES AMOUNT	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT
11	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, louvers, all necessary fixing accessories,				9										
ij	Bracket fan wall Guard Room	Nos.	2	8500	17,000	13,850	27,700	17048	34,096	7,500	15,000	101%	101%	-12%	-12%
(ii)	Exhaust Fan 12" dia Wash room 2 & Kitchen 1	Nos.	3	9200	19,500	11,550	34,650	14207	42,621	2,500	16,500	119%	119%	-15%	-15%
1.3 T	13 TELEBUANE CYCTEM				1 1										
	Providing & wiring of each Telephone socket outlet in preinstalled outlet boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDIT USA in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false celling or as required as per site conditions, complete with all conduit & wiring accessories including RJ-45 IOS & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall.	Nos.	Q	8500	51,000	616	3,696	758	4,548	006'9	41,400	-91%	-91%	-19%	-19%
					1										
13. CC	13. COMPUTER NET WORKING SYSTEM				1										
	Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M / PANDUIT USA in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per darwing. and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement)	Nos.	∞	8500	68,000	616	4,928	758	6,064	8,000	64,000	-91%	-91%	%9-	%9-
14	Providing & installation of Main cable 4 core 25 mm2 from Meter to Main DB	Mtr	25	3500	87,500	539	13,475	663	16,575	3,700	92,500	-81%	-81%	%9	%9
15	Providing & instllation of 24 port 3M patche panel	Nos.	1	35000	35,000	770	770	947	947	28,500	28,500	%26-	-97%	-19%	-19%
15		dol	1	82000	85,000	077	770	006	0006	70,000	70,000	%66-	%66-	-18%	-18%
	Amount without taxes						204,204								
	ADD:Taxes Amount				1		49,967								
	Total - Electrical works				913,600		254,171		251,171		825,550		-73%		-10%

SIGNATURE PC MEMBERS-SINDH BANK LTD
CFO/Head of Finance
Head of Administration
Director Works & Services
SMIU

				Engineerin	Engineering Estimate	JAFFAR KHA	JAFFAR KHAKI & SONS	JAFFAR KI	JAFFAR KHAKI & SONS	DS ENT	DS ENTERPRISES	JAF	JAFFAR		DS
#5	DESCRIPTION	TINO	QTY. W	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITHOUT TAXES	WITHOUT TAXES AMOUNT	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT
1	Installation of Split Air Conditioners (SAC) including USA														
	a) 1.0 Ton SAC	Nos	1	5,500	5,500	3,850	3,850	4,773	4,773	6,325	6,325	-13%	-13%	15%	15%
		Nos	4	5,500	22,000	2,310	9,240	2,841	11,364	6,325	25,300	-48%	-48%	15%	15%
	c) 2.0 Ton SAC	Nos			1										
2	Estimate additional copper piping with insulation for split units make(Muller) (charged as per final measurement on site). The return and supply copper tubing to be sized as per manufacturer's recommendation and to be drawn in separate Aeroflex insulators with gray tape.	ŧ	250	950	237,500	539	134,750	663	165,750	850	212,500	-30%	-30%	-11%	-11%
3	Provide & fix UPVC, 1-1/4" dia and 1" dia pipe, Beta or popular, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with PVC fittings such as tees, elbows, unions, reducers, sockets, Teflon tape for jointing, hangers, supports, sleeves, including testing and commissioning and insulation with Aero flex insulation.	ŧ	200	200	40,000	72	5,400	33	9,600	170	34,000	-84%	-84%	.15%	-15%
					1										
					1										
4	Providing and installing M.S angle iron brackets, treated with	Set	5	2,500	12,500	2,310	11,550	2,841	14,205	2,050	10,250	14%	14%	-18%	-18%
	Amount without taxes						164,790								
	ADD:Taxes Amount						37,902								
	TOTAL CIVIL WORKS	KC			317 500		203 603		202 692		288 375		-36%		%6-

SIGNATURE PC MEMBERS-SINDH BANK LTD
CFO/Head of Finance
Head of Administration
Director Works & Services

-	Items			Engineerin	Engineering Estimate	JAFFAR KHAKI & SONS	I & SONS	JAFFAR K	JAFFAR KHAKI & SONS	DS EN	DS ENTERPRISES	JAF	JAFFAR	_	DS
			QTY	UNIT PRICE WITH TAXES	WITH TAXES	UNIT PRICE WITHOUT TAXES	WITHOUT TAXES AMOUNT	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	UNIT PRICE WITH TAXES	WITH TAXES AMOUNT	PRICE WITH TAXES	WITH TAXES AMOUNT	DNIT PRICE WITH TAXES	WITH TAXES AMOUNT
4 3	All wooden Furniture (Chairs +tables+02 Cash Counters, wooden cabinets 04)	dol	1	55,000	55,000	30,000	30,000	36,900	36,900	20,000	20,000	-33%	-33%	%6-	%6-
4 -	All Steel Items (Vault Room Door, Safe+cabinets+SS Card Trolley+Fire Almrah)		1	130,000	130,000	30,000	30,000	36,900	36,900	125,000	125,000	-72%	-72%	-4%	-4%
12	Main DB	lob	1	20,000	20,000	10,000	10,000	12,300	12,300	18,000	18,000	-39%	-39%	-10%	-10%
1	UPS DB	lob	1	15,000	15,000	12,000	12,000	14,760	14,760	13,500	13,500	-5%	-2%	-10%	-10%
1=	IT Rack & Patch Panel(with 9 new IOS 3M)	lob	1	20,000	20,000	20,000	20,000	24,600	24,600	17,500	17,500	23%	23%	-13%	-13%
1	Main Cable 4 core 16mm2	lob	1	15,000	15,000	2,000	5,000	6,150	6,156	12,500	12,500	-29%	-29%	-17%	-17%
4	Amount without taxes						107,000					-			
1	ADD:Taxes Amount						24,616								
-	Total				255,000		131,616		131,616		236,500		-48%		-1%

Comment of the Commen

	Statu	Status of Firm		Experience in of v	Experience in similar nature of work		Average Turn Over Last Five Years	Average Turn Over in Last Five Years		2	
	Tota	Total Points	Points Obtained	Total	Total Points	Points Obtained	Total	Total Points	Points Obtained	Grand Total	Qualified (70%) marks / Disqualified
S.No Contractors	Private Limited / Partnership	Sole Propietorship		One similar nature work having minimum cost 80% of the estimated cost	Two similar nature work having minimum cost 50% of the estimated cost		7 million & Above	4.67 million & Above			
	20	15		40	30		40	25			
1 DS Enterprises		15	15	40		40		25	25	80	Qualified
2 Jaffar Khaki & Sons Construction Company		15	15		0	0	40		40	55	Disqualified
Acquiring of 70% marks is mandatory for qualification in evaluation criteria	or qualification	in evaluation cr	iteria								
Members Signature- Evaluation Team Matrier tobal Admin Division	Hasan Raza C	A. no							22		
Members Signature- Procurement Committee	91										
Dilshad Hussain Khan Chief Financial Officer											
Arshad Abbas Soomro Head of Adminstration	Mumming	2									
Director Works & Services (SMIU)		7									



M/S Jaffar Khaki & Sons

Construction Const

CFO/Head of Finance FINANCIAL BID FORM/PRICE SCHEDULE

ITo be signed & stamped by the Bidder and reproduced on the letter head. To be attached with

Director Works & Services (Applicable for the year 202

Name of Bidder:

ESTIMATE FOR RENOVATION WORKS- KHUHRA SHARLF BRANCH SINDH BANK LTD

PRICE SCHEDUL

Area 2450 sft

-		
S#	DESCRIPTION	AMOUNT
A	CIVO WORKS	RS.2555778/=
В	PLUMBING WORKS	RS.96130/=
C	ELECTRIAL WORKS	RS.204204/=
D	HVAC	RS.164790/=
£	Removal & Shifting of Items from Qila Deedar Singh Br & Justaliation at Khora Sharif Br Gambat	RS.107000/=
SUE	TOTAL COST	RS.3127902/=
-	TAX AMOUNT	÷ RS.719417.46
TOT	TAL RENOVATION COST	(RS.3847319.46)
-	The state of the s	

*Crand Total: This total amount will be considered as only the "Bid Offered". Whereas be apprised that the successful bidder will be the one whose "Evaluated Bid" is the most advantageous bid. (For further clarification refer Note 8, below)

- The branch has to be hunded over in 60 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- The cost must include all applicable taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges. No covance payment will be made, bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager & Project Manager. Calculation v. Ed security.?% of the *Total Estimated Cost (2% of Rs. 4,659,026/- =Rs. 93,380/-) will be submitted with the tender document as bid security.
- In case it is revised at any stage after the completion of work that the asked specification of the tender have not been met, the amount of this specific item as finer usual contractor with appropriate action as deemed necessary by the procurement committee.
- In case of any construction arising in respect of quarty of the items, the company will be liable to address if at his own cost, non-compliance of the same will result in o intitude of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.

 Alterms and condition of Agreement (IED Section 7.8) are part of Lender Document.
- Most Ari rantageous bid is ening to be the criteria for award of contract rather than considering the lowest offered bid, encouragesting the lowest whole sum cost which the producing agency has to pay for the services/item duration the contract period. SPPRA Rule 49 may plus be referred. The successful biddet Willie the cree whose two surface of costs the lowest. As it is package tender, so no partial lowest cost will be considered for award of any work. Payment will be made as our the scheduled attached as Annexure "I".

10. The successful builder has to deposit 2% refention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money/performance security will be released after 3 months of completion of tender assigned job and after due receipt of letter of satisfaction from concerned Branch Manager,

11. Signing of Integrity Pact on Rs. Stamp Paper Affidavit is mandatory.

We, here by accept all the terms and conditions as given above.

(Signature of hidder with name, Designation and Company Seal) Dated:

M/S JAFFAR KHAKI & SONS CONSTRUCTION COMPANY



M/S Jaffar Khaki & Sons
Construction Constru

CFO/Head of Finance

Head of Administration.

mmy

BILL OF QUANTITY
Renovation Works - KHUHRA Sharif Branch Gambat

S#	DESCRIPTION	UNIT	QTY.	RATE	THUCMA
A	CIVIL WORKS				
1	Dismantling / Removal Works.				
	Dismantling / Removal of existing Block/Brick masonry, projection, sub floor cutting, chipping of plaster/floor where required, Doors & windows with frame in any shape, Iron grills, mosaic skirting, Dado & all sanitary fixtures, water & drainage line disposed of useless materials/debris outside the municipal limits and stack useable materials as decided by bank's engineer. Complete in all respect. (Contractor must visit the site prior to quote the rate). Salvage material to be returned to landlord or Bank as the case may be.	Job	1	14630	14,630
2	Raised Flooring				
	Providing & laying of stone filling earthling work filling with stone/Crushed brick ballast upto 2' from Road Level. Leveling compaction complete in all respect	CFT	3500	38	13,3000
3	Plain cement Concrete				
	Providing, laying, average 4" thick Flooring (1:3:6) at raised floor of 1250 psi compressive strength under any type of flooring using best Quality OPC/Sulphate Resistant cement and local approved quality sand and crushed stone, form work and its removal, with necessary arrangements where required excluding base of tiles complete in all respects as per approval of bank's engineer. Cement: Falcon, Lucky Pakland, D.G. Khan or equivalent best quality Sand: Hyderabad Bolari /Malir River/Hub Crush: Hub 3/4" and Kot Banglo for Interior Sindh	CFT	650	238	154700
4	Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height up to 7' & making edges with cement rich mortar/plaster.	Nos	7	2695	18865
5	Termite Proofing				
	Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated.	SFT	1500	15	22500
6	Block / Brick Masonry works.				
	Providing & laying Block / Brick masonry walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' It height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor heams, complete in all respect as per drawing, specifications, to the satisfaction of Architect /bank's engineer.				
1.1	4" thick Block Masonry internal walls compressive strength 1000 psi (First class Machine made Blocks)	SFT	700	231	161700
	Plaster Work				
	Providing & laying "/4" thick cement sand plaster (internal / External) with 1.4 certient sand mortar on walls, columns, beams, using best quality O.P.C. including 6" inches wide mesh at joints of structure with block masonry and over conduits, smooth frowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the existing walls) as per satisfaction of Architect / bank's engineer.	SFT	2200	61	134200

MIS JAFFA



M/S Jaffa SIGNATURE PC MEMBERS SINDLE ANK LTD CONSTRUCTION COMPONING

	Flooring, Elevation & Special Finishes.	Director Works & :	Servi	çes	man	1
	Providing and laying glazed full body Porcelain tiles 24" X 24" at floor, of colcur and pattern, bone colour Master or equivalent of best quality, setting in Stile dry bond (with cement), with matching color imported Complete in all respect, including curing, cleaning, finishing & ha existing surface for bonding where necessary, and 4 inches wide skirt same tiles as above mentioned, with 1:2:4 PCC 50 mm thick, etc. as and/or as directed by the Architect / Engineer (at any elevation)	approved design, full body percelain Grout. cking/chipping of ing at walls of the	SFT	1250	270	337500
9	FALSE CELING					
	Gypsum Board (24"X24")					
	Providing & laying 8 mm thick gypsum board False Ceiling, 24" x 24 or approved equivalent of best quality in straight, curved, tiles or multi shown on drawing section, fixed with imported powder coated, with grd T" & "L" section with ceiling suspension system having provisions for liq Complete in all respect as per drawing and instruction of Bank's Engineer	ple profiles, as bove, aluminum, " ght and AC grill.	SFT	1250	65	81250
10	Ceramic Tiles					
a	Toilet:Providing / Laying wash room tiles (HMD45-117 9"x17" SB for feet height (Master brand) or equivalent best quality as per approved pattern with 2" thick base concrete including grouting of joint with marmaterial of Stile, complete in all respect as per satisfaction of Archite	I shade & layout	SFT	300	231	69300/=
b	Kitchen/Pantry:Providing / Laying Pantry tiles (HMD38-50SF 9" x 17" upto 5 feet height (Master brand) or equivalent best quality as per application with 2" thick base concrete including grouting of joint with a partial of Stile, complete in all respect as per satisfaction of Archite	proved shade & with matching grout	SFT	60	231	13860/=

11	Marble				
	Providing & fixing pre polished 3/4" thick Marble Top quality with approved size and shade over 2" thick pre cast RCC slab including 1/2" thick gola, grouting and jointing including cost of cutting of marble for basin and sink bowl including filling with silicone around joint of marble complete in all respect as per satisfaction by the engineer.				1.73
	Pantry Counter Top (Boticina)	SFT	20	130	2600
12	WOODEN CABINETS				14
	Kitchen Cabinets				
а	Lower Unit: Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick laminated board (Furniture color) of SONEX, Noor or equivalent best quality on front shutter and drawers, Dark grey on internal box and shelves molding 1/2"x3/4" including nails, screws, botts, imported hinges, catchers, ccks, handles, 3 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tites above 4" thick P.C.C. floor platform complete in all respects as per drawings and as directed by the bank's Engineer, all kind of best quality hardware's, spring hinges, SS handles, "ocks etc. Complete in all respects."	SFT	18	1078	19404
b	Upper Unit: Provioing, fabricating and fixing in position pantry cabinets 12" fleep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, At. Noor or equivalent best quality on front shutter and drawers, Dark grey on internal box and shelves molding 1/2" 3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment compute in all respects as per drawings and as directed by the pank's Engineer.	SFT	20	1073	21560



M/S Jaffar Khad of Fin Rein Head of Administration

SIGNATURE PC MEMBERS-SINDH BANK LTD

		Vorks &	Service	MM	med/V
	Providing and applying, 3 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent best quality of approved colour and shade, at any floor & at any height cver one coat				_
	of primer and making smooth and even surface by applying ICI Paintex base or equivalent best quality filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's	SFT	3500	69	241500
	WOODEN DOOR / FRAME / CHOWKAT /Beading				
14					
а	DOOR FRAME: Providing and fixing of required width, 16 SWG, GI door frames for Toilets, kitchen, stores & cash counter with polishing, including Lintels, hold fasts, where ever required, complete in all respect including painting / polish with proper beach / diyar wood beading.	NO	5	11550	57750
b	SKIN DOORS, 1-1/2 inches thick (for Toilets, Kitchen, stores) Provide and install doors consisting of best quality skin, pressed over best quality treated partial wood framing, with approved quality of door locks, handle, tower bolt, hold fast, stopper, hardware and paint /polish, complete in all respect.	SFT	105	1617	169785
15	Wooden Hanging Beams.				
	Providing & fixing in position wooden Beams for support to fix glass and glass door consisting of 1 1/2 x3" @ 2'-0" c/c partal wood framing and 1/2" MDF Lasani board best quality on both sides including nails, bolts, glue wastage, wood preservative, treatment & 3 coats of paint complete in all respect as per drawings and as directed by Bank's	RFT	35	616	21560
16	INSTALLATION OF VAULT ROOM DOOR				
	Lifting & Fixing charges of Bank's supplied Vault / Locker Doors, welding of door frame with RCC MS bars, and to facilitate the Vendors. Complete in all respects.	NO	1	23100	23100
17	GLASS DOOR (BM Cabin, ATM front)				
	Providing, fabrication & fixing 12 mm thick glass door with top & bottom locking system, 4" Aluminum D-48 by Lucky or equivalent best quality section, with 12mm thick clear glass with frost film and Bank's monogram, Approved Ajrak film, with gasket size and shape as shown on drawing, including polts, D lock, nuts, screws aluminum channel, handle, floor machine (New Star or equivalent best quality), locks etc. Complete in all respects as directed by Engineer.	SFT	126	1925	242550
18	GLASS PARTITION				
.5	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS- 304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects	SFT	175	1848	323400
.5	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS- 304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects	SFT	175	1848	323400
	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear	SFT	175	1848	323400
	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS- 304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects Wrought Iron Grills for external windows, AC	SFT	175	1848	
19	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects Wrought Iron Grills for external windows, AC outers (If necessary) Approved design grills for all external windows & Ac Outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI, NIPPON, BERGER or equivalent best quality) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with				323400 127050
19	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS- 304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects Wrought Iron Grills for external windows, AC outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI, NIPPON, BERGER or equivalent best quality) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units. M.S DOOR on Emergency exit, ATM internal & Guard Post				
19	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects Wrought Iron Grills for external windows, AC outers (If necessary) Approved design grills for all external windows & Ac Outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI, NIPPON, BERGER or equivalent best quality) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units.				127050
19	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS- 304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects Wrought Iron Grills for external windows, AC outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI, NIPPON, BERGER or equivalent best quality) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units. M.S DOOR on Emergency exit, ATM internal & Guard Post Fabricating, providing and fixing MS door with 16 S.W.G.M.S 3/4" square pipe, 16 SWG MS sheet pressed over this frame including metal door frame, at both sides, sheet frame painted with approved enamel color including 2'x 5" eye level opening with proper MS shutter of 16 swg			847	
	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects Wrought Iron Grills for external windows, AC outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI, NIPPON, BERGER or equivalent best quality) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units. M.S DOOR on Emergency exit, ATM internal & Guard Post Fabricating, providing and fixing MS door with 16 S.W.G.M.S 3/4" square pipe, 16 SWG MS sheet pressed over this frame including metal door frame, at both sides, sheet frame painted with approved enamel color including 2'x 5" eye level opening with proper MS shutter of 16 swg sheet to look outside. including best quality hinges, locks. handles, hold fasts and other	SFT	150	847	127050
19	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects Wrought Iron Grills for external windows, AC outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI, NIPPON, BERGER or equivalent best quality) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units. M.S DOOR on Emergency exit, ATM internal & Guard Post Fabricating, providing and fixing MS door with 16 S.W.G.M.S 3/4" square pipe, 16 SWG MS sheet pressed over this frame including metal door frame, at both sides, sheet frame painted with approved enamel color including 2'x 5" eye level opening with proper MS shutter of 16 swg sheet to look outside. including best quality hinges, locks. handles, hold fasts and other necessary hardware etc. size as per site. Complete in all respects as per drawing attached	SFT	150	847	127050
19	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects Wrought Iron Grills for external windows, AC outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI, NIPPON, BERGER or equivalent best quality) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units. M.S DOOR on Emergency exit, ATM internal & Guard Post Fabricating, providing and fixing MS door with 16 S.W.G.M.S.3/4" square pipe, 16 SWG MS sheet pressed over this frame including metal door frame, at both sides, sheet frame painted with approved enamel color including 2'x 5" eye level opening with proper MS shutter of 16 swg sheet to look outside. including best quality hinges, locks. handles, hold fasts and other necessary hardware etc. size as per site. Complete in all respects as per drawing attached nerewith, specifications and as directed by the Bank.	SFT	150	847	127050
19	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects Wrought Iron Grills for external windows, AC outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI, NIPPON, BERGER or equivalent best quality) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units. M.S DOOR on Emergency exit, ATM internal & Guard Post Fabricating, providing and fixing MS door with 16 S.W.G.M.S 3/4" square pipe, 16 SWG MS sheet pressed over this frame including metal door frame, at both sides, sheet frame painted with approved enamel color including 2'x 5" eye level opening with proper MS shutter of 16 swg sheet to look outside. including best quality hinges, locks, handles, hold fasts and other necessary hardware etc. size as per site. Complete in all respects as per drawing attached nerewith, specifications and as directed by the Bank. MARBLE AT ENTRANCE/Stair STEPS Providing and laying 20mm thick Marble of approved quality and size on any type of flocring straight or curved, as per drawings, laid with cement slurry over cement sand monar (1:4), including filling of joint with grouting material, rubbing, rounding and final chamical polish ctc, including filling of joint with grouting material, rubbing, rounding and final chamical polish ctc.	SFT	150	616	127050 35112

Head Office: House # 314, 315 Sectors, Falls Society Memon Goth Karachi.

TOTAL CIVIL WORKS



SIGNATURE PC MEMBERS-SINDH BANK LTD

M/S Jaffar Kna

Construction, Company

S.No	DESCRIPTION	UNIT	QTY	Enginee	r Estimate
•	PLUMBING WORK			RATE	AMOUNT
1(a)	Providing and fixing European type ceramics ware coupled water closet, (PORTA) or equivalent best quality, white / light colour, including 3 gallons cistem, P/S trap, C.P tee stop cock with wall cups, connection pipes, "SONEX", "MASTER (Royal)" or equivalent best quality, hinged double bacolite seat and cover of best quality, all joints to services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings.	Nos	1	9240	9240
(b)	Providing and fitting Glazed earthen ware water closet, squatter type (Orisa pattern), combined with foot rest, Best Quality including Plastic made Flushing tank, SONEX or equivalent best quality tee stop cock for cistern water inlet and C.P connector with nuts and fitting, approved other ancillary	Nos	1	7700	7700
2	Providing and fixing Wash hand Basin Vanity type, PORTA or equivalent best quality white colour "SONEX"/ "MASTER" or equivalent best quality waste coupling, plug with C.P brass chain, 1.5" dia.P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, waste pipe waste coupling, plugs with chain other ancillary material C.P grating including C.P bcttle trap, testing etc. complete in all respect and as directed by the Engineer.	NOS	2	5390	10780
	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubbor plug & chiome plated brass chain, 40mm (1 1/2") C.P brass waste, oillar tap 2 way deluxe, 40 mm (1 1/2") dial malleable iron or C.P. brass trap. Bottle trap and unions. Make requisite hoies in walls & floor for pipe connections & make good with approved material. (with SONEX fittings).	nos	1	6160	6160

4	Provide & fix uPVC floor drains of 4" dia of make Nikkassi or approved equivalent best quality, having minimum guaranteed 2" water seal with screw down C.P cover, peripheral drains with or without a vent arm. Make requisite holes in walls, floor for pipe connections & make good with approved material, including SS drain / grating with perforation.	Nos.	3	3850	11550
5	Provide & fix approved quality branded chromium plated towel rails 750mm x 20mm (30"x3/4") with brackets and C.P screws.	Nos.	2	2310	4620
6	Provide and fix approved quality branded C.P toilet paper holders and coat hook.	Nos.	2	770	1540
7	Provide & fix soap dish of approved quality with C.P screws. (Master /Sonex)(White color or equivalent best quality)	Nos.	2	385	770
8 (a)	Provide and fix Muslim Showers manufactured by Master/Sonex or equivalent best quality, complete with stop cock and consolled spray head. (White color)	Nos.	2	1540	3080
(b)	Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or equivalent best quality complete including pipe connections, all fittings,				***
i)	For Wash basin	Nos.	2	2310	4620
ii)	Kitchen Sink Mixer	Nos	1	1540	1540

M/S JAFFAR KHAKI & SONS CONSTRUCTION COMPANY



M/S Jaffar Knaking CFO/Head of Finance Construction Company

	TOTAL PLUMBING WORK				RS.9	6130/=
13	Provide and construct man holes for sewer with 24"x24" C.I frame and cover (40k including 8" Masonry, puddlo plaster internally and externally up to depths; shown drawings and approved by the Engineer. PCC 1:2:4 base slab, benching with 1 cement sand mortar including 24" dia manhole cover, frame and rungs,	on	Nos.	1	2310	2310
12	Provide and construct gully trap with 12"x12" cast iron frame and cover including excavation, backfilling, masonry, plaster internally and		Nos.	1	3850	3850
iii	Dia 4"		rft	40	69	2760
ii	Dia 3"	W. (1970)	rft	40	69	2760
i	Dia 2"		rft	-		
1	Provide and fix cast UPVC pipes (AGM/dadex /vebro or equivalent best quality Branded) including fittings such as terelbows, sockets, wyc, hangers/supports etc. conforming to BSS for soil waste a vent pipes as embedded in floor and walls or suspended from slab or clamped wall including plaugsm hangars, beds, Tees, Yees. Include for making requision number of holes in walls and floors where required and making good the same necessary to the structure labeling, testing to 6.5 feet water height complete. Jalso includes making Sewer Connection to existing Sewerage disposal system.	to site as				
V	Dia 1/2"		Nos.	-		
V	Dia 3/4"		Nos.	-		
iii	Dia 1"		Nos.	1	770	770
ii	Dia 1 1/4"		Nos.	-		
i	Dia 1 1/2"		Nos.	-		
0	Provide and fix of Gate valve, Threaded ends, bronze body with union bonnet, no rising stem and wedge disc. suitable for 8.5 bars SWP and 250 deg. F. best quality.	on-				
iv	Dia 3/4"		rft	200	67	13400
ii	Dia 1"		rft	140	62	8680
ii	Dia 1-1/4"	_	rft			
i	e x i s t i n g Water supply system. Dia 1-1/2"	-	rft			
9	or approved equivalent best quality pressure pipe for cold/hot water as per DIN 8077-8078-20 for pipes and DIN 16962,PN- 25 for fittings (polyfusion welded joints) inside building intitude fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and enetc.) supported on walls or suspended from roof slab or run in chases including pipe hange supports, cutting and making good the chases and holes, its painting and insulation against slight complete in all respects. Conforming to BSS. Cut and make good Water System. Job also includes making Water Connection t	ion ers, sun	Vorks	& Servi	ces	
	Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AC	GM	II. I	0.0		1 mm

M/S JAFFAR KHAKI & SONS

Provide.



M/S Jaffar Khaki

Head of Administration

SIGNATURE PC MEMBERS-SINDH BANK LTD

C		Director SMIU	or with o			
.No.	DESCRIPTION	SIVILO	UNIT	QTY	Rate	Amount
. 1	NTERNAL WIRING					
1	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch be wired with 3x2.5mm sq. All wiring in below mentioned items 1 to 9 & 14 will be manuf. M/s. AGE, Pioneer, FAST or equivalent best quality, including cost of 1* dia. heavy conduit make Popular, Beta, or equivalent best quality installed on roof slab, above false concealed in walls, or as required as per site conditions, all PVC conduit access boxes, steel pull wires, Complete in all respects.	actured of duty PVC ceiling, or	Nos.	6	1155	6930
2	Providing, Installation, testing and commissioning of wiring of Three ligh controlled by one switch and wired with 3x1.5 mm sq. PVC	t points	Nos.	22	1155	25410
3	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for Gene wired with 2x4mm2+1x2.5mm² CU/PVC	eral Use)	Nos.	5	616	3080
4	Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable	/ supply /	Nos.	5	616	3080
5	Confirming to same specification as mentioned above in item A-08, but outlet wiring. Complete in all respect.	outlet to	Nos.	7	693	4851
6	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UP with 3x2.5mm2 1 core CU/PVC insulated cable	S) wired	Nos.	5	693	3465
337	Confirming to same specification as mentioned above in item A-09, but o outlet wiring. Complete in all respect.	utlet to	Nos.	7	616	4312
8	Providing installing & wiring for Split A/C's unit from distribution board to re 1-3 pin 16 Amps switch socket, wired with 2x6mm² + 1x4mm² 1 core cable	espective CU/PVC	Nos.	5	1155	5775
9	Sign Board Wiring as same as above		Nos.	1	7700	7700
10	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent best quality 6" di	ia	Nos.	58	924	53592
11	Supply, installation and commissioning of Exhaust / Bracket Fans of following plastic body, PAK fan or equivalent best quality louvers, all necessary fixing accessories,					
i)	Bracket fan wall 16" dia Guard Room, PAK fan or equivalent best quality.		Nos.	2	13860	27720
(ii)	Exhaust Fan 12" dia Wash room 2 & Kitcher PAK fan or equiv best quality.	alent	Nos.	3	11550	34650
12	TELEPHONE SYSTEM		1405.	3		
12	Providing & wiring of each Telephone socket outlet in preinstalled outlet boxi with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT or equivalent best q 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on sla false ceiling or as required as per site conditions, complete with all conduit accessories including RJ-45 IOs & Face Plates. Complete in all respusuitable size 1.5mm thick sheet steel back box recessed in wall	uality in b above & wiring	Nos.	6	616	3696
13	Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M / PAN equivalent best quality in 25 mm dia PVC conduit including Data Outlet (3) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 n steel back box complete in all respect and as per drawing, and providing of FI Report & 3M's 20 Years Certificate (Complete as per Client's requirement)	M make) nm thick uke Test	Nos.	8	616	4928
14	Providing & installation of Main cable 4 core 25 mm2 from Meter to DB	Main	Mtr	25	539	13475
15	Providing & installation of 24 port 3M or				770	770
15	equivalent best quality patch panel Earthing Work		Nos.	1		
10			Job	1	770	770
	Total Electrical Work	1			RS 20	14204/=

Head Office: House # 314, 315 Sector 2, Falak Na

	M/S Jaffar	SIKATREGE KAIERSING BANKLID
A	AIRCONDITIONING / HVAC WORKS STRUCT	CFO/Head of Finance
D	Construct	Head of Administration
S#	DESCRIPTION	UNIT OTY. RATE MANOURT
1	Installation of owner's supplied Split Air Conditioners (SAC) b outdoor units complete in all respect.	off incoora

S#	DESCRIPTION Installation of owner's cumplied Solit Air Conditioners (SAC) h Director W	UNIT	QTY.	RATEM	THUOMA
1	Installation of owner's supplied Split Air Conditioners (SAC) bott indoor work outdoor units complete in all respect.	JIKS & SE	AICES		
	a) 1.0 Ton SAC	Nos	1	3850	3850/=
	b) 1.5 Ton SAC	Nos	4	2310	9240/=
	c) 2.0 Ton SAC	Nos	-		
2	Estimate copper piping size 22 Swg with insulation for split units charged as per final measurement on site). The return and supply copper tubing to be sized as $\frac{1}{2}$ "+1/4" and to be drawn in separate Aeroflex insulators with gray tape.		250	539	134750/=
3	Provide & fix UPVC, 1-1/4" dia and 1" dia pipe, Beta or popular or equivalent best quality, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with PVC fittings such as tees, elbows, unions reducers, sockets, Teflon tape for jointing, hangers, supports, sleeves including testing and commissioning and insulation with Aero	rft	200	27	5400
4	Providing and installing M.S angle iron brackets, treated with rust proof paint and enamel coating for external A/C's units fixed to the wall slab with Hilti bolts.	Set	5	2310	11550
	TOTAL AMOUNT HAVE WORK			RS.1	64790/=

E.UTILIZATION/INSTALLATION OF EXISTING ITEMS

S#	Items				
1	All wooden Furniture (Chairs +tables+02 Cash Counters, wooden cabinets 04)	Job	1	30000	30,000/=
2	All Steel Items (Vault Room Door, afe+cabinets+SS Card Trolley Fire Amirah)		1	30000	30,000/=
3	Main DB	Job	1	10000	10000/=
4	UPS DB	Job	1	12000	12000/=
5	IT Rack & Patch Panel(with 9 new IOS 3M)	Job	1	23000	20,000/=
6	Main Cable 4 core 16mm2	Job	1	5000	5000/=
	TOTAL EXISTING ITEMS	L	100.00 il v 8 persi 400	RS.10	07000/=

M/S JAFFAR KHAKI & SONS



M/S Jaffar Khaki & Sons

Construction Company

7.2 Bidder Profile Form

[To be signed & stamped by	the Bidder and reproduced	on the letter head. To be attached
	with Technical Bid]	

Sr.#	Particulars					
1.	Name of the company: M/S JAFFAR KHAKI & SONS CONSTRUCTION COMPANY					
2.	Registered Office: HOUSE NO:314,315, SECTOR-2, FALAK NAAZ SOCIETY NEAR MEMON GOTH					
Addr	ess:					
Office	e Telephone Number:					
Fax N	lumber:					
3.	Contact Person: 03000021242					
Name	e: ALI HASSAN					
Perso	onal Telephone Number:					
Emai	Address: JAFFARSONSCO@HOTMAIL.COM					
4.	Local office if any:					
Addr	ess:					
Office	e Telephone Number:	en i producti grangakina kapina a tanih				
Fax N	lumber:					
5.	Registration Details:					
6.	CNIC of Owners (Copy attached)					
	Audited Financial Statement Attachment (Last 3 year Yes No Details of Experience (Last Five Years)	s)				
(i)		Item Name				
(1)	(Agency/Department)	item Name				

c) Number of outsourced staff on the payroll of the Company -

148 JAFFAR KHAKI & SONS



M/S Jaffar Khaki & Sons

Construction Company

ANNEXURE "C"

7.3 General Information Form

[To be signed & stamped by the Bidder and reproduced on the letter head. To be attached with Technical Bid]

	Particulars					
Company Name	M/S JAFFAR KHAKI & SONS CONSTRUCTION COMPANY					
Abbreviated Name	JAFFAR KHAKI & SONS					
CNIC No (Attached copies)	A	45208-45456403				
National Tax No.	4427877-2	Sales Tax Registration No				
SRB Tax No.		PEC (If applicable)				
No. of Employees		Company's Date of				
	15	Formation				

^{*}Please attach copies of NTN, GST Registration & Professional Tax Certificate

Registered Office Address	H.NO [.] 314,315, SECTOR-2, FALAN NAZ SOCIETY NEAR MEMON GOTH KARACHI	State/Province	SINDH
City/Town	KARACHI	Postal Code	
Phone	03000021242	Fax	
Email Address	JAFFARSONSCO@HOTMAIL.COM	Website Address	



ds enterprises

Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

Date: 19/11/2025

Quotation

This quotation of Khurah Sharif branch renovation having containing 4,333,225 PKR including all taxes.



Proprietor

Office Address: Al-Hayyat Chamber, Office No. 503, 5th Floor, Plot No. A-7, Block 7/8
K.C.H.S.U Shahrah-e-Faisal Road, Karachi

E-mail: Info.dsenterprises.pk@gmail.com

Contact: +92-300-2901823



d s enterprises

Building Maintenance, Renovation, Civil, Electric, Paint, Plumbering, Wood Air Conditioning Work & General Order Supplier.

ESTIMATE FOR RENOVATION WORKS- KHURAH SHARIF BRANCH SINDH BANK LTD

Area 2450 sft

S#	DESCRIPTION	AMOUNT	
Α	CIVIL WORKS		2,739,750
В	PLUMBING WORKS		243,050
С	ELECTRIAL WORKS		825,550
D	HVAC		288,375
E	Removal & Shifting of Items from Qila Deedar Singh Br & Installation at Khora Sharif Br Gambat		236,500
	TOTAL RENOVATION COST		4,333,225

*Grand Total;

This total amount will be considered as only the "Bid Offered". Whereas be apprised that the successful bidder will be the one whose "Evaluated Bid" is the most advantageous bid (For further clarification refer Note 8, below)

Note

- 1. The branch has to be handed over in 60 days of issue date of award letter. In case of delay, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- 2. The cost must include all applicable taxes, stamp duty (as applicable under Stamp Act 1989) duly stamped on the contract agreement, installation, labor and any other charges
- 3. No advance payment will be made; bills will only be processed for necessary payment on receipt of certificate of satisfaction from the Branch Manager & Project Manager
- 4. Calculation of bid security 2% of the *Total Estimated Cost (2% of Rs. 4,669,026/- = Rs. 93,380/-) will be submitted with the tender document as bid security
- 5. In case it is reviled at any stage after the completion of work that the asked specification of the tender have not been met, the amount of that specific item will be fined to the contractor with appropriate action as deemed necessary by the procurement committee.
- 6. In case of any observation arising in respect of quality of the items, the company will be liable to address it at his own cost, non-compliance of the same will result into initiation of a case against the company for non-commitment or cancellation of tender as will be decided by the Procurement Committee.
- 7. All terms and condition of Agreement (IBD Section 7.8) are part of Tender Document.
- 8. Most Advantageous bid is going to be the criteria for award of contract rather than considering the lowest offered bid, encompassing the lowest whole sum cost which the procuring agency has to pay for the services/items duration the contract period. SPPRA Rule 49 may please be referred. The successful bidder will be the one whose total sum of cost is the lowest. As it is package tender, so no partial lowest cost will be considered for award of any work.
- 9. Payment will be made as per the scheduled attached as Annexure "J". 10. The successful bidder has to deposit 2% retention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money/performance security will be released after 3 months of completion of tender assigned job and after due receipt of letter of satisfaction from concerned Branch Manager. 11. Signing of Integrity Pact on Rs. Stamp Paper Affidavit is mandatory.

We, hereby accept all the constraints are conditions as given above.

DS ENVER PROPERTY (Signature of bidder with panie Designation and Company Seal)

Dated: 49 n 25

SIGNATURE PC MEMBERS-SINDH BANK LTD

CFO/Head of Finance

Head of Administration

Director Works & Services

SMIU

Office Address: Al-Hayyat Chamber, Office No. 503, 5th Floor, Plot No. A-7, Block 7/8
K.C.H.S.U Shahrah-e-Faisal Road, Karachi

E-mail: Info.dsenterprises.pk@gmail.com

Contact: +92-300-2901823



D.S ENTERPRISES

Building Maintenance, Rengyation Divide Building Maintenance, Rengyation Divide Building Work & General Order Supplier.

CFO/Head of Finance

S#	DESCRIPTION		UNIT	QTW	RATE	AM	OUNT
A	CIVIL WORKS	id of Administra	1011	1	A	THE RESIDENCE OF THE PERSON NAMED IN	
1	Diamontline / Domestal Montes	101 1 0 0	/		1 mm	۸	
	Dismantling / Removal of existing Block/Brick mason	ector Works & St	ITVIC98	Carried Commission			
	sub floor cuting, chipping of plaster/floor.where	uired, Doors &	THE OTHER		S. Incompany C. Service de	1	
	windows with frame in any shape, Iron grills, mosaic s						
	all sanitary fixtures, water & drainage line dispose					1	
	materials/debries outside the municipal limits and		LIOD	_1	25,000		25,00
	materials as decided by bank's engineer. con		t				
	respect.(Contractor must visit the site prior to quote the		1				
	material to be returned to landlord or Bank as the case						
2	Raised Flooring						
	Providing & laying of stone filling earthing wo	rk filling with	OFT	0500			100 50
	stone/Crushed brick ballast upto 2' from Road L			3500	55		192,50
3	Plain cement Concrete						
	Providing, laying, average 4" thick Flooring (1:3:6) at		1				
	1250 psi compressive strength under any type of floor	The second secon					
	Quality OPC/Sulphate Resistant cement and	local aproved	1				
	quality sand and crushed stone, form work and its necessary arrangements where required excluding						
	complete in all respects as per approval of bank's e		CFT	650	250		162,50
	complete in an respecte de per apprevar er banke e	inginoon.		030	250		102,50
	Cement: Falcon, Lucky Pakland, D.G Khan						
	Sand: Hyderabad Bolari /Malir River/Hub Crush: Hub 3/4" and Kot Banglo for Interior Sindh						
	Cutting & chiseling of R.C.C lintels above wall up	to 2' to make					
4	proper entrance height upto 7' & making edges wi		1	7	8,500		59,50
	mortar/plaster.	ar comone non	1.00		0,000		00,00
5	Termite Proofing		giilli E	S BILL			
	Providing and carrying out termite proofing using	g FIPROKILL/					
	BIFLEX / DURSBANE with a solution of 1 gallon of	chemical to 50					
	gallons of water, sparing this solution @ 2 liters per	sq. meter area	SFT	1500	20		30,00
	(or liters per 10.76 sft. Area) with a pressure ensur	ring at least 3"	El Sales	P The L	N TIES		
	penetration in the soil of the area to be treated.						
6	Block / Brick Masonary works.						
	Providing & laying Block / Brick masonary walls inclu	iding racking of					
	joints with 1:4 cement sand mortar, the job include	s Two 3/8" dia					
	steel bars of 2'-0" length on both sides of wall at ever	ry 3'-0' ft height					
	for anchoring of masonry with the sides and Two 3/8	" dia bars of 2'-					
	0" length at every third block length for anchoring m						
	plinth/floor beams, complete in all respect as		1				
	specifications, to the satisfaction of Architect / bank's						
4.1	4" thick Block Masonary internal walls (First class		SFT	700	200		140.00
4.1	Blocks)		SFI	100	200		140,00

DS ENTERPRISES

1 of 5



d.s enterprises

Building Maintenance Renovation Civil Electric Mil Hall Habring, Wood
Air Condition Work & General Order Supplier.

		CFOIHead of Finance		JAN .			
S#	DESCRIPTION		UNIT	QTY.	RATE	AMOUNT	
7	Plaster Works.	Head of Administration	V		nin	-	
×	Providing & laying ³ / ₄ " thick cement sand plass with 1:4 cement sand mortar on walls, colum quality O.P.C, including 6" inches wide mest with block masonary and over conduiting complete in all respect. (This includes all the making diagonal and alignment for the estatisfaction of Architect / bank's engineer.	at joints of structure ,smooth trowel finish base plaster require for	The sales of the s	2200	60	132,000	
8	Flooring, Elevation & Special Finishes.					2	
	Providing and laying glazed full body Porce floor, of approved design, colour and patter colour or Master or equivalent full body postile dry bond (with cement), with matching Grout. Complete in all respect, including cut finishing & hacking/chipping of existing su where necessary, and 4 inches wide skirting tiles as above mentioned, with 1:2:4 PCC 50 per specifications and/or as directed by the (at any elevation)	ern, china bone orcelain, setting in g color imported uring, cleaning, rface for bonding at walls of the same mm thick, etc. as	SFT	1250	400	500,000	
9	FALSE CELING						
	Gypsum Board (24"X24")	hes same					
	Providing & laying 8 mm thick gypsum bo x 24" Elephant Brand or approved equivale tiles or multiple profiles, as shown on draw imported powder coated, with groove, alur section with ceiling suspension system havin and AC grill. Complete in all respect as per instruction of Bank's Engineer.	ent in straight, curved, ing section, fixed with minum, " T" & "L" ng provisions for light	SFT	1250	175	218,750	
10	Ceramic Tiles	A AN UNITED TO THE P	11 1 1000	7,000	D. V. Berger		
а	Toilet: Providing / Laying wash room tiles (HMD floor & walls upto 7 feet height (Master by per approved shade & layout pattern concrete including grouting of joint waterial of Stile, complete in all respect Architect / bank engineer.	rand) or equivalent as with 2" thick base with matching grout	SFT	300	400	120,000	

2 of 5





ds enteresses

Building Maintenance, Renovation, Civil, Electric, Point, Plumbering, Wood Air Conditioning, Work & General Order Supplier.

S#	DESCRIPTION Head of Administr	UNIT	QTY.	RATE	AMOUNT
	Vitahan/Dantny		S	Donos	
	Providing / Laying Pantry tiles (HMD38-50SF *Director SB for	301110			
	floor & walls upto 5 feet height (Master brand) drawlivalent as	A THE REAL PROPERTY.			
b	per approved shade & layout pattern with 2" thick base	SFT	60	350	21,000
	concrete including grouting of joint with matching grout				
	material of Stile, complete in all respect as per satisfaction of				
-	Architect / bank engineer.				
11	Marble				
	Providing & fixing pre polished 3/4" thick Marble Top quality				
	with approved size and shade over 2" thick pre cast RCC slab				
	including 1/2" thick gola, grouting and jointing including cost of				
	cutting of marble for basin and sink bowl including filling with				
	silicone around joint of marble complete in all respect as per				
	satisfication by the engineer.				
	Pantry Counter Top (Boticina)	SFT	20	350	7,000
12	WOODEN CABINETS				
	Kitchen Cabinets				
	Lower Unit:				
	Providing, fabricating and fixing in position pantry cabinets 24" deep				
	32" high consisting of 3/4" thick laminated board (Furniture color) of				
	SONEX, Noor or equivalent on front shutter and drawers, Dark grey				
	on internal box and shelves moulding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coat of				
а	sprit polish of matching shade of furniture color on wood lipping and	SFT	18	1,550	27,90
.53	wood preservative treatment including premium quality ceramic tiles				
	above 4" thick P.C.C floor platform complete in all respects as per				
	drawings and as directed by the bank's Engineer.		in:		
	all kind of best quality hardware's, spring hinges, SS handles, locks				
	etc. Complete in all respects.				
	Upper Unit:				
	Providing, fabricating and fixing in position pantry cabinets 12" deep	in white	A DESCRIPTION	a serion	
	and 24" high (Hanging) consisting of 3/4" thick laminated board			\$	
	(Furniture color) of SONEX, AL Noor or equivalent on front shutter	1 1 1 1 1 1	P ASSESSED	AL CHANGE	
b	and drawers, Dark grey on internal box and shelves moulding		20	1,550	31,00
	1/2"x3/4" including nails, screws, bolts, imported hinges, catchers,	1			
	locks, handles, 03 coat of sprit polish of matching shade of furniture	1			
	color on wood lipping and wood preservative treatment complete in	1			
	all respects as per drawings and as directed by the bank's Engineer.				

3 of 5





Building Maintenance, Renovation, Civil, Electric, Paint, Plan mbering, Wood Air Conditioning Work & Genesal Orden Supplier.

SIGNATURE PC MEMBERS STATE OF THE PC MEMBERS STATE OF THE PC MEMBERS.

S#	DESCRIPTION TO Head of Finance	UNIT	ØTY.	RATE	AMOUNT
13	Paint at Walls	\\\	/-/-		
	Providing and applying, 3 coats of ICI Matt Finish Raint Ash White (3130) or BERGER or equivalent of approved colour and shade, at any floor & at any height over one coat of primer and making prime than deven surface by appling ICI Paintee Dase filling as per	SFIT	3500	m/,	175,000
	specifications, to surface of walls, complete in all respects as				
	specified and as approved by the bank's Engineer.				
14	WOODEN DOOR / FRAME / CHOWKAT / Beading				
а	DOOR FRAME: Providing and fixing of required width, 16 SWG, GI door frames for Toilets, kitchen, stores & cash counter with polishing, including Lintels, hold fasts, where		5	6,500	32,50
	ever required, complete in all respect including painting / polish with proper beach / diyar wood beading.				
b	SKIN DOORS, 1-1/2 inches thick (for Toilets, Kitchen, stores) Provide and install doors consisting of best quality Malaysian skin, pressed over best quality treated partial wood framing, with approved quality of door locks, handle, tower bolt, hold fast, stopper, hardware and paint /polish, complete in all respect.	l .	105	650	68,25
15	Wooden Hanging Beams.				
13	Providing & fixing in postion wooden Beams for support to fix glass and glass door consisting of 1 1/2 x3" @ 2'-0" c/c partal wood framing and 1/2" MDF Lasani board (Malaysia) on both sides including nails, bolts, glue wastage, wood preservative, treatment & 3 coats of paint complete in all respect as per drawings and as directed by Bank's Engineers.	RFT	35	750	26,25
16	INSTALLATION OF VAULT ROOM DOOR				
	Lifting & Fixing charges of Bank's supplied Vault / Locker Doors, welding of door frame with RCC MS bars, and to facilitate the Vendors. Complete in all respects.		1	18,000	18,00
17	GLASS DOOR (BM Cabin, ATM front)	i e	N. B.		
	Providing, fabrication & fixing 12 mm thick glass door with top & bottom locking system, 4" Aluminum D-48 by Lucky or equivalent section, with 12mm thick Middle East / Saudi Arabia or equivalent clear glass with frost film and Bank's monogram, Approved Ajrak film, with gasket size and shape as shown on drawing, including bolts, D lock, nuts, screws aluminum channel, handle, floor machine (New Star or equivalent), locks etc. Complete in all respects as directed by Engineer.	SFT	126	1,700	214,20

DS ENTERPRISES

4 of 5



Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier

S#	DESCRIPTION SIGNATURE PO INC.	UNIT	DTY.	RATE	AMOUNT
18	DESCRIPTION SIGNATURE PC MEMB	My			-
	Providing and installation 12mm thick glass KSA/UAEor equivalent polished glass with 100mm top & homouninistration brush finish SS-304, lucky or equivalent section with frosted film surface as per approved design. Contractor is required or solder joints between the panels with minimum 5 numbers clear silicon from Dow corning or other approved by the Engineer. Complete	SFT	175	1,050	183,750
	in all respects.				
19	Wrought Iron Grills for external windows, AC outers (If nece	ssary)			
	Approved design grills for all external windows & Ac Outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI,NIPPON,BERGER or equivalent) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units.	SFT	150	750	112,500
20	M.S DOOR on Emergency exit, ATM internal & Guard Pos	<u>t</u>			
	Fabricating, providing and fixing MS door with 16 S.W.G M.S 3/4" square pipe, 16 SWG MS sheet pressed over this frame including metal door frame, at both sides, sheet frame painted with approved enamel color including 2" x 5" eye level opening with proper MS shutter of 16 swg sheet to look outside, including best quality hinges, locks, handles, hold fasts and other necessary hardware etc. size as per site. Complete in all respects as per drawing attached herewith, specifications and as directed by the Bank.	SFT	57	1,200	68,400
21	MARBLE AT ENTRANCE/Stair STEPS		1211		,
	Providing and laying 20mm thick Marble of approved quality and size on any type of flooring straight or curved, as per drawings, laid with cement slurry over cement sand mortar (1:4), including filling of joint with grouting material, rubbing, rounding and final chemical polish etc, complete in all respects.		50	350	17,500
22	Water Proofing Work				
	Providing & laying of water proofing at roof top, cost include P.C.C chemicals, sealant complet in all respect	Sft	1250	125	156,250
	TOTAL CIVIL WORK	C			2,739,75

DS ENTERPRISE

5 of 5

Contact: +92-300-2901823



Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

	Plumbing Works SIGNATURE PC MEME	BERS-S	INDH B	ANK LTD	
В	Plumbing Works SIGNATURE FOR INC.	2	M	/	
S.No.	Fidilibility Works	UNIT	4	RATE	AMOUNT
1(a)	Providing and fixing European type ceramics ware coupled water closet, (PORTA) or equivalent, white / light color administration gallons cistern, P/S trap, C.P tee stop cock with wall cups, connection pipes, "SONEX", "MASTER pirectoral or services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings.		Vanno 1	39,000	39,000
(b)	Providing and fitting Glazed earthen ware water closet, squatter type (Orisa pattern), combined with foot rest, Best Quality including Plastic made Flushing tank, SONEX tee stop cock for cistern water inlet and C.P connector with nuts and fitting, approved other ancillary material complete in all respect.	Nos	1	14,000	14,000
2	Providing and fixing Wash hand Basin Vanity type, PORTA or equivalent white colour "SONEX"/ "MASTER" waste coupling, plug with C.P brass chain, 1.5" dia. P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, waste pipe waste coupling, plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as directed by the Engineer.	Nos.	2	22,000	44,000
3	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubber plug & chrome plated brass chain, 40mm (1 1/2") C.P brass waste, pillar tap 2 way deluxe, 40 mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material. (with SONEX fittings).	Nos.	1	10,500	10,500



1 of 3

Contact: +92-300-2901823



Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

	SIGNATURE PO	CMEME	EKS-2	יואטווטאו	
S.No.	DESCRIPTION	UNIT	OTO	RATE	AMOUNT
4	Provide & fix uPVC floor drains of 4" dia of make Nikkassi or approved equivalent, having minimum guaranteed 2" water, seal with screw down C.P cover, peripheral drains with of without a vent arm. Make requisite holes in walls, floor for pine connections & make good with approved material including SS drain / grating with side perforation.	stration .	7	1,250	3,75
5	Provide & fix approved quality chromium plated towel rails 750mm x 20mm (30"x3/4") with brackets and C.P screws. (Taiwan make)	Nos.	2	2,150	4,30
6	Provide and fix approved quality C.P toilet paper holders and coat hook. (Taiwan make)	Nos.	2	1,000	2,00
7	Provide & fix p soap dish of approved quality with C.P screws. (Master /Sonex)(White color)	Nos.	2	700	1,40
8 (a)	Provide and fix Muslim Showers manufactured by Master/Sonex or equivalent, complete with stop cock and controlled spray head.(White color)		2	4,500	9,00
(b)	Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or approved equal complete including pipe connections, all fittings, testing etc.(White color)				
i)	For Wash basin	Nos.	2	5,000	10,00
ii)	Kitchen Sink Mixer	Nos.	1	6,000	6,00
9	Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent pressure pipe for cold/hot water as per DIN 8077-8078,PN-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and Commission for cold and hot water system. Job also includes making Water Connection to existing Water supply system.				

2 of 3





Building Maintenance, Renovation, Civil Electric Faint, Plumbering, Wood
Air Conditioning Work & Steneral Order Supplier.

SIGNATURE PURPLES STENERAL ORDER SUpplier.

CFO/Head of Finance

0.31	DESCR	CEO!Head of time	UNIT	OTT	RATE	AMOUNT
S.No.		Head of Administration		QII	KAIE	AMOUNT
i	Dia 1-1/2"	Head of Mulliman	rft	THE REAL PROPERTY AND ADDRESS OF THE PARTY AND		
ii	Dia 1-1/4"	Director Works & Services on	- Ift	-	450	21 000
iii	Dia 1"	SMIU	rft	140	150	21,000
iv	Dia 3/4"	Carried March 1997	\rft	200	130	26,000
10	union bonnet, non-rising stem	Threaded ends, bronze body with and wedge disc. suitable for 8.5 anufactured by KITZ (Japan) or				-
i	Dia 1 1/2"		Nos.	-		-
ii	Dia 1 1/4"		Nos.	-		_
iii	Dia 1"		Nos.	1	2,500	2,500
iv	Dia 3/4"		Nos.	12		-
v	Dia 1/2"		Nos.	-		-
11	pipes as embedded in floor and clamped to wall including plau Include for making requisite nu- where required and making go- structure labeling, testing to 6.5	ng to BSS for soil waste and vent walls or suspended from slab or igsm hangars, beds, Tees, Yees. inber of holes in walls and floors od the same as necessary to the feet water height complete. Job connection to existing Sewerage				
i	Dia 2"		rft	21101		
ii	Dia 3"		rft	40	400	16,000
iii	Dia 4"		rft	40	590	23,60
12	and cover, including excavation	up with 12"x12" cast iron frame on, backfilling, masonry, plaster us China trap etc. complete and	4.93	1	4,000	4,000
13	frame and cover (40kg) include internally and externally up to approved by the Engineer. PCo	oles for sewer with 24"x24" C.I ling 8" Masonry, puddlo plaster depths; shown on drawings and C 1:2:4 base slab, benching with ng 24" dia manhole cover, frame et.	Nos.	1	6,000	6,000
	Total					243,05

DS ENTERPRISES

3 of 3

Contact: +92-300-2901823



Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

SIGNATURE PC MEMBERS-SINDH BANK LTD

	CFO	Hea	d of	Fina	ance
- 1		11160	u vi	2 1111	HILAR

Elect	rical Works	I A A		M		
C	in all a con-	nead of Administratio	-	K		
S.No.	DESCRIPTION	Discount Monte O Com	UNIT	QTY	m Rare	Amount
IN	TERNAL WIRING	Director Works & Serv	1662 2		-	
1	Supply, installation and commissioning of Light MCB in DB to Switch Board to be	Great wiring, from	Nos.	6	7,000	42,000
2	Providing, Installation, testing and commissioning light points controlled by one switch and wired PVC	Nos.	22	4,500	99,000	
3	Providing & wiring of 1-3 pin 15 Amps powe General Use) wired with 2x4mm2+1x2.5mm ² CU		Nos.	5	8,000	40,000
4	Providing & wiring of 1-3 pin 10 Amps power (for RAW supply / WAPDA) wired with 3x2.5m insulated cable	Nos.	5	6,250	31,250	
5	Confirming to same specification as mentioned aboutlet to outlet wiring. Complete in all respect.	Nos.	7	5,000	35,000	
6	Providing & wiring of 2-3 pin 13 Amps power (for UPS) wired with 3x2.5mm2 1 core CU/PVC i		Nos.	5	6,950	34,750
7	Confirming to same specification as mentioned aboutlet to outlet wiring. Complete in all respect.	ove in item A-09, but	Nos.	7	5,750	40,250
8	Providing installing & wiring for Split A/C's uboard to respective 1-3 pin 16 Amps switch socker + 1x4mm ² 1 core CU/PVC cable		Nos.	5	10,500	52,500
9	Sign Board Wiring as same as above		Nos.	1	9,800	9,800
10	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent 6" dia			58	1,950	113,100
11	Supply, installation and commissioning of Exhaus following sizes, plastic body, louvers, all necessary					-
i)	Bracket fan wall Guard Room		Nos.	2	7,500	15,000
(ii)	Exhaust Fan 12" dia Wash room 2 & Kitchen 1		Nos.	3	5,500	16,500

DS ENTERPRISES



Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

	SIGNATURE PO	ance —	Jan /w	DH BANK LTD	
S.No.		UNIT	QTY	Rate	Amount
12. T	ELEPHONE SYSTEM Head of Adminis	Strains.	K	2000	-
	Providing & wiring of each Telephone socket outlet in preinstate outlet boxes, wired with 4 Pair Cat-6 (UTP)Cabbre and works. PANDUIT USA in 25mm dia PVC conduit recesses all slabs, flowalls, columns or on slab above false ceiling or as required as per conditions,, complete with all conduit & wiring accessories including 45 IOs & Face Plates. Complete in all respect with suitable size 1.5 thick sheet steel back box recessed in wall.	site	6	6,900	41,400
13. CO	OMPUTER NET WORKING SYSTEM				15
	Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M PANDUIT USA in 25 mm dia PVC conduit including Data Outlet (make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 J fixed, on 1.5 mm thick steel back box complete in all respect and as darwing, and providing of Fluke Test Report & 3M's 20 Ye Certificate (Complete as per Client's requirement)	3M ack per		8,000	64,000
		Nos.	8		
14	Providing & installation of Main cable 4 core 25 mm2 from Meter Main DB	r to Mtr	25	3,700	92,500
15	Providing & instllation of 24 port 3M patche panel	Nos.	1	28,500	28,500
15	Earthing Work	Job	1	70,000	70,000
	Total - Electrical works				825,550

D.SENTERPRISES





Building Maintenance,Renovation,Civil,Electric,Paint,Plumbering,Wood Air Conditioning Work & General Order Supplier.

		SIGNATURE PO	MEMBI	ERS-SINDH	BANK LTD	
AIRCO D	NDITIONING / HVAC WORKS :	CFO/Head of Fina		MA	/	
S#	DESCRIPTION	Head of Administ	ation	ФТУ.	RATE	AMOUNT
1	Installation of Split Air Conditioners (SAC)	including USA		mon	100	
	a) 1.0 Ton SAC	Thector Works &	Nos	'ACCOUNTS OF	6,325	6,325
	b) 1.5 Ton SAC	SMIU	Nos	4	6,325	25,300
	c)·2.0 Ton SAC		Nos	-		-
2	Estimate additional copper piping with insulation make (Muller) (charged as per final measurementurn and supply copper tubing to be manufacturer's recommendation and to be deferoflex insulators with gray tape.	ent on site). The	rft	250	850	212,500
3	Provide & fix UPVC, 1-1/4" dia and 1" dia pipe, Beta or popular, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with PVC fittings such as tees, elbows unions, reducers, sockets, Teflon tape for jointing, hangers supports, sleeves, including testing and commissioning and insulation with Aero flex insulation.			200	170	34,000
4	Providing and installing M.S angle iron brackets	, treated with rust	Set	5	2,050	10,250
	TO	TAL CIVIL WOR	KS			288,375

S#	Items	UNIT	QTY.	RATE	AMOUNT
1	All wooden Furniture (Chairs +tables+02 Cash Counters, wooden cabinets 04)	Job	1,000	50000	50000
2	All Steel Items (Vault Room Door, Safe+cabinets+SS Card Trolley+Fire Almrah)		1	125000	125000
3	Main DB .	Job	1	18000	18000
4	UPS DB	Job	1	13500	13500
5	IT Rack & Patch Panel(with 9 new IOS 3M)	Job	1	17500	17500
6	Main Cable 4 core 16mm2	Job	1	12500	12500
	Total				236500

DS ENTERPRISES

1 of 1

Contact: +92-300-2901823



ATTENDANCE SHEET BID OPENING -

FOR SELECTION OF <u>Kenonation</u>

Chubra Sharp Growset

Date: 19-11-2015

S.No	Company Name	Name of Company Representative	Contact No.	Company Address	Signature
1	5) S Enderlais	Damish	3 10 V	Kaeraeh	£137,
2	MIS Tay zar Albakissi	Dy.	030021242	Kagachi	Dar.
1				* .	

Signature - Procurement Committee Member

Chief Financial Officer

Head of Administration

Director Works & Service

Sindh Madressatul Islam University

SMIU



Circular

SNDB/CO/ADMIN/BIDDING/CIRC/	494/2025-	Date:	19-11-204	_
Opening of Tender for Selection of	enviation	of 1Ch	who Sharif	Sraneh.

Bidders have been called upon to participate for the subject purpose. Members of the procurement committee are requested to attend the event as per the given schedule:

Bid Opening Date: 19-11-2025

Bid Opening Time: 100 Hours

Venue

: Board Room

Ather Iqbal

Incharge Procurement

Signature - Procurement Committee Member

Chief Financial Officer

Head of Administration

Director Works & Service Sindh Madressatul Islam University



RENOVATION WORKS KHUHRA SHARIF GAMBAT (RELOCATION OF QILA DEEDAR SINGH BRANCH GUJRANWALA)

3. SECTION -III TECHNICAL SPECIFICATIONS/SCOPE OF WORK

Sindh Bank Limited (SNDB) requires proposal from the suppliers for RENOVATION WORKS KHUHRA SHARIF GAMBAT (RELOCATION OF QILA DEEDAR SINGH BRANCH GUJRANWALA) on need basis.

S#	DESCRIPTION	UNIT	QTY.
4	CIVIL WORKS		
1	Dismantling / Removal Works.		
	Dismantling / Removal of existing Block/Brick masonry, projection, sub floor cutting, chipping of plaster/floor where required, Doors & windows with frame in any shape, Iron grills, mosaic skirting, Dado & all sanitary fixtures, water & drainage line disposed off useless materials/debris outside the municipal limits and stack useable materials as decided by bank's engineer. complete in all respect. (Contractor must visit the site prior to quote the rate). Salvage material to be returned to landlord or Bank as the case may be.	Job	1
2	Raised Flooring		
	Providing & laying of stone filling earthling work filling with stone/Crushed brick ballast upto 2' from Road Level. Leveling compaction complete in all respect	CFT	3500
3	Plain cement Concrete		
	Providing, laying, average 4" thick Flooring (1:3:6) at raised floor of 1250 psi compressive strength under any type of flooring using best Quality OPC/Sulphate Resistant cement and local approved quality sand and crushed stone, form work and its removal, with necessary arrangements where required excluding base of tiles complete in all respects as per approval of bank's engineer. Cement: Falcon, Lucky Pakland, D.G Khan or equivalent best quality	CFT	650
	Sand: Hyderabad Bolari /Malir River/Hub Crush: Hub 3/4" and Kot Banglo for Interior Sindh		
4	Cutting & chiseling of R.C.C lintels above wall up to 2' to make proper entrance height upto 7' & making edges with cement rich mortar/plaster.	Nos	7
5	Termite Proofing		
	Providing and carrying out termite proofing using FIPROKILL/ BIFLEX / DURSBANE with a solution of 1 gallon of chemical to 50 gallons of water, sparing this solution @ 2 liters per sq. meter area (or liters per 10.76 sft. Area) with a pressure ensuring at least 3" penetration in the soil of the area to be treated.	SFT	1500
6	Block / Brick Masonry works.		



10	Ceramic Tiles		-
	Providing & laying 8 mm thick gypsum board False Ceiling, 24" x 24" Elephant Brand or approved equivalent of best quality in straight, curved, tiles or multiple profiles, as shown on drawing section, fixed with imported powder coated, with groove, aluminum, "T" & "L" section with ceiling suspension system having provisions for light and AC grill. Complete in all respect as per drawing and instruction of Bank's Engineer.	SFT	1250
	Gypsum Board (24"X24")		
9	FALSE CELING		
	Providing and laying glazed full body Porcelain tiles 24" X 24" at floor, of approved design, colour and pattern, bone colour Master or equivalent of best quality full body porcelain, setting in Stile dry bond (with cement), with matching color imported Grout. Complete in all respect, including curing, cleaning, finishing & hacking/chipping of existing surface for bonding where necessary, and 4 inches wide skirting at walls of the same tiles as above mentioned, with 1:2:4 PCC 50 mm thick, etc. as per specifications and/or as directed by the Architect / Engineer (at any elevation)	SFT	1250
8	mesh at joints of structure with block masonry and over conduits, smooth trowel finish complete in all respect. (This includes all the base plaster require for making diagonal and alignment for the existing walls) as per satisfaction of Architect / bank's engineer. Flooring, Elevation & Special Finishes.	SFT	2200
	Providing & laying ³ / ₄ " thick cement sand plaster (Internal / External) with 1:4 cement sand mortar on walls, columns, beams, using best quality O.P.C, including 6" inches wide		
7			
1	Providing & laying Block / Brick masonry walls including racking of joints with 1:4 cement sand mortar, the job includes Two 3/8" dia steel bars of 2'-0" length on both sides of wall at every 3'-0' ft height for anchoring of masonry with the sides and Two 3/8" dia bars of 2'-0" length at every third block length for anchoring masonry walls to plinth/floor beams, complete in all respect as per drawing, specifications, to the satisfaction of Architect / bank's engineer. 4" thick Block Masonry internal walls compressive strength 1000 psi (First class Machine made Blocks)	SFT	700



а	Toilet: Providing / Laying wash room tiles (HMD45-117 9"x17" SB for floor & walls upto 7 feet height (Master brand) or equivalent best quality as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.	SFT	300	
b	Kitchen/Pantry: Providing / Laying Pantry tiles (HMD38-50SF 9" x 17" SB for floor & walls upto 5 feet height (Master brand) or equivalent best quality as per approved shade & layout pattern with 2" thick base concrete including grouting of joint with matching grout material of Stile, complete in all respect as per satisfaction of Architect / bank engineer.	SFT	60	
11	Marble			
	Providing & fixing pre polished 3/4" thick Marble Top quality with approved size and shade over 2" thick pre cast RCC slab including 1/2" thick gola, grouting and jointing including cost of cutting of marble for basin and sink bowl including filling with silicone around joint of marble complete in all respect as per satisfaction by the engineer.			158 340.
	Pantry Counter Top (Boticina)	SFT	20	
12	WOODEN CABINETS			- THE
	Kitchen Cabinets			
а	Lower Unit: Providing, fabricating and fixing in position pantry cabinets 24" deep 32" high consisting of 3/4" thick laminated board (Furniture color) of SONEX, Noor or equivalent best quality on front shutter and drawers, Dark grey on internal box and shelves molding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 3 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment including premium quality ceramic tiles above 4" thick P.C.C floor platform complete in all respects as per drawings and as directed by the bank's Engineer. all kind of best quality hardware's, spring hinges, SS handles, locks etc. Complete in all respects.	SFT	18	And the state of t



b	Upper Unit: Providing, fabricating and fixing in position pantry cabinets 12" deep and 24" high (Hanging) consisting of 3/4" thick laminated board (Furniture color) of SONEX, AL Noor or equivalent best quality on front shutter and drawers, Dark grey on internal box and shelves molding 1/2"x3/4" including nails, screws, bolts, imported hinges, catchers, locks, handles, 03 coat of sprit polish of matching shade of furniture color on wood lipping and wood preservative treatment complete in all respects as per drawings and as directed by the bank's Engineer.	SFT	20	
13	Paint at Walls			1
	Providing and applying, 3 coats of ICI Matt Finish Paint Ash White (3130) or BERGER or equivalent best quality of approved colour and shade, at any floor & at any height over one coat of primer and making smooth and even surface by applying ICI Paintex base or equivalent best quality filling as per specifications, to surface of walls, complete in all respects as specified and as approved by the bank's Engineer.	SFT	3500	
14	WOODEN DOOR / FRAME / CHOWKAT / Beading			
а	DOOR FRAME: Providing and fixing of required width, 16 SWG, GI door frames for Toilets, kitchen, stores & cash counter with polishing, including Lintels, hold fasts, where ever required, complete in all respect including painting / polish with proper beach / diyar wood beading.	NO	5	ing suo
b	SKIN DOORS, 1-1/2 inches thick (for Toilets, Kitchen, stores) Provide and install doors consisting of best quality skin, pressed over best quality treated partial wood framing, with approved quality of door locks, handle, tower bolt, hold fast, stopper, hardware and paint /polish, complete in all respect.	SFT	105	
15	Wooden Hanging Beams.			
	Providing & fixing in position wooden Beams for support to fix glass and glass door consisting of 1 1/2 x3" @ 2'-0" c/c partal wood framing and 1/2" MDF Lasani board best quality on both sides including nails, bolts, glue wastage, wood preservative, treatment & 3 coats of paint complete in all respect as per drawings and as directed by Bank's Engineers.	RFT	35	
16	INSTALLATION OF VAULT ROOM DOOR			1
	Lifting & Fixing charges of Bank's supplied Vault / Locker Doors, welding of door frame with RCC MS bars, and to facilitate the Vendors. Complete in all respects.	NO	1	
17	GLASS DOOR (BM Cabin, ATM front)			1



21	Fabricating, providing and fixing MS door with 16 S.W.G M.S 3/4" square pipe, 16 SWG MS sheet pressed over this frame including metal door frame, at both sides, sheet frame painted with approved enamel color including 2" x 5" eye level opening with proper MS shutter of 16 swg sheet to look outside, including best quality hinges, locks, handles, hold fasts and other necessary hardware etc. size as per site. Complete in all respects as per drawing attached herewith, specifications and as directed by the Bank. MARBLE AT ENTRANCE/Stair STEPS	SFT	57	
	Guard Post			
20	Approved design grills for all external windows & Ac Outers/exhaust fans (if required). The security grills will be installed from inside so that glass will be visible from outside. MS Grill comprising of 1/2" solid square bars @ 6" c/c 1"x1-1/2" MS 16 gauge angle iron, welding, grinding, finishing, rubbing 3 coat of enamel paint (ICI, NIPPON, BERGER or equivalent best quality) red oxide before paint. Complete in all respects, as per standardized design and /or as shown in drawing as per approved design, attached herewith. Further proper lockable grills with above specification will also be provided for all AC outdoor units. M.S DOOR on Emergency exit, ATM internal &	SFT	150	The state of the s
19	Wrought Iron Grills for external windows, AC outers (If necessary)			laga
	Providing and installation 12mm thick glass polished glass with 100mm top & bottom rails, brush finish SS-304, lucky or equivalent best quality section with frosted film surface as per approved design. Contractor is required to provide joints between the panels with minimum 5mm thick clear silicon best quality. Complete in all respects.	SFT	175	
18	GLASS PARTITION			
	Providing, fabrication & fixing 12 mm thick glass door with top & bottom locking system, 4" Aluminum D-48 by Lucky or equivalent best quality section, with 12mm thick clear glass with frost film and Bank's monogram, Approved Ajrak film, with gasket size and shape as shown on drawing, including bolts, D lock, nuts, screws aluminum channel, handle, floor machine (New Star or equivalent best quality), locks etc. Complete in all respects as directed by Engineer.	SFT	126	



RENOVATION WORKS KHUHRA SHARIF GAMBAT (RELOCATION OF QILA DEEDAR SINGH BRANCH GUJRANWALA)

TOTAL CIVIL WORKS	
Providing & laying of water proofing at roof top, cost include P.C.C chemicals, sealant complete in all respect	ft 125
22 Water Proofing Work	
Providing and laying 20mm thick Marble of approved quality and size on any type of flooring straight or curved, as per drawings, laid with cement slurry over cement sand mortar (1:4), including filling of joint with grouting material, rubbing, rounding and final chemical polish etc, complete in all respects.	T 50

B Plumbing Works

S.No.	DESCRIPTION	UNIT	QTY	
1(a)	Providing and fixing European type ceramics ware coupled water closet, (PORTA) or equivalent best quality, white / light colour, including 3 gallons cistern, P/S trap, C.P tee stop cock with wall cups, connection pipes, "SONEX", "MASTER (Royal)" or equivalent best quality, hinged double bacolite seat and cover of best quality, all joints to services and drains, plugging and screwing as necessary to the structure and make good the same, complete in all respect as per specifications and drawings.	Nos	1	Q dyeningyin valy se
T.	WER TO THE PEOPLE			يارعواهم
(b)	Providing and fitting Glazed earthen ware water closet, squatter type (Orisa pattern), combined with foot rest, Best Quality including Plastic made Flushing tank, SONEX or equivalent best quality tee stop cock for cistern water inlet and C.P connector with nuts and fitting, approved other ancillary material complete in all respect.	Nos	1	



2	Providing and fixing Wash hand Basin Vanity type, PORTA or equivalent best quality white colour "SONEX"/ "MASTER" or equivalent best quality waste coupling, plug with C.P brass chain, 1.5" dia. P.V.C (D type) waste pipe connections to water lines, tee stop cock for cold and hot water inlet connector with nuts and fitting, waste pipe waste coupling, plugs with chain other ancillary material C.P grating including C.P bottle trap, testing etc. complete in all respect and as directed by the Engineer.	Nos.	2	
3	Provide & fix best quality Stainless Steel imported Kitchen Sink, Balraco or equivalent make (40" x 20") 1000mm x 500mm sink with CI or WI brackets 150mm (6") built in wall, 40mm(1 1/2") rubber plug & chrome plated brass chain, 40mm (1 1/2") C.P brass waste, pillar tap 2 way deluxe, 40 mm (1 1/2") dial malleable iron or C.P. brass trap, Bottle trap and unions. Make requisite holes in walls & floor for pipe connections & make good with approved material. (with SONEX fittings).	Nos.	1	Pige juiilu
4	Provide & fix uPVC floor drains of 4" dia of make Nikkassi or approved equivalent best quality, having minimum guaranteed 2" water seal with screw down C.P cover, peripheral drains with or without a vent arm. Make requisite holes in walls, floor for pipe connections & make good with approved material, including SS drain / grating with side perforation. Provide & fix approved quality	Nos.	3	
5	branded chromium plated towel rails 750mm x 20mm (30"x3/4") with brackets and C.P screws.	Nos.	2	



Provide & fix soap dish of approved quality with C.P screws. (Master /Sonex)(White color or equivalent best quality) Provide and fix Muslim Showers manufactured by Master/Sonex or equivalent best quality, complete with stop cock and controlled spray head. (White color) Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or equivalent best quality complete including pipe connections, all fittings, testing etc. (White color) For Wash basin Nos. Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent best quality pressure pipe for cold/hot water as per DIN 8077-8078,PN-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and Commission for cold and hot water	2
manufactured by Master/Sonex or equivalent best quality, complete with stop cock and controlled spray head. (White color) Providing and fixing 15 mm dia C.P. mixer with C.P pipe 15 mm dia, of Master, Sonix or equivalent best quality complete including pipe connections, all fittings, testing etc. (White color) For Wash basin Nos. Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent best quality pressure pipe for cold/hot water as per DIN 8077-8078,PN-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and	2
mixer with C.P pipe 15 mm dia, of Master, Sonix or equivalent best quality complete including pipe connections, all fittings, testing etc.(White color) i) For Wash basin Nos. Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent best quality pressure pipe for cold/hot water as per DIN 8077-8078,PN-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and	2
Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent best quality pressure pipe for cold/hot water as per DIN 8077-8078,PN-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and	شميد ودينوه بينتانيومن
Providing, fixing, jointing and testing Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent best quality pressure pipe for cold/hot water as per DIN 8077- 8078,PN-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and	u granillarin agras stan
Polypropylene Random (PPR) pipes make Dadex / AGM or approved equivalent best quality pressure pipe for cold/hot water as per DIN 8077-8078,PN-20 for pipes and DIN 16962,PN-25 for fittings (polyfusion welded joints) inside building including fittings and specials (sockets, tees, elbows, bends, crosses, reducers, adaptor, plugs and union etc.) supported on walls or suspended from roof slab or run in chases including pipe hangers, supports, cutting and making good the chases and holes, its painting and insulation against sun light complete in all respects. conforming to BSS. Cut and make good with Test and	1
system. Job also includes making Water Connection to existing Water	Pige
i Dia 1-1/2" rft	_
ii Dia 1-1/4" rft	-



Nos. Nos. Nos. Nos.	200 - - 1 -
Nos. Nos. Nos.	-
Nos. Nos. Nos.	-
Nos. Nos. Nos.	-
Nos. Nos.	-
Nos.	-
Nos.	-
Nos.	
rft	-
rft	40
rft	40
Nos.	1
	rft rft rft Nos.



13	Provide and construct man holes for sewer with 24"x24" C.I frame and cover (40kg) including 8" Masonry, puddlo plaster internally and externally up to depths; shown on drawings and approved by the Engineer. PCC 1:2:4 base slab, benching with 1:3 cement sand mortar including 24" dia manhole cover, frame and rungs, complete in all respect.	Nos.	1
	-		

1 IN MI	Supply, installation and commissioning of Light Circuit wiring, from MCB in DB to Switch Board to be wired with 3x2.5mm sq. All wiring in below mentioned items 1 to 9 & 14 will be manufactured of M/s. AGE, Pioneer, FAST or equivalent best quality, including cost of 1" dia. heavy duty PVC conduit make Popular, Beta, or equivalent best quality installed on roof slab, above false ceiling, or concealed in walls, or as required as per site conditions, all PVC conduit accessories, pull boxes, steel pull wires, Complete in all respects.	Nos.	6
i.	JAL NAZA AN MARKET	MIL.	The same of the sa
2	Providing, Installation, testing and commissioning of wiring of Three light points controlled by one switch and wired with 3x1.5 mm sq. PVC	Nos.	22
3	Providing & wiring of 1-3 pin 15 Amps power socket outlets (for General Use) wired with 2x4mm2+1x2.5mm ² CU/PVC	Placili Nos.	5
4	Providing & wiring of 1-3 pin 10 Amps power switch socket outlets (for RAW supply / WAPDA) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	5
-			
5	Confirming to same specification as mentioned above in item A-08, but outlet to outlet wiring. Complete in all respect.	Nos.	7
6	Providing & wiring of 2-3 pin 13 Amps power switch socket outlets (for UPS) wired with 3x2.5mm2 1 core CU/PVC insulated cable	Nos.	5
7	Confirming to same specification as mentioned above in item A-09, but outlet to outlet wiring. Complete in all respect.	Nos.	7



8	distribution board to respective 1-3 pin 16 Amps switch socket, wired with 2x6mm ² + 1x4mm ² 1 core CU/PVC cable				
9	Sign Board Wiring as same as above	Nos.	5		
10	Flat Panel LED OS-DL3-12W (round) of Osaka or equivalent best quality 6" dia	Nos.	58		
11	Supply, installation and commissioning of Exhaust / Bracket Fans of following sizes, plastic body, PAK fan or equivalent best quality louvers, all necessary fixing accessories,				
i)	Bracket fan wall 16" dia Guard Room, PAK fan or equivalent best quality.	Nos.	2		
(ii)	Exhaust Fan 12" dia Wash room 2 & Kitchen PAK fan or equivalent best quality.	Nos.	3		
2. TEI	LEPHONE SYSTEM				
IN AL	Providing & wiring of each Telephone socket outlet in preinstalled outlet boxes, wired with 4 Pair Cat-6 (UTP)Cable, make 3M / PANDUIT or equivalent best quality in 25mm dia PVC conduit recessed in slabs, floors, walls, columns or on slab above false ceiling or as required as per site conditions,, complete with all conduit & wiring accessories including RJ-45 IOs & Face Plates. Complete in all respect with suitable size 1.5mm thick sheet steel back box recessed in wall.	د محترمہ بینظ	الْمَيْنَا		
		Nos.	6		
b.	JAA NAJA A A A A A A A A A A A A A A A A	MA	Wayn.		
3. COM	PUTER NET WORKING SYSTEM				
Por	Providing, laying & testing of Data Cable 4 Pair Cat -6, make 3M / PANDUIT or equivalent best quality in 25 mm dia PVC conduit including Data Outlet (3M make) Face plate (2port) w/o shutter RJ-45 (Panduit USA)K6 Jack fixed, on 1.5 mm thick steel back box complete in all respect and as per drawing. and providing of Fluke Test Report & 3M's 20 Years Certificate (Complete as per Client's requirement)	Pigcjiji	Second A		
		Nos.	8		
14	Providing & installation of Main cable 4 core 25 mm2 from Meter to Main DB	Mtr	25		
15	Providing & installation of 24 port 3M or equivalent best quality patch panel	Nos.	1		
15	Earthing Work	Job	1		
		500			
	Total - Electrical works				



S#	DESCRIPTION	UNIT	QTY.
1	Installation of owner's supplied Split Air Conditioners (SAC) both indoor & outdoor units complete in all respect.		
	a) 1.0 Ton SAC	Nos	1
	b) 1.5 Ton SAC	Nos	4
	c) 2.0 Ton SAC	Nos	-
2	Estimate copper piping size 22 Swg with insulation for split units charged as per final measurement on site). The return and supply copper tubing to be sized as ½"+1/4" and to be drawn in separate Aeroflex insulators with gray tape.	rft	250
3	Provide & fix UPVC, 1-1/4" dia and 1" dia pipe, Beta or popular or equivalent best quality, for AC drain system, (medium) conforming to BSS 1307 of 1957, along with PVC fittings such as tees, elbows, unions, reducers, sockets, Teflon tape for jointing, hangers, supports, sleeves, including testing and commissioning and insulation with Aero flex insulation.	gwyliu) rft	ريميد ودارو 200
	Company Control Manager Contro	10000 10000 10000	-500,000
4	Providing and installing M.S angle iron brackets, treated with rust proof paint and enamel coating for external A/C's units fixed to the wall slab with Hilti bolts.	Set	5 بالختيار ع

S#	Items		
1	All wooden Furniture (Chairs +tables+02 Cash Counters, wooden cabinets 04)	Job	1
2	All Steel Items (Vault Room Door, Safe+cabinets+SS Card Trolley Fire Amirah)		. 1
3	Main DB	Job	1
4	UPS DB		1
5	IT Rack & Patch Panel(with 9 new IOS 3M)		1
6	Main Cable 4 core 16mm2	Job	1



DANISH STAMP VENDOR Gos-KHI-14

Shop No. A-8, Block 18, Gulshan-e-Iqbal, , Karachi.

Sale Register Serial No.

Date of Issue:

Paper Issued to:

Address:

Contact No.

Purpose:

Challan No.

Date:

35310

24.11.2025

Khan [Asad 42000-0000000-0]

Karachi,

0000-0000000

Affidavit/Agreement

20254362DE20E9C9

24.11.2025

Please Write Below This Line



You can verify your Stamp paper by scanning the QR code or online at www.estamps.gos.pkby using the "Verification Through Web'" option before purchased.

Agreement for Renovation, Interior and Electrical work for Khuhra Sharif Branch Gambat of Sindh Bank Ltd

THIS AGREEMENT is entered into at Karachi on this the day of becember 2015

BETWEEN

M/S. DS Enterprises, a sole proprietorship, having its principal place of business at Supreme Avenue Phase -t, Nagan Chowrangi Karachi (hereinafter referred to as "Contractor", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the First Part;

AND

SINDH BANK LIMITED, a banking company incorporated under the laws of Pakistan and having its Head office at 3rd Floor, Federation House, Abdullah Shah Ghazi Road, Clifton, Karachi-75600, Pakistan. (Hereinafter referred to as "THE BANK", which expression shall be deemed to mean and include its successors-in-interest and assigns) of the Second Part.

WHEREAS:

"THE BANK" intends to acquire the services of "Contractor" for Renovation, Interior and Electrical Work, for its **Khuhra Sharif Branch Gambat** and Contractor agrees to provide the following services to the bank, as per the tender opened on 19/11/2025.

- i. Renovation, Interior and Electrical work as per covered area 2450 sq.ft as detailed in BOQ submitted to the Bank.
- ii. Total Price as per Financial / Technical Proposal Submitted by M/s. D.S Enterprises: Rs.4,333,225/-as Annexure "A".



The terms and conditions are as follows:

Terms & Conditions:

All terms and conditions of the tender document will remain part of this agreement.

Change / alteration in the original Plan:

- Any change/alteration in the original plan, if required, due to site hindrance or any other reason shall be made after written approval of the Bank. Electricity & Water for renovation activities will be provided free of charge to the Contractor, by the Bank.

Payment Schedule:

The payment will be made given as per following schedule:

S.No	Payment Stages	Payment in terms of percentage	Job to be Completed	Verified By
1	1 st Running Payment 40%	On completion of 50% job.	Raised Flooring, P.C.C, Block Masonry, Plaster, Sewerage Pipes, Cutting of Lintels, Wash Room, Tiles, PVC Conduits, Lights Wiring, AC Drain Pipe, Door Frames	Admin/Area Manager
2	2 nd Running Payment 40%	On completion of 90% job.	Floor, Tiles, False Ceiling, Paint 1 st , Coat, Networking Telephone Cable, Copper, Pipe, MDF Bulk Head, Glass Door, Glass Partition	Admin/Area Manager
3	Final Payment 17%	On completion of 100% job.	All remaining work as · mentioned in BOQ	Engineer Visit/Branch Completion Certificate
4	5% Retention Money (2% Performance Security + 3% Retention Money)	On satisfactory completion for three month period, after actual completion of work	After satisfactory completion of 3 months from actual completion.	Branch Management

The contractor has to deposit 2% retention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money / performance security will be released after 3 month of completion of tender assigned job and after due receipt of letter of satisfaction from concerned branch manager. Final Bill will be made on actual verified quantities.

eriod of Contract:

- Date of Handing over site
- Branch Completion date:

Commencement of Work:

The job will be commenced from the date of acceptance of Award/Letter by the Contractor.

Penalty:

- The completion period of the awarded work will be 60 days from the date of handing over the site.
- In case of delay in completion, a penalty @ 0.15% of total contract amount, for each day of delay will be imposed.
- The rates quoted by the Contractor will include all works, necessary for establishment of Bank Branch, complete in all respect strictly in accordance with our specifications given in design book. In case of any deviation in design/ specification, without written permission of Bank's Engineer, the payment of such item will not be paid and the contractor will be liable to replace the objected item as per the design book at his own cost.



Notice:

- Any notice, request or consent required or permitted to be given or made pursuant to this agreement shall be in writing. Any such notice, request or consent shall be deemed to have been given or made when delivered in person to an authorized representative of the Party to whom the communication is addressed, or when sent to such Party at the given address.
- A party may change its address for notice by giving a notice to the other Party in writing of such change.

Authorized Representative:

- Any action required or permitted to be taken, and any document required or permitted to be executed under this agreement by the Bank or the Contractor may be taken or executed by the officials.

Taxes and Duties:

- The Contractor and its Personnel shall pay such direct or indirect taxes, duties, fees, and other impositions levied under the Applicable Law, the amount of which is deemed to have been included in the Contract Price.

Termination of Agreement by the Bank:

- If the performance of the Contractor is not satisfactory this agreement can be terminated by the Bank upon giving a 30 days' advance notice in writing to the Contractor. In such event the Contractor shall refund all advance money to the Bank after adjusting the cost of work done by that date.
- If the Contractor becomes insolvent or bankrupt.
- If the Contractor, in the judgment of the Bank has engaged in corrupt or fraudulent practices in competing for or in executing the Agreement.
- If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) days; and
- If the Bank, in its sole discretion and for any reason whatsoever, decided to terminate this Agreement.
- If issued with two warning letter/email by the bank for unsatisfactory performance to the bidder.

Termination of Agreement by the Contractor:

- The Contractor may terminate this Agreement, by not less than (30) days' written notice to the Bank, if the Bank fails to pay any money due to the Contractor pursuant to this Agreement without Contractors fault.
- If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) days.

Force Majeure:

- The failure on the part of the parties to perform their obligation under the agreement will not be considered as default if such failure is the result of natural calamities, disasters and circumstances beyond the control of the parties.

Extension of Time:

Any period within which Party shall, pursuant to this agreement, complete any action or task, shall be extended for
a period equal to the time during which such Party was unable to perform such action as a result of Force
Majeure.

Good Faith:

- The Parties undertake to act in good faith with respect to each other's rights under this agreement and to adopt all reasonable measures to ensure the realization of the objectives of this agreement.



Settlement of Disputes:

- The Parties agree that the avoidance or early resolution of disputes is crucial for a smooth execution of the Agreement and the success of the assignment. The Parties shall use their best efforts to settle amicably all disputes arising out of or in connection with the Agreement or its interpretation.
- If Parties fail to amicably settle any dispute arising out of or in connection with the Agreement within (10) days of commencement of such informal negotiations, the dispute shall be referred to arbitration of two arbitrators, one to be appointed by each party, in accordance with the Arbitration Act, 1940. Venue of arbitration shall be Karachi, Pakistan and proceedings of arbitration shall be conducted in English.

Obligation of the Contractor:

- The Contractor shall perform the Services and carry out their obligations hereunder with all due diligence, efficiency and economy, in accordance with generally accepted professional standards and practices, and shall observe sound management practices, and employ appropriate technology and safe and effective equipment, machinery, materials and methods. The Contractor shall always act, in respect of any matter relating to this Agreement or to the Services, as faithful advisers to the Bank, and shall at all times support and safeguard the Bank legitimate interests in any dealing with Sub-Suppliers or third Parties.
- If the obligation of warranty period are not met or delayed, the repair etc. requirement on this account will be carried out by the bank & the billed amount will be deducted from the performance security/ upcoming payment due to supplier. Risk & subsequent cost to this effect if any will be liability of the vendor and any subsequent expenses on the equipment will also be borne by the supplier

Conflict of Interest:

- The Contractor shall hold the Bank's interests paramount, without any consideration for future work, and strictly avoid conflict with other assignments or their own corporate interests.

Confidentiality:

- Except with the prior written consent of the Bank, the Contractor and the Personnel shall not at any time communicate to any person or entity and confidential information acquired in the course of the Services, nor shall the Contractor and the Personnel make public the recommendations formulated in the course of, or as a result of, the Services.

INDEMNIFICATION.

a) Contractor (the "Indemnifier") agrees that it shall indemnify, defend, and hold harmless the BANK and its parent, subsidiaries, affiliates, successors, and assigns and their respective directors, officers, employees and agents (collectively, the "Indemnities") from and against any and all liabilities, claims, suits, actions, demands, settlements, losses, judgments, costs, damages and expenses (including, without limitation, reasonable attorneys', accountants' and experts' fees) arising out of or resulting from, in whole or in part: (i) any act, error or omission, whether intentional or unintentional, by the Indemnifier or its officers, directors, employees, or sub-administrators, related to or arising out of the business covered by this Agreement, or (ii) an actual or alleged breach by the Indemnifier of any of its representations, warranties or covenants contained in this Agreement (including, without limitation, any failure of Indemnifier to comply with applicable local, state, provincial or federal regulations concerning Indemnifier's performance under this Agreement).

b) This Article shall survive after termination of this Agreement.

ACCESS TO REGULATOR.

Contractor and THE BANK agree to provide State Bank of Pakistan necessary access to the documentation and accounting records in relation to the Renovation of Khuhra Sharif Branch Gambat and right to conduct on – site inspection, if required.

Anti - Money Laundering.

Contractor acknowledge that they do not violate any statutory / prudential requirement on anti-money laundering or record keeping procedure as per existing laws / rules and regulations of locals as well as foreign jurisdiction."

In witnesses hereunder both the parties have set their hands on the day and year above first mentioned. Contractor Signature Witness: Signature Ausern Name Syed. Danish Haidu Designation Sole propoiler Name Syed Intesom Abbeis Designation Account Monages Company Name DS Enlignises Address Supreme Arens phase of 8hop Address Supreme Arenue phase # 03 shop # 26 & 27 Nagon chowrong, * 26 & 27 Nagan chowsangs Stamp Costumer Signature Signature Name Archad Abbers Somo Designation Deputy Head of Aduum Designation Head of Adminihalin Company Name Sindh Bank Limited Company Name Sindh Bank Limited Address Federation House, Sindh Bank Address Federation House, Sindh Bank Ltd. Head Office, Karachi Ltd. Head Office Karachi Stamp

Witness:

Signature_


Designation

Address

his Enginee

DS DO PRISES





SND-0370-64436834326

GoS-KHI-85AD175BCEF513EC

Non-Judicial

Rs 15,167/-

Description : Contract - 15(a)

Principal : Sindh Bank Limited [43932525]
Contractor : DS Enterprises [41757661]

Applicant : Syed Danish Haider [42501-7008461-7]

 Stamp Duty Paid by
 : DS Enterprises [41757661]

 Issue Date
 : 09-Dec-2025, 03:55:23 PM

 Paid Through Challan
 : 20251EFF3AA72A35

Amount in Words : Fifteen Thousand One Hundred and Sixty Seven Rupees Only

Please Write Below This Line

You can verify your e-Stamp paper by scanning the QR code or online at www.estamps.gos.pk using the 'Verification Through Web' option.













DANISH STAMP VENDOR Gos-KHI-14

Shop No. A-8, Block 18, Gulshan-e-Iqbal, , Karachi.

Sale Register Serial No.

Date of Issue:

Paper Issued to:

Address:

Contact No.

Purpose:

Challan No.

Date:

35315

24.11.2025

Khan [Asad 42000-0000000-0]

Karachi


0000-000000

Affidavit/Agreement

20254362DE20E9C9

24.11.2025

lease Write Below This Line-



Dated:

M/S. DS Enterprises
Supreme Avenue Phase 1
Shop No.26 & 27 Nagan Chowrangi
Karachi

Letter of Award

Renovation, Interior Work, Construction and Electrical Work at Sindh Bank Limited "Khuhra Sharif Branch Gambat".

This is with reference of your Tender opened dated 19/11/2025 pertaining to captioned work. We are pleased to inform you that based on your quotation the above work has been assigned to you on contract price basis, on item wise rates, with a total of Rs.4,333,225/-.

Other terms & conditions would be as follows:

1. Description of Work:

- a) Civil/Interior work covering total area 2450 sq.ft as per the detailed drawing submitted to the bank.
- b) Electrical Works

Any change / alteration in the original plan, if required, due to site hindrance or any other reason shall be made after written approval of the bank. Electricity & water for construction activities will be provided free of charge to the contractor, by the bank.

DS BY KISES

2. Payment Schedule:

The payment will be given as per following schedule.

S.No	Payment Stages	Payment in terms of percentage	Job to be Completed	Verified By
1	1 st Running Payment 40%	On completion of 50% job.	Raised Flooring, P.C.C, Block Masonry, Plaster, Sewerage Pipes, Cutting of Lintels, Wash Room, Tiles, PVC Conduits, Lights Wiring, AC Drain Pipe, Door Frames	Admin/Area Manager
2	2 nd Running Payment 40%	On completion of 90% job.	Floor, Tiles, False Ceiling, Paint 1 st , Coat, Networking Telephone Cable, Copper, Pipe, MDF Bulk Head, Glass Door, Glass Partition	Admin/Area Manager
3	Final Payment 17%	On completion of 100% job.	All remaining work as mentioned in BOQ	Engineer Visit/Branch Completion Certificate
4	5% Retention Money (2% Performance Security + 3% Retention Money)	On satisfactory completion for three month period, after actual completion of work	After satisfactory completion of 3 months from actual completion.	Branch Management

The contractor has to deposit 2% retention money at the time of award of contract and 3% will be withheld at the time of final payment. The total 5% withheld amount on account of retention money /performance security will be released after 3 month of completion of tender assigned job and after due receipt of letter of satisfaction from concerned branch manager. Final Bill will be made on actual verified quantities / area.

3. Completion of Period:

4. Commencement of Work:

The job will be commenced immediately from the date of acceptance of this Award/Letter.

Please sign & affix your company's stamp and return the same to us as a token of your acceptance immediately.

With Regards,

Faraz Ahmed Chief Engineer

Agreed & Accepted For & on behalf of

Syed Danish Haider

DS Enterprises

DS B James